

Contents

1. Introduction	3
1.1. Contributions	5
1.2. Outline	5
2. Theoretical basics	7
2.1. Geometry	7
2.1.1. Points	7
2.1.2. Skew symmetric matrix of a 3D vector	8
2.1.3. Plücker line coordinates	8
2.1.4. Rotations	10
2.1.4.1. Rotation matrix R	11
2.1.4.2. Rodrigues vector $\mathbf{R}$	11
2.1.4.3. Rotation within the common plane of two vectors	13
2.2. Uncertainty propagation	13
2.2.1. Measurement uncertainties	13
2.2.2. Monte Carlo simulation	15
2.2.3. First order uncertainty propagation	15
2.2.3.1. Example 1: Uncertain homogeneous transformation of an uncertain point	17
2.2.3.2. Example 2: Uncertain Rodrigues vector from uncertain rotation matrix	17
2.2.4. Unscented transform	18
2.3. B-splines	19
2.3.1. Inversion of B-splines	22
2.3.2. B-spline interpolation	24
2.3.3. B-spline approximation	25
2.4. Estimation	26
2.4.1. Linear least squares	27
2.4.2. Uncertainties of the linear least squares solution	28
2.4.3. Non-linear least squares	28
2.4.4. MLE with reduced homogeneous coordinates	30
2.4.4.1. MLE Example 1: best line intersection	33
2.4.4.2. MLE Example 2: 3D line fitting	35

3. Camera models	39
3.1. The pinhole camera model	40
3.1.1. Linear pinhole camera calibration	43
3.1.2. The pinhole camera with lens distortions	46
3.2. Omnidirectional cameras	47
3.2.1. Fisheye cameras	48
3.2.1.1. The panomorph camera	49
3.2.1.2. Scaramuzza's omnidirectional camera model	51
3.2.2. Catadioptric cameras	54
3.2.2.1. Paracatadioptric cameras	55
3.2.2.2. Hypercatadioptric cameras	57
3.2.2.3. Conic cameras	58
3.2.2.4. Modeling catadioptric cameras	58
3.3. Generic camera models	61
3.3.1. The two-plane model (Chen et al.)	61
3.3.2. The generic model (Grossberg and Nayar)	62
3.3.3. Generic calibration (Sturm and Ramalingam)	65
3.3.4. Generic central calibration (Dunne, Mallon and Whelan)	67
3.3.4.1. Linear initial calibration	67
3.3.5. The smooth model (Miraldo and Araujo)	70
4. The surface model	73
4.1. A spline surface in 6D Plücker space	75
4.2. Subpixel back projection with the surface model	79
4.2.1. Surface model accuracy evaluation	79
4.2.1.1. Evaluation of a pinhole camera	81
4.2.1.2. Evaluation of a hypercatadioptric camera	86
4.2.1.3. Conic camera	86
4.2.1.4. Realistic conic camera	89
4.2.1.5. Conic camera with noisy data points	98
4.2.2. Uncertain splines	99
4.2.3. Back projection with the uncertain surface model	104
4.3. General forward projection with the surface model	107
4.3.1. General forward projection of uncertain points	112
5. Calibration of the surface model	117
5.1. Initial calibration	119
5.1.1. Interpolation on sparse calibration patterns	120
5.1.1.1. Inversion of uncertain spline surfaces	121
5.1.2. Homography from uncertain points	122
5.1.3. Linear calibration	125
5.1.3.1. Linear calibration of a simulated fisheye camera	126

5.1.3.2.	Linear calibration of a simulated conic camera	128
5.1.4.	Uncertain linear calibration	129
5.1.5.	Uncertain rays from calibration planes	131
5.1.6.	Bundle Adjustment	132
5.1.6.1.	The optimization problem	136
5.1.6.2.	Minimization of the ray-point distance	137
5.1.6.3.	Solution refinement	142
5.1.6.4.	Evaluation of the bundle adjustment procedure	145
5.2.	Complete calibration	149
5.2.1.	Plane pose from uncertain viewing rays	152
5.2.2.	Complete calibration results	157
5.3.	Surface model construction	160
6.	Calibration of real camera systems	169
6.1.	Fisheye and catadioptric camera	169
6.2.	Panomorph camera	175
7.	Conclusion	181
7.1.	Outlook	182
A.	Appendix	183
A.1.	Covariance matrix for inversion of uncertain spline surfaces	183
A.2.	Data point conditioning for uncertain homography estimation	184
A.3.	Jacobians for minimizing the ray-point distance	185