

Contents

List of contributing authors — V

Preface — XI

Part I: Multi-time-scale and multi-length-scale simulations of precipitation and strengthening effects

P. Kizler, D. Uhlmann, and S. Schmauder

1 Linking nanoscale and macroscale — 3

- 1.1 Introduction — 3
- 1.2 Nanoscale information from the material — 4
- 1.3 Mesoscale theory — 6
- 1.4 Micro:macroscale theory — 8
- 1.5 Connection of length scales — 10
- 1.6 Conclusions — 11

D. Molnar, R. Mukherjee, A. Choudhury, A. Mora, P. Binkele, M. Selzer, B. Nestler, and S. Schmauder

2 Multiscale simulations on the coarsening of Cu-rich precipitates in α -Fe using kinetic Monte Carlo, Molecular Dynamics, and Phase-Field simulations — 15

- 2.1 Introduction — 15
- 2.2 Multiscale Approach — 16
- 2.3 Simulation Methods and Applied Models — 17
 - 2.3.1 Cu-precipitation – Kinetic Monte-Carlo Simulations — 17
 - 2.3.2 Structural Coherency – Molecular Dynamics Simulations — 18
 - 2.3.3 Particle Coarsening – Phase-Field Method — 19
- 2.4 Simulation Results — 22
 - 2.4.1 Kinetic Monte Carlo simulations and Broken-Bond Model — 22
 - 2.4.2 Molecular Dynamics simulations — 25
 - 2.4.3 Phase-Field Method Simulations — 25
 - 2.4.4 Phase-field Results — 27
- 2.5 Conclusions — 32

C. V. Singh

3 Multiscale modeling predictions of age hardening curves in Al-Cu alloys — 37

- 3.1 Introduction — 37

3.2	Atomistic modeling of precipitation hardening —	39
3.2.1	Methodology —	39
3.2.2	GP zone strengthening —	41
3.2.3	θ'' strengthening —	46
3.3	Atomistic modeling of solute hardening —	48
3.4	Dislocation dynamics model for macroscopic precipitate strength predictions —	50
3.5	Modeling of precipitate kinetics —	53
3.6	Age hardening predictions of Al-4 wt.% Cu aged at 110 °C —	54
3.7	Effect of Cu concentration and aging temperature —	58
3.8	Role of thermal activation and direct comparison to experiment —	62
3.9	Summary and conclusion —	65

M. Prieto-Depedro, I. Martin-Bragado, and J. Segurado

4	Kinetic Monte Carlo modeling of shear-coupled motion of grain boundaries —	73
4.1	Introduction —	73
4.2	Dynamics of shear-coupled motion of grain boundaries and coupling modes —	75
4.3	Molecular Dynamics —	77
4.3.1	Computational procedure —	77
4.3.2	Shear-coupled motion at low temperatures —	78
4.3.3	Shear coupled motion at medium temperatures —	80
4.3.4	Nudged elastic band calculations —	83
4.4	Kinetic Monte Carlo —	83
4.4.1	Simulation methodology —	84
4.4.2	Simulation results and discussion —	85
4.5	Concluding remarks —	88
4.A	Effective shear modulus for planar GBs: Application to [001] STGB contained in bicrystal structures —	89

M. Labusch, M. Etier, D. Lupascu, J. Schröder, and M.-A. Keip

5	Product Properties of a two-phase magneto-electric composite —	93
5.1	Introduction —	93
5.2	Theoretical framework —	96
5.2.1	Magneto-electro-mechanical boundary value problem —	96
5.2.2	Constitutive framework on the microscale —	98
5.2.3	Constitutive framework of ME composites on the macroscale —	99
5.3	Synthesis and manufacturing of ME composites —	100
5.3.1	Synthesis schemes —	100
5.3.2	Synthesis results for 0-3 composites —	101
5.3.3	Experimental details —	102

- 5.4 Computational determination of magneto-electro-mechanical properties of ME composites — **103**
- 5.4.1 Computational characterization of the magneto-electro-mechanical properties of an ideal microstructure — **104**
- 5.4.2 Computational characterization of the magneto-electro-mechanical properties of a real microstructure — **106**
- 5.5 Conclusion — **110**

K. Chockalingam, R. Janisch, and A. Hartmaier

- 6 Coupled atomistic-continuum study of the effects of C atoms at α -Fe dislocation cores — 115**
- 6.1 Introduction — **115**
- 6.2 Coupling atomistic and continuum domains — **117**
- 6.2.1 Atomistic domain — **117**
- 6.2.2 Continuum domain — **118**
- 6.2.3 Coupling scheme — **119**
- 6.3 Verification by dislocation analysis — **122**
- 6.4 Carbon influence on critical stress — **126**
- 6.4.1 Screw dislocation — **126**
- 6.4.2 Edge dislocation — **128**
- 6.4.3 Discussion — **129**
- 6.5 Conclusion — **129**

Part II: Multiscale simulations of plastic deformation and fracture

A. Siddiq, S. Schmauder, and M. Rühle

- 7 Niobium/alumina bicrystal interface fracture — 135**
- 7.1 Introduction — **135**
- 7.2 Concept of modelling — **137**
- 7.3 Results and discussion — **141**
- 7.4 Conclusions — **148**

A. Koester, A. Ma, and A. Hartmaier

- 8 Atomistically informed crystal plasticity model for body-centred cubic iron — 151**
- 8.1 Introduction — **151**
- 8.2 Crystal plasticity approach — **152**
- 8.3 Atomistic studies — **154**
- 8.3.1 Orientation dependence of the critical stress — **156**
- 8.3.2 Influence of shear stresses perpendicular to the glide direction — **157**

- 8.3.3 Influence of tension and compression perpendicular to the glide direction — **158**
- 8.4 FEM study of a bcc iron single crystal — **161**
- 8.5 Sensitivity analysis of the flow rule parameters — **164**
- 8.6 Summary — **164**

J. J. Möller, A. Prakash, and E. Bitzek

- 9 FE2AT – finite element informed atomistic simulations — 167**
- 9.1 Introduction — **167**
- 9.2 Methodology of *FE2AT* — **170**
- 9.2.1 Atom-localization in a finite element mesh — **171**
- 9.2.2 Interpolation of nodal displacements — **172**
- 9.2.3 The *FE2AT* approach — **174**
- 9.3 Application examples — **176**
- 9.3.1 Bending of a nano-beam — **176**
- 9.3.2 Fracture — **181**
- 9.4 Discussion — **186**
- 9.5 Summary — **187**

Ž. Božić, S. Schmauder, M. Mlikota, and M. Hummel

- 10 Multiscale fatigue crack growth modelling for welded stiffened panels — 191**
- 10.1 Introduction — **191**
- 10.2 Molecular dynamics (MD) simulation of dislocation development in iron — **194**
- 10.2.1 Methods and model — **194**
- 10.2.2 Results and discussion — **195**
- 10.3 Microstructural crack nucleation and propagation — **197**
- 10.4 Modeling and simulation of crack propagation in welded stiffened panels — **199**
- 10.4.1 Specimen's geometry and loading conditions — **200**
- 10.4.2 Modeling of welding residual stresses in a stiffened panel by using FEM — **201**
- 10.4.3 Stress intensity factors and fatigue crack growth rate — **203**
- 10.5 Conclusions — **208**

Y. Furuya, H. Noguchi, and S. Schmauder

- 11 Molecular dynamics study on low temperature brittleness in tungsten single crystals — 213**
- 11.1 Introduction — **213**
- 11.2 A combined model of molecular dynamics with micromechanics — **215**
- 11.2.1 The principle of the combined model — **215**

11.2.2	Flexible boundary conditions using body forces —	217
11.2.3	Transformation from an atomistic dislocation to an elastic dislocation —	217
11.2.4	Movement of a molecular dynamics region with crack propagation —	218
11.3	Simulation of a brittle fracture process in tungsten single crystals —	219
11.3.1	Calculation conditions and additional procedures for the simulation of tungsten single crystals —	219
11.3.2	Simulation results and size dependency of the molecular dynamics region on the results —	223
11.4	Investigation of brittle fracture processes and temperature dependency of fracture toughness at low temperature —	225
11.4.1	Simulation results at low temperature —	225
11.4.2	A brittle fracture process —	227
11.4.3	Temperature dependency of fracture toughness —	229
11.5	Discussion —	230
11.6	Conclusion —	231

L. Madej, M. Sitko, K. Perzynski, L. Sieradzki, K. Radwanski, and R. Kuziak

12	Multi scale cellular automata and finite element based model for cold deformation and annealing of a ferritic-pearlitic microstructure —	235
12.1	Introduction —	235
12.2	Experimental investigation of static recrystallization —	237
12.3	Digital material representation of the ferritic-pearlitic microstructure —	243
12.4	Multi scale model of rolling —	245
12.5	Cellular automata model of static recrystallization —	246
12.6	Conclusions —	251

J. Wiedmaier, W. Verestek, U. Weber, and S. Schmauder

13	Multiscale simulation of the mechanical behavior of nanoparticle-modified polyamide composites —	255
13.1	Introduction —	255
13.2	Used Materials —	256
13.3	RVE model – tensile test —	256
13.4	Molecular dynamics simulations: Derivation of the traction separation law —	258
13.5	Results and discussion —	260
13.6	Conclusion and outlook —	261

Part III: Multiscale simulations of biological and bio-inspired materials, bio-sensors and composites

C.-S. Chen, Y.-C. Shih, C.-C. Chou, S.-W. Chang, and C. Liou

14 Multiscale Modeling of Nano-Biosensors — 265

- 14.1 Top-down Information Passage — 267
- 14.2 Bottom-up Information Passage — 269
- 14.3 Conclusion — 269

D. Weidt and Ł. Figiel

15 Finite strain compressive behaviour of CNT/epoxy nanocomposites — 273

- 15.1 Introduction — 273
- 15.2 Framework of modelling — 275
 - 15.2.1 Representative volume elements (RVEs) — 276
 - 15.2.2 Computational homogenisation: RVE-to-macro transition — 280
- 15.3 Results and discussion — 281
 - 15.3.1 Mesh convergence — 282
 - 15.3.2 RVE size and ensemble size — 284
 - 15.3.3 2D versus 3D RVE-based analyses of finite strain compressive behaviour of the nanocomposite — 289
 - 15.3.4 Computational time — 298
 - 15.3.5 Comparison with experiments — 298
- 15.4 Conclusion — 299

I. Schäfer, G. Lasko, T. A. Do, J. Pleiss, U. Weber, and S. Schmauder

16 Peptide–zinc oxide interaction — 303

- 16.1 Introduction — 303
- 16.2 Material and Methods — 305
 - 16.2.1 Using MD simulations to estimate the adsorption affinity of the peptide — 305
 - 16.2.2 FEM simulations — 306
- 16.3 Results and Discussion — 310
 - 16.3.1 MD-Simulations — 310
 - 16.3.2 Multiscale simulations — 312
- 16.4 Conclusions — 317
- 16.A Appendix — 319

Index — 323