

Contents

1	Introduction	1
1.1	Motivation	2
1.2	Structure of this thesis	6
2	Photonic crystal slabs	9
2.1	Photonic crystals - an overview	10
2.1.1	One-, two- and three-dimensional photonic crystals	12
2.2	Photonic crystal slabs	14
2.3	Band structure of photonic crystal slabs	16
2.3.1	Maxwell equations	16
2.3.2	The reciprocal lattice	18
2.3.3	The band structure	19
2.4	Guided-mode resonances	24
2.5	Application fields for photonic crystal slabs	26
2.5.1	Spontaneous emission control	26
2.5.2	Light extraction in LEDs	27
2.5.3	Sensors based on photonic crystals	28
2.6	Fabrication method of photonic crystals	29
2.6.1	Electron beam lithography	29
2.6.2	Laser interference lithography	30
2.6.3	Nanoimprint lithography and injection molding	30
2.7	Suitable materials for photonic crystal slabs	31
3	Simulations using the finite-difference time-domain method	35
3.1	Finite-difference time-domain method	36
3.1.1	Physical background	36
3.1.2	Boundary conditions	38
3.1.3	<i>Strengths and weaknesses of finite-difference time-domain modeling</i>	39

3.2	Simulating the transmission through a photonic crystal slab	40
3.2.1	Simulation domain	40
3.2.2	Transmission in time domain and frequency domain	43
3.3	Direct access to guided-mode resonances	45
3.4	Impact of geometric parameters on guided-mode resonances	47
3.4.1	Varying the hole radius	48
4	Transmission using crossed polarization filters	51
4.1	Experimental setup	52
4.1.1	Confocal microscope setup for spatially resolved transmission measurements	52
4.1.2	A differential method for angle resolved transmission measurements	53
4.2	Direct observation of guided-mode resonances	56
4.3	Impact of polarization direction	58
4.3.1	Coupling mechanism to quasi guided modes	58
4.3.2	Linear photonic crystal slabs	58
4.3.3	Quadratic photonic crystal slabs	61
5	Methods for characterizing photonic crystal slabs	65
5.1	Motivation	66
5.2	Deduction of photonic crystal slab parameters	67
5.2.1	Determination of slab thickness	67
5.2.2	Adaption of hole radius and profile	68
5.3	Homogeneity characterization of photonic crystal slabs	70
5.3.1	Visual inspection	72
5.3.2	Homogeneity investigations utilizing a spectrometer	75
5.4	Band diagram measurements above the light line	78
5.4.1	Measuring the band diagram in different crystal directions	79
5.4.2	Verifications utilizing FDTD simulations	83
5.5	The angle and spatially resolved quality factor	85
5.5.1	Experimental quality factor determination	85
5.5.2	Angle resolved quality factor determination	87
5.5.3	Spatial resolved quality factor determination	88
6	An optoelectronic biosensor using photonic crystal slabs	93
6.1	Motivation	94
6.2	Resonance shift determination via intensity measurements	94

6.2.1	Convolution of a spectrally limited light source and guided-mode resonances	95
6.2.2	Bulk refractive index measurements	95
6.3	Design of a demonstrator	99
6.3.1	Mechanical and electrical elements of the demonstrator	99
6.3.2	Detection limit in a bulk refractive index measurement	102
6.4	Protein-protein coupling in real-time	104
6.4.1	Surface functionalization with Biotin	104
6.4.2	Label-free streptavidin detection in real-time	105
7	Photonic crystal slabs as visual sensors	109
7.1	Motivation	110
7.2	Color theory	110
7.2.1	CIE 1931 color space	110
7.2.2	MacAdam ellipse	113
7.3	Photonic crystal slabs as visual sensors	113
7.3.1	Visual impression in a bulk refractive index test	115
7.3.2	Guided-mode resonance shift and redistribution	116
7.4	Photonic crystal slab as visual biosensor	118
8	Enhanced contrast in microscopy	121
8.1	Motivation	122
8.2	Enhanced contrast due to guided-mode resonance shift	123
8.3	Enhanced contrast due to arising of guided-mode resonances	125
8.3.1	Guided-mode resonances as a function of the refractive index	125
8.3.2	Verification using FDTD simulations	129
8.3.3	Spatial resolution of guided-mode resonances	129
9	Conclusions and outlook	131
9.1	Optimization of photonic crystal slabs for sensing applications	132
9.2	Future sensor applications	133
	Bibliography	135
	List of Figures	151
	List of Tables	157
	Index	159

Nomenclature	161
Acknowledgement	165