

Table of Content

	Histological Diagnosis of Implant-Associated Pathologies	1
	<i>Veit Krenn, Giorgio Perino</i>	
1	Introduction	3
2	Interdisciplinary Diagnosis of Joint Prosthesis Pathology	3
2.1	General Principles	3
2.2	International Expanded SLIM Consensus Classification	4
2.3	Wear-Induced Synovitis/SLIM (Type I)	5
2.4	Infection-Induced Synovitis/SLIM (Type II)	5
2.5	Mixed Synovitis/SLIM (Type III)	6
2.6	Indifferent (Not Wear-Induced, Not Infection-Induced) Synovitis/SLIM (Type IV)	7
2.7	Prosthesis-Associated Arthrofibrosis (Type V)	8
2.8	Adverse Local Tissue Reactions to Implant Materials (Type VI)	9
2.9	Local Osseous Pathologies (Type VII)	12
2.10	Histological Criteria for Periprosthetic Joint Infection	13
2.11	Response Patterns for Implant-Associated Allergic/Hypersensitivity Reaction	15
2.12	Response Patterns for Implant-Associated Toxic Inflammatory/ Hypersensitivity Reaction	16
2.13	Particle Algorithm	18
2.14	Characterization of Wear Particles	19
3	Clinical Approach to Synovial-Like Interface Membranes	30
4	Standardized Collection and Processing of Periprosthetic Tissue Samples	31
4.1	Clinical Data	31
4.2	Tissue Collection	31
4.3	Tissue Submission to Pathology During Arthroscopy and/or Revision Surgery	34
5	Future Perspectives	37
5.1	Implant Wear Materials and Host Response	37
5.2	Detection of Implant Infection at an Early Stage of Development	37
5.3	Detection of Implant-Associated Adverse Reactions In Vivo at an Early Stage of Development	37
5.4	Cellular Quantification and Threshold Determination for Adverse Reactions	38
6	Conclusion	39
	Abbreviations	39
	Acknowledgments	40
	References	41