

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Contribution to Research	2
1.3	Thesis Overview	4
2	Background	5
2.1	Signal Representation	5
2.2	Wireless Channels	9
2.2.1	Large-scale Fading	10
2.2.2	Small-scale Fading	11
2.2.3	Wide-sense Stationary Uncorrelated Scatterers	20
2.3	Orthogonal Frequency Division Multiplexing	22
2.3.1	The Principle behind	23
2.3.2	Behavior under Realistic Channels	29
2.4	Multiple Access Schemes	37
2.5	Principles of Software Defined Radio	37
2.5.1	Software Defined Radio, Adaptive Radio, Cognitive Ra- dio	38
2.5.2	Benefits of Software Defined Radios	42
2.6	Software Defined Radio in Practice	45
2.6.1	Digital Processing Platforms for Software Defined Ra- dios	45
2.6.2	Standardization Approaches	52
2.6.3	Examples of Software Defined Radios	54

3	Design Concept and Methodology	63
3.1	Mixing Simulation and Experimentation	63
3.2	Workflow	66
3.2.1	Requirements Definition	66
3.2.2	System Simulation	67
3.2.3	Firmware and Hardware Development	69
3.2.4	Lab Tests	71
3.2.5	Field Tests	72
3.3	Realizing Flexibility and Adaptivity	72
3.4	Higher OFDM Performance through Adaptivity	74
3.4.1	Finding an Adequate Performance Metric	74
3.4.2	Flavors of Waveform Flexibility	78
3.4.3	Channel State Information	84
4	Waveform Implementation	89
4.1	Firmware and Software Architecture	90
4.1.1	FPGA Processing Overview	90
4.1.2	GPP Processing Overview	92
4.2	Hardware Architecture	93
4.2.1	FPGA Board and Adapter Board	94
4.2.2	Interfacing to External and the GPP	96
4.2.3	Frontends	99
4.3	Baseband Processing	100
4.3.1	Four Logical Links	103
4.3.2	Two OFDMA Channels	104
4.3.3	Time and Frequency Synchronization	108
4.4	Inferred Channel Monitoring	116
4.5	Channel Sounding	118
4.5.1	Sounding the Power Delay Profile	119
4.5.2	Sounding the Scattering Profile	121
4.5.3	Integration into the SDR System	123

5	Validation and Results	125
5.1	Simulations	127
5.1.1	Comparing Analytical Link-level BERs with Simulations	127
5.1.2	Symbol Timing Synchronization Simulations	131
5.2	Hardware-in-the-loop Measurements	132
5.2.1	Comparing Link-level BER Simulations with Measure- ments	134
5.2.2	Measurements with Varying Delay Spreads	142
5.2.3	Measurements with Varying Doppler Spreads	145
5.2.4	Symbol Timing Synchronization Measurements	146
5.3	Three Case Studies	147
5.3.1	Case Study I: An UAV-UGV Scenario	147
5.3.2	Case Study II: Intra-cabin ISM Band Communication	153
5.3.3	Case Study III: Flight Telemetry	161
6	Conclusion	173
6.1	Summary	173
6.2	Future Work	176
	List of Figures	177
	List of Tables	179
	Abbreviations and acronyms	181
	Bibliography	187