

Contents

Part I

Graziano Crasta and Ilaria Fragalà

Geometric issues in PDE problems related to the infinity Laplace operator — 5

- 1.1 Introduction — 5
- 1.2 On the Dirichlet problem — 6
- 1.3 On the overdetermined problem: the simple (web) case — 8
- 1.4 On stadium-like domains — 11
- 1.5 On the overdetermined problem: the general (non-web) case — 13
- 1.6 Open problems — 18

H. Harbrecht and M. D. Peters

Solution of free boundary problems

in the presence of geometric uncertainties — 20

- 2.1 Introduction — 20
- 2.2 Modelling uncertain domains — 22
 - 2.2.1 Notation — 22
 - 2.2.2 Random interior boundary — 22
 - 2.2.3 Random exterior boundary — 23
 - 2.2.4 Expectation and variance of the domain — 24
 - 2.2.5 Stochastic quadrature method — 26
 - 2.2.6 Analytical example — 27
- 2.3 Computing free boundaries — 28
 - 2.3.1 Trial method — 28
 - 2.3.2 Discretizing the free boundary — 29
 - 2.3.3 Boundary integral equations — 30
 - 2.3.4 Expectation and variance of the potential — 31
- 2.4 Numerical results — 32
 - 2.4.1 First example — 32
 - 2.4.2 Second example — 34
 - 2.4.3 Third example — 34
 - 2.4.4 Fourth example — 36
- 2.5 Conclusion — 38

M. Hintermüller and D. Wegner

Distributed and boundary control problems for the semidiscrete

Cahn–Hilliard/Navier–Stokes system with nonsmooth Ginzburg–Landau energies — 40

- 3.1 Introduction — 40

3.2	Optimal control problem for the time discretization —	43
3.3	Yosida approximation and gradient method —	47
3.3.1	Sequential Yosida approximation —	47
3.3.2	Steepest descent method with expansive line search —	48
3.3.3	Newton's method for the primal system —	49
3.4	Finite element approximation —	49
3.5	Numerical results —	51
3.5.1	Disk to a ring segment —	53
3.5.2	Ring to disks —	54
3.5.3	Grid pattern of disks —	57
3.5.4	Grid pattern of finger-like regions —	59
3.6	Conclusions —	60

Victor A. Kovtunenکو

High-order topological expansions for Helmholtz problems in 2D — 64

4.1	Introduction —	64
4.2	Background Helmholtz problem —	66
4.2.1	Inner asymptotic expansion by Fourier series in near field —	68
4.3	Helmholtz problems for geometric objects under Neumann (sound hard) boundary condition —	74
4.3.1	Outer asymptotic expansion by Fourier series in far field —	77
4.3.2	Uniform asymptotic expansion of solution of the Neumann problem —	83
4.3.3	Inverse Helmholtz problem under Neumann boundary condition —	85
4.4	Helmholtz problems for geometric objects under Dirichlet (sound soft) boundary condition —	92
4.4.1	Outer and inner asymptotic expansions by Fourier series —	93
4.4.2	High-order uniform asymptotic expansion of the Dirichlet problem —	100
4.4.3	Inverse Helmholtz problem under Dirichlet boundary condition —	102
4.5	Helmholtz problems for geometric objects under Robin (impedance) boundary condition —	105
4.5.1	Outer asymptotic expansion by Fourier series in far field —	107
4.5.2	Combined uniform asymptotic expansion of the Robin problem —	111
4.5.3	Inverse Helmholtz problem under Robin boundary condition —	113
4.5.4	Necessary optimality condition for the topology optimization —	118

Elie Bretin and Simon Masnou

On a new phase field model for the approximation of interfacial energies of multiphase systems — 123

5.1	Introduction —	123
5.2	Derivation of the phase-field model —	125

5.2.1	The classical constant case $\sigma_{i,j} = 1$ —	125
5.2.2	Additive surface tensions —	127
5.2.3	ℓ^1 -embeddable surface tensions —	128
5.2.4	Derivation of the approximation perimeter for ℓ^1 -embeddable surface tensions —	130
5.3	Convergence of the approximating multiphase perimeter —	133
5.4	L^2 -gradient flow and some extensions —	134
5.4.1	Additional volume constraints —	134
5.4.2	Application to the wetting of multiphase droplets on solid surfaces —	135
5.5	Numerical experiments —	136
5.5.1	Evolution of partitions —	137
5.5.2	Wetting of multiphase droplets on solid surfaces —	138

Anca-Maria Toader and Cristian Barbarosie

Optimization of eigenvalues and eigenmodes by using the adjoint method — 142

6.1	Introduction —	142
6.2	Setting of the problem and the objective functionals —	144
6.3	The derivatives of the eigenvalues and eigenmodes of vibration —	145
6.4	The derivative of the objective functional by the adjoint method —	148
6.5	Multiple eigenvalues —	149
6.6	The adjoint method in the framework of Bloch waves —	152

Blanche Buet, Gian Paolo Leonardi, and Simon Masnou

Discrete varifolds and surface approximation — 159

7.1	Introduction —	159
7.2	Varifolds —	160
7.3	Discrete varifolds —	161
7.4	Approximation of rectifiable varifolds by discrete varifolds —	162
7.5	Curvature of a varifold: a new convolution approach —	164
7.5.1	Regularization of the first variation and conditions of bounded first variation —	164
7.5.2	ϵ -Approximation of the mean curvature vector —	165
7.6	Mean curvature of point-cloud varifolds —	166

Part II

Jean-David Benamou and Brittany D. Froese

Weak Monge–Ampère solutions of the semi-discrete optimal transportation problem — 175

8.1	Introduction — 175
8.2	Duality of Aleksandrov and Pogorelov solutions — 178
8.2.1	Properties of the Legendre–Fenchel dual — 178
8.2.2	Aleksandrov solutions — 180
8.2.3	Geometric characterisation — 182
8.3	Mixed Aleksandrov–viscosity formulation — 183
8.3.1	Viscosity solutions — 183
8.3.2	Mixed Aleksandrov–viscosity solutions — 184
8.3.3	Characterisation of subgradient measure — 186
8.4	Approximation scheme — 188
8.4.1	Monge–Ampère operator and boundary conditions — 188
8.4.2	Discretization of subgradient measure — 189
8.4.3	Properties of the approximation scheme — 190
8.5	Numerical results — 191
8.5.1	Comparison to viscosity solver — 191
8.5.2	Comparison to exact solver — 193
8.5.3	Multiple Diracs — 194
8.6	Conclusions — 197
A	Convexity — 197
B	Discretization of Monge–Ampère — 199
C	Extension to non-constant densities — 200

Simone Di Marino, Augusto Gerolin, and Luca Nenna

Optimal transportation theory with repulsive costs — 204

9.1	Why multi-marginal transport theory for repulsive costs? — 207
9.1.1	Brief introduction to quantum mechanics of N -body systems — 207
9.1.2	Probabilistic Interpretation and Marginals — 211
9.1.3	Density functional theory (DFT) — 212
9.1.4	‘Semi-classical limit’ and optimal transport problem — 214
9.2	DFT meets optimal transportation theory — 217
9.2.1	Couplings and multi-marginal optimal transportation problem — 217
9.2.2	Multi-marginal optimal transportation problem — 218
9.2.3	Dual formulation — 221
9.2.4	Geometry of the Optimal Transport sets — 223
9.2.5	Symmetric Case — 224
9.3	Multi-marginal OT with Coulomb cost — 226

9.3.1	General theory: duality, equivalent formulations, and many particles limit —	226
9.3.2	The Monge problem: deterministic examples and counterexamples —	228
9.4	Multi-marginal OT with repulsive harmonic cost —	231
9.5	Multi-marginal OT for the determinant —	238
9.6	Numerics —	242
9.6.1	The regularized problem and the iterative proportional fitting procedure —	243
9.6.2	Numerical experiments: Coulomb cost —	246
9.6.3	Numerical experiments: repulsive Harmonic cost —	248
9.6.4	Numerical experiments: Determinant cost —	250
9.7	Conclusion —	252

Roméo Hatchi

Wardrop equilibria: long-term variant, degenerate anisotropic PDEs and numerical approximations — 257

10.1	Introduction —	257
10.1.1	Presentation of the general discrete model —	257
10.1.2	Assumptions and preliminary results —	259
10.2	Equivalence with Beckmann problem —	264
10.3	Characterization of minimizers via anisotropic elliptic PDEs —	267
10.4	Regularity when the v_k 's and c_k 's are constant —	269
10.5	Numerical simulations —	273
10.5.1	Description of the algorithm —	273
10.5.2	Numerical schemes and convergence study —	275

Paul Pegon

On the Lagrangian branched transport model and the equivalence with its Eulerian formulation — 281

11.1	The Lagrangian model: irrigation plans —	282
11.1.1	Notation and general framework —	282
11.1.2	The Lagrangian irrigation problem —	284
11.1.3	Existence of minimizers —	285
11.2	The energy formula —	290
11.2.1	Rectifiable irrigation plans —	290
11.2.2	Proof of the energy formula —	294
11.2.3	Optimal irrigation plans are simple —	296
11.3	The Eulerian model: irrigation flows —	297
11.3.1	The discrete model —	298
11.3.2	The continuous model —	298
11.4	Equivalence between models —	300

- 11.4.1 From Lagrangian to Eulerian — 300
- 11.4.2 From Eulerian to Lagrangian — 301
- 11.4.3 The equivalence theorem — 302

Maxime Laborde

On some nonlinear evolution systems which are perturbations of Wasserstein gradient flows — 304

- 12.1 Introduction — 304
- 12.2 Wasserstein space and main result — 305
 - 12.2.1 The Wasserstein distance — 306
 - 12.2.2 Main result — 307
- 12.3 Semi-implicit JKO scheme — 308
- 12.4 κ -flows and gradient estimate — 313
 - 12.4.1 κ -flows — 313
 - 12.4.2 Gradient estimate — 315
- 12.5 Passage to the limit — 317
 - 12.5.1 Weak and strong convergences — 318
 - 12.5.2 Limit of the discrete system — 321
- 12.6 The case of a bounded domain Ω — 324
- 12.7 Uniqueness of solutions — 328

B. Maury and A. Preux

Pressureless Euler equations with maximal density constraint: a time-splitting scheme — 333

- 13.1 Introduction — 333
- 13.2 Time-stepping scheme — 339
 - 13.2.1 Time discretization strategy — 339
 - 13.2.2 The scheme — 341
- 13.3 Numerical illustrations — 347
 - 13.3.1 Space discretization scheme — 347
 - 13.3.2 Numerical tests — 349
- 13.4 Conclusive remarks — 350

Horst Osberger and Daniel Matthes

Convergence of a fully discrete variational scheme for a thin-film equation — 356

- 14.1 Introduction — 356
 - 14.1.1 The equation and its properties — 356
 - 14.1.2 Definition of the discretization — 358
 - 14.1.3 Main results — 360
 - 14.1.4 Relation to the literature — 361
 - 14.1.5 Key estimates — 362
 - 14.1.6 Structure of the paper — 363

14.2	Definition of the fully discrete scheme —	364
14.2.1	Ansatz space and discrete entropy/information functionals —	364
14.2.2	Discretization in time —	366
14.2.3	Spatial interpolations —	368
14.2.4	A discrete Sobolev-type estimate —	369
14.3	A priori estimates and compactness —	370
14.3.1	Energy and entropy dissipation —	370
14.3.2	Compactness —	372
14.3.3	Convergence of time interpolants —	374
14.4	Weak formulation of the limit equation —	377
14.5	Numerical results —	392
14.5.1	Nonuniform meshes —	392
14.5.2	Implementation —	393
14.5.3	Numerical experiments —	393
A	Appendix —	397

F. Al Reda and B. Maury

Interpretation of finite volume discretization schemes for the Fokker–Planck equation as gradient flows for the discrete Wasserstein distance — 400

15.1	Introduction —	400
15.2	Preliminaries —	403
15.3	Discretization of the Fokker–Planck equation —	411
15.4	Conclusive remarks, perspectives —	414

Index — 417