

Contents

Preface — v

Tracey A. Rouault biography — vii

List of contributing authors — xvii

Francesco Bonomi and Tracey A. Rouault

1 Iron-sulfur proteins: a historical perspective — 1

1.1 Framing the scene — 1

1.2 The early days of “nonheme iron” — 1

1.3 Of proteins and analogues — 2

1.4 Beyond electron shuttles — 6

1.5 How are FeS clusters synthesized in cells? — 7

Acknowledgments — 8

References — 8

Toshiko Ichiye

2 Chemistry of iron-sulfur clusters — 11

2.1 Introduction — 11

2.2 Electronic structure of Fe-S complexes — 12

2.2.1 Spin-polarization and strong metal-ligand bonds — 12

2.2.2 Spin-coupling and metal-metal bonds — 14

2.2.3 Spin resonance delocalization in mixed-valence iron pairs — 14

2.3 Unique properties of Fe-S clusters — 15

2.3.1 Stable rigid clusters mean low reorganization energy — 15

2.3.2 Polynuclear clusters mean multiple valency — 16

2.3.3 Resonance delocalization and $[\text{Fe}_4\text{S}_4(\text{Cys})_4]$ cluster conversion — 16

2.4 Summary — 18

Acknowledgments — 18

References — 18

Louis Noodleman

3 From the quantum chemistry of iron sulfur clusters to redox energetics and reaction pathways in metalloenzymes — 21

3.1 Introduction — 21

3.2 Iron sulfur cluster geometric coordination and electronic structure — 22

3.3 Spin polarized DFT – fundamentals — 24

3.4 Exchange correlation energies and potentials — 27

3.5 Electron densities, unitary transformations, and invariants for energies and properties — 28

3.6 Spin polarization and the inverted level scheme — 29

3.7	Spin coupling and BS — 31
3.8	Spin barycenter energy — 34
3.9	Electron localization and delocalization — 35
3.10	Electron trapping – inner and environmental effects — 37
3.11	Protein and solvent interactions with the quantum cluster — 38
3.11.1	Poisson-Boltzmann PC: Model 1 — 39
3.11.2	te, Poisson-Boltzmann self-consistent reaction field (PB-SCRF): Model 2 — 39
3.12	Redox potential and pK_a fundamentals — 40
3.13	Rieske cluster and electron-proton coupling — 41
3.14	Hyperfine coupling — 42
3.15	Polynuclear systems – redox potentials and spin dependent terms — 44
3.16	Iron-sulfur nitrosyl complexes — 49
3.17	Iron-sulfur cluster enzymes in pathogens — 58
3.17.1	Adenosine 5'-phosphosulfate reductase (APSR) — 58
3.17.2	Isoprenoid synthesis enzyme H — 64
3.18	Concluding remarks — 68
	Acknowledgments — 69
	References — 69

Yisong Guo and Jikun Li

4	Bioinorganic spectroscopy of iron sulfur proteins—an overview — 77
4.1	Introduction — 77
4.2	Optical techniques — 79
4.2.1	Electronic absorption spectroscopy — 79
4.2.2	CD Spectroscopy — 81
4.2.3	Raman and IR spectroscopic techniques — 85
4.3	Magnetic techniques — 95
4.3.1	Electron paramagnetic resonance — 95
4.3.2	Pulsed EPR spectroscopy — 108
4.3.3	Mössbauer spectroscopy — 121
4.4	Concluding remarks — 129
	Acknowledgments — 130
	References — 130

Doros T. Petasis and Michael P. Hendrich

5	Quantitative interpretation of EPR spectroscopy with applications for iron-sulfur proteins — 135
5.1	Introduction — 135
5.2	Basic EPR theory — 136
5.3	g Factor anisotropy — 138

5.4	Hyperfine structure — 138
5.5	Ligand interactions — 140
5.6	Spin Hamiltonian — 141
5.7	Basic EPR instrumentation — 142
5.8	Simulation of powder spectra — 143
5.9	Quantitative aspects — 145
5.10	Examples — 147
5.10.1	$S = 1/2$ systems — 147
5.10.2	Spin systems with $S = 3/2, 5/2, 7/2$, etc. — 151
5.10.3	Spin systems with $S = 1, 2, 3$, etc. — 156
5.11	Conclusion — 160
	References — 160

Mrinmoy Chakrabarti and Paul A. Lindahl

6	The utility of Mössbauer spectroscopy in eukaryotic cell biology and animal physiology — 163
6.1	Introduction — 163
6.2	Transitions associated with MBS — 163
6.3	Coordination chemistry of iron — 165
6.4	Electron spin angular momentum and EPR spectroscopy — 167
6.5	High-spin vs low-spin Fe^{II} and Fe^{III} complexes — 167
6.6	Isomer shift (δ) and quadrupole splitting (ΔE_Q) — 167
6.7	Effects of a magnetic field — 168
6.8	Slow vs fast relaxation limit — 169
6.9	MB properties of individual Fe centers found in biological systems — 170
6.10	Magnetically interacting Fe aggregates — 172
6.11	Insensitivity of MBS and a requirement for ^{57}Fe enrichment — 173
6.12	Invariance of spectral intensity among Fe centers — 174
6.12.1	Mitochondria — 174
6.12.2	Vacuoles — 177
6.12.3	Whole yeast cells — 178
6.12.4	Human mitochondria and cells — 179
6.12.5	Blood — 179
6.12.6	Heart — 181
6.12.7	Liver — 181
6.12.8	Spleen — 182
6.12.9	Brain — 182
6.13	Limitations of MBS and future directions — 184
	Acknowledgments — 185
	References — 186

Nathaniel S. Sickerman, Markus Ribbe, and Yilin Hu

7 The interstitial carbide of the nitrogenase M-cluster: insertion pathway and possible function — 191

- 7.1 Introduction — 191
- 7.2 Proposed role of NifB in carbide insertion — 192
- 7.3 Accumulation of a cluster intermediate on NifB — 194
- 7.4 Investigation of the insertion of carbide into the M-cluster — 196
- 7.5 Refining methyltransfer and hydrogen atom abstraction steps in NifB — 199
- 7.6 Tracing the fate of carbide during substrate turnover — 201
- References — 202

Thomas Spatzal, Susana L. A. Andrade and Oliver Einsle

8 The iron-molybdenum cofactor of nitrogenase — 205

- 8.1 Introduction — 205
- 8.2 The metal clusters of nitrogenase — 206
- 8.3 Structure of FeMoco — 207
- 8.4 Redox properties of FeMoco — 209
- 8.5 An overlooked detail: the central light atom — 210
- 8.6 The nature of X — 212
- 8.7 Insights into the electronic structure of FeMoco — 216
- 8.8 A central carbon – consequences and perspectives — 217
- Acknowledgments — 219
- References — 219

Joseph T. Jarrett

9 Biotin synthase: a role for iron-sulfur clusters in the radical-mediated generation of carbon-sulfur bonds — 223

- 9.1 Introduction — 223
- 9.2 Sulfur atoms in biomolecules — 224
- 9.3 Biotin chemistry and biosynthesis — 225
- 9.4 The biotin synthase reaction — 227
- 9.5 The structure of biotin synthase and the radical SAM superfamily — 229
- 9.6 The $[4\text{Fe-4S}]^{2+}$ cluster and the radical SAM superfamily — 233
- 9.7 The $[2\text{Fe-2S}]^{2+}$ cluster and the sulfur insertion reaction — 236
- 9.8 Characterization of an intermediate containing 9-MDTB and a $[2\text{Fe-2S}]^+$ cluster — 237
- 9.9 Other important aspects of the biotin synthase reaction — 238
- 9.10 A role for iron-sulfur cluster assembly in the biotin synthase reaction — 240

- 9.11 Possible mechanistic similarities with other sulfur insertion radical SAM enzymes — 241
- Acknowledgments — 243
- References — 243

Russ Hille

- 10 Molybdenum-containing iron-sulfur enzymes — 249**
- 10.1 Introduction — 249
- 10.2 The xanthine oxidase family — 250
- 10.2.1 *D. gigas* aldehyde:ferredoxin oxidoreductase — 251
- 10.2.2 Bovine xanthine oxidoreductase — 253
- 10.2.3 Aldehyde oxidases — 261
- 10.2.4 CO dehydrogenase — 264
- 10.2.5 4-Hydroxybenzoyl-CoA reductase — 268
- 10.3 The DMSO reductase family — 269
- 10.3.1 DMSO reductase and DMS dehydrogenase — 271
- 10.3.2 Polysulfide reductase — 281
- 10.3.3 Ethylbenzene dehydrogenase — 285
- 10.3.4 Formate dehydrogenases — 286
- 10.3.5 Bacterial nitrate reductases — 296
- 10.3.6 Arsenite oxidase and arsenate reductase — 304
- 10.3.7 Pyrogallol:phloroglucinol transhydroxylase — 308
- 10.4 Prospectus — 310
- References — 311

Nicholas D. Lanz and Squire J. Booker

- 11 The role of iron-sulfur clusters in the biosynthesis of the lipoyl cofactor — 327**
- 11.1 Introduction — 327
- 11.2 Discovery of LA — 327
- 11.3 Functions of the lipoyl cofactor — 328
- 11.3.1 LA in primary metabolism — 328
- 11.3.2 LA as an antioxidant — 330
- 11.4 Pathways for lipoyl cofactor biosynthesis — 331
- 11.4.1 The exogenous pathway — 331
- 11.4.2 The endogenous pathway — 332
- 11.5 Characterization of LipA — 333
- 11.5.1 The discovery of LipA — 333
- 11.5.2 *In vivo* characterization of LipA — 333
- 11.5.3 LipA is an iron-sulfur enzyme — 335
- 11.5.4 LipA is an RS enzyme — 336

11.5.5	Product inhibition of LipA — 340
11.5.6	LipA contains two [4Fe-4S] clusters — 341
11.5.7	Two distinct roles for the two iron-sulfur clusters in LipA — 343
11.5.8	A unique intermediate in LipA catalysis — 344
11.5.9	Evidence for substrate-based radicals during LipA catalysis — 346
11.5.10	Structural insights into LipA catalysis — 347
11.5.11	A proposed mechanism for the biosynthesis of the lipoyl cofactor — 350
11.6	Conclusions — 350
	Acknowledgments — 351
	References — 351

Yvain Nicolet and Juan C. Fontecilla-Camps

12	Iron-sulfur clusters and molecular oxygen: function, adaptation, degradation, and repair — 359
12.1	Introduction — 359
12.2	Fe-S clusters – reasons for their abundance — 360
12.2.1	Origin of Fe-S clusters — 360
12.2.2	Functions of Fe-S clusters — 361
12.3	Oxygen and Fe-S clusters — 363
12.3.1	Properties of molecular oxygen and its partially reduced species — 363
12.3.2	Oxidative damage to Fe-S clusters — 365
12.3.3	Molecular mechanisms of oxidative damage to Fe ₄ S ₄ clusters — 366
12.3.4	Fe ₃ S ₄ to Fe ₂ S ₂ cluster conversion in FNR — 367
12.3.5	X-ray crystallographic studies — 367
12.3.6	Alternative reactions can occur and compete — 369
12.3.7	Structural changes — 370
12.4	Adaptation to oxygen — 370
12.4.1	Switch between metabolisms or restriction to niches — 372
12.4.2	O ₂ -tolerant NiFe hydrogenases — 373
12.4.3	Protective systems against ROS — 376
12.4.4	Evolutionary replacement of Fe-S clusters to keep essential functions in aerobic organisms — 377
12.5	Conclusions — 378
	References — 379

Erin L. Dodd, Jason C. Crack, Andrew J. Thomson, and Nick E. Le Brun

13	Reactivity of iron-sulfur clusters with nitric oxide — 387
13.1	Introduction — 387
13.1.1	Structure and chemistry of iron-sulfur (Fe-S) clusters that function in biological sensing — 387
13.1.2	Chemistry and biology of NO — 389

13.1.3	The biology of NO sensing <i>via</i> Fe-S cluster proteins —	391
13.2	Biophysical techniques useful for studying Fe-S cluster reactions with NO —	392
13.2.1	EPR spectroscopy —	393
13.2.2	Mössbauer spectroscopy —	394
13.2.3	Infrared spectroscopy —	394
13.2.4	RR spectroscopy —	395
13.2.5	Nuclear resonance vibrational spectroscopy —	395
13.2.6	Stopped-flow absorbance spectroscopy —	396
13.2.7	Electrospray ionization mass spectrometry —	397
13.3	Metal nitrosyls —	397
13.3.1	The metal-NO bond —	397
13.3.2	Iron-nitrosyl complexes —	399
13.3.3	Formation and interchange of Fe-S cluster nitrosyl species —	401
13.3.4	Nitrosylated species can be converted back to [2Fe-2S] and [4Fe-4S] Fe-S clusters —	403
13.3.5	Effect of cluster protein environment on nitrosylation —	403
13.4	Physiologically relevant reactions of NO with Fe-S cluster proteins —	404
13.4.1	“Secondary” vs. “dedicated” biological NO sensors —	404
13.4.2	NsrR —	405
13.4.3	FNR regulator —	412
13.4.4	FnrP —	415
13.4.5	Wbl family proteins —	415
13.4.6	SoxRS —	419
13.4.7	IRP1 and other aconitases —	422
13.4.8	HcpR2 and the Hcp —	424
13.5	Perspectives and future directions —	425
	Acknowledgments —	425
	References —	426