

Contents

Acknowledgements	i
Abstract (English/Deutsch)	iii
List of figures	ix
List of tables	xi
1 Introduction	1
1.1 Lipid membranes	1
1.2 Lipids	2
1.3 State of the art in membrane research	3
1.3.1 Membrane models	4
1.3.2 Hydration of membranes and electrostatic interactions	7
1.4 Second harmonic and sum-frequency generation	9
1.4.1 Nonlinear processes	9
1.5 Conceptual illustration of SHS from a sphere	11
1.6 State of the art in nonlinear optical scattering of membranes	13
1.7 This thesis	15
2 Experimental Details & Methodology	17
2.1 SHS: Characterization & Assumptions	18
2.1.1 SHS setup	18
2.1.2 Characterization of the fundamental laser beam	19
2.1.3 Validation of elastic SHG	20
2.1.4 Polarization sensitivity of the setup	21
2.1.5 Characterization of the setup alignment	22
2.1.6 Normalization of the surface second harmonic (SH) data	23
2.1.7 General assumptions for nonlinear optical processes	24
2.2 Complementary experimental techniques & Methodology	27
2.2.1 Dynamic light scattering (DLS)	27
2.2.2 Calculation of the scattering efficiency A	29

2.2.3	Calculation of an effective radius	30
2.2.4	Electrophoretic measurements and the ζ -potential	31
2.3	Sample preparation & Characterization	34
2.3.1	Lipids	34
2.3.2	Liposome formation	34
2.3.3	Determination of total phosphorus content	36
2.3.4	pH stability of aqueous solutions over time	36
3	Modulation of SHG and SFG intensities by interference	39
3.1	Introduction	40
3.2	Results & Discussion	41
3.2.1	SHG/ SFG in reflection mode	41
3.2.2	SHG/ SFG in transmission mode	48
3.2.3	SHG/ SFG in scattering mode	49
3.2.4	Comparison between reflection, transmission, and scattering experiments	54
3.3	Conclusions	57
4	Extraction of the surface potential	59
4.1	Introduction	60
4.2	Materials & Methods	61
4.2.1	Chemicals	61
4.2.2	Cleaning procedures	62
4.2.3	Sample preparation	62
4.2.4	Angle-resolved (AR)-SHS measurements	63
4.3	Results & Discussion	63
4.3.1	Physical contributions and origin of the signal for an AR-SHS experiment	63
4.3.2	AR-SHS theory for a collinear beam geometry	64
4.3.3	Experimental verification of equations	66
4.3.4	Implementation: Normalization to the bulk water response	69
4.3.5	Oil droplets and DOPC liposomes in aqueous solutions	70
4.3.6	$\chi_s^{(2)}$	71
4.3.7	DOPS liposomes in aqueous solutions vs. ionic strength	72
4.3.8	Comparison between the SHS derived values and solutions to the Gouy-Chapman and constant capacitor model	73
4.4	Conclusions	74
5	Lipid transmembrane asymmetry in liposomes	75
5.1	Introduction	76

5.2	Materials & Methods	77
5.2.1	Lipids	77
5.2.2	SHS measurements and normalization	77
5.2.3	Vibrational sum-frequency scattering (SFS)	78
5.2.4	SFS spectral fitting	79
5.2.5	Calculation of the orientational distribution of phosphate groups	79
5.2.6	Calculation of the degree of asymmetry based on geometrical arguments	80
5.2.7	Calculation of the degree of asymmetry from the SFS data	80
5.3	Results & Discussion	81
5.3.1	Single component liposomes	81
5.3.2	Liposomes from binary mixtures	84
5.3.3	Can lipid-lipid interactions drive transmembrane asymmetry?	86
5.3.4	Quantification of transmembrane asymmetry	87
5.4	Conclusions	91
6	Ionization of DOPC:DOPS lipid membranes	93
6.1	Introduction	94
6.2	Materials & Methods	95
6.2.1	Chemicals	95
6.2.2	Cleaning procedures	95
6.2.3	Liposomes	95
6.2.4	SHS	95
6.3	Results & Discussion	95
6.3.1	DOPC:DOPS membranes	95
6.3.2	DOPC:cardiolipin mixtures	101
6.4	Conclusions	101
7	Summary & Outlook	103
7.1	Summary	103
7.2	Outlook	105
8	Appendix	107
8.1	$\beta^{(2)}$ to $\chi^{(2)}$ transformation	107
9	List of Publications	109
	Bibliography	111
	Curriculum Vitae	131