

Contents

Foreword — XIII

Roger Wördenweber and Johan Vanacken

Tutorial on nanostructured superconductors — 1

- 1 Introduction — 1**
- 2 A brief history of superconductivity — 1**
- 3 Specific properties of superconductors — 4**
- 4 Theoretical understanding — 4**
 - 4.1 Microscopic approach of Bardeen, Cooper, and Schrieffer — 4**
 - 4.2 Thermodynamic approach of Ginzburg and Landau — 7**
 - 4.3 Type-I and type-II superconductors — 9**
 - 4.4 Flux pinning and summation theory — 12**
 - 4.5 Flux creep and thermally assisted flux flow — 16**
 - 4.6 Josephson effects — 17**
- 5 Application of superconductivity — 21**
- 6 Superconductors at the nanoscale — 23**

Isabel Guillamón, Jose Gabriel Rodrigo, Sebastián Vieira, and Hermann Suderow

- 1 Imaging vortices in superconductors: from the atomic scale to macroscopic distances — 29**
 - 1.1 Introduction — 29**
 - 1.1.1 Formalisms to treat atomic size tunneling — 31**
 - 1.1.2 Electronic scattering and Fermi wavelength — 32**
 - 1.1.3 Tunneling with multiple conductance channels — 34**
 - 1.1.4 From tunneling into contact: Normal phase — 35**
 - 1.1.5 From tunneling into contact: Superconducting phase — 36**
 - 1.2 Mapping the superconducting condensate at the length scales of the coherence length and below — 39**
 - 1.2.1 Gap structure and atomic size tunneling — 39**
 - 1.2.2 Gap structure from Fermi sea oscillations — 41**
 - 1.2.3 Gap structure and vortex shape — 41**
 - 1.3 Mapping the superconducting condensate at large scales — 43**
 - 1.3.1 Techniques sensing the local magnetic field — 43**
 - 1.3.2 Introduction to the vortex lattice with STM — 44**
 - 1.3.3 Vortex lattice melting — 46**
 - 1.3.4 Vortex lattice creep — 47**
 - 1.3.5 Commensurate to incommensurate transitions in nanostructured superconductors — 49**
 - 1.3.6 Order-disorder transition — 51**
 - 1.4 Conclusions — 55**

Joris Van de Vondel, Bart Raes, and Alejandro V. Silhanek

2	Probing vortex dynamics on a single vortex level by scanning ac-susceptibility microscopy — 61
2.1	General introduction to ac susceptibility — 61
2.1.1	AC response of a damped harmonic oscillator — 62
2.1.2	AC response of a superconductor — 66
2.2	Scanning susceptibility measurements — 77
2.2.1	Scanning ac-susceptibility microscopy — 77
2.2.2	SSM on a superconducting strip, response of individual vortices — 79
2.2.3	Examples of application of the SSM technique — 86
2.3	Conclusion and outlook — 89

Tristan Cren, Christophe Brun, and Dimitri Roditchev

3	STM studies of vortex cores in strongly confined nanoscale superconductors — 93
3.1	Introduction: Vortices in strongly confined superconductors — 93
3.2	Theoretical approach of vortices confined in systems much smaller than the penetration depth — 96
3.2.1	Characteristic length scales — 96
3.2.2	Vortex states in small superconductors — 97
3.2.3	Fluxoid — 99
3.2.4	Zero-current line: Meissner versus vortex currents — 100
3.2.5	Kinetic energy balance: Meissner state — 101
3.2.6	Kinetic energy balance: Vortex state — 101
3.2.7	Kinetic energy balance: Giant vortex state — 104
3.3	STM/STS studies of vortices in nanosystems — 105
3.3.1	Vortex core imaging by STM/STS — 105
3.3.2	STM studies on ex situ nanolithographed samples — 106
3.3.3	A model system for confinement studies: Pb/Si(111) — 107
3.3.4	Ultimate confinement: The single vortex box — 108
3.3.5	Confinement effect of supercurrents and surface superconductivity — 113
3.3.6	Imaging of giant vortex cores — 114
3.4	Proximity Josephson vortices — 118
3.4.1	Proximity effect — 118
3.4.2	Andreev reflection — 119
3.4.3	Proximity effect in diffusive SNS junctions — 119
3.4.4	Josephson vortices in S–N–S junctions — 121
3.4.5	Imaging of Josephson proximity vortices — 122
3.4.6	Interpretation of the vortex structure — 125
3.5	Conclusion — 128

E. Babaev, J. Carlström, M. Silaev, and J.M. Speight

- 4 Type-1.5 superconductivity — 133**
 - 4.1 Introduction — 133
 - 4.1.1 Type-1.5 superconductivity — 135
 - 4.2 The two-band Ginzburg–Landau model with arbitrary interband interactions. Definition of the coherence lengths and type-1.5 regime — 136
 - 4.2.1 Free energy functional — 136
 - 4.3 Coherence lengths and intervortex forces at long range in multiband superconductors — 139
 - 4.4 Critical coupling (Bogomol’nyi point) — 142
 - 4.5 Microscopic theory of type-1.5 superconductivity in $U(1)$ multiband case — 143
 - 4.5.1 Microscopic Ginzburg–Landau expansion for $U(1)$ two-band system — 144
 - 4.5.2 Temperature dependence of coherence lengths — 146
 - 4.6 Systems with generic breakdown of type-1/type-2 dichotomy — 149
 - 4.7 Structure of vortex clusters in the type-1.5 regime in a two-component superconductor — 149
 - 4.8 Macroscopic separation in domains of different broken symmetries in type-1.5 superconducting state — 151
 - 4.8.1 Macroscopic phase separation into $U(1) \times U(1)$ and $U(1)$ domains in the type-1.5 regime — 152
 - 4.8.2 Macroscopic phase separation in $U(1)$ and $U(1) \times Z_2$ domains in three-band type-1.5 superconductors — 152
 - 4.8.3 Nonlinear effects and long-range intervortex interaction in $s + is$ superconductors — 155
 - 4.9 Fluctuation effects in type-1.5 systems — 155
 - 4.10 Misconceptions — 158
 - 4.11 Conclusion — 162

Jun-Yi Ge, Vladimir N. Gladilin, Joffre Gutierrez, and Victor V. Moshchalkov

- 5 Direct visualization of vortex patterns in superconductors with competing vortex-vortex interactions — 165**
 - 5.1 Introduction — 165
 - 5.2 Classification of superconductors — 166
 - 5.2.1 Single-component superconductors — 166
 - 5.2.2 Type-1.5 superconductors — 169
 - 5.3 Experimental — 170
 - 5.4 Type-I superconductor with long-range repulsive and short-range attractive v-v interaction — 171
 - 5.4.1 Flux patterns of the intermediate state — 171

5.4.2	Topological hysteresis —	174
5.4.3	Quantization of fluxoids in the intermediate state —	175
5.4.4	Dynamics of flux patterns —	179
5.5	Type-II/1 superconductor with short-range repulsive and long-range attractive v-v interaction —	184
5.5.1	Vortex phase diagram —	184
5.5.2	Vortex pattern evolution —	185
5.5.3	Vortex clusters in the IMS —	188
5.6	Conclusions and outlook —	189

Anna Palau, Victor Rouco, Roberto F. Luccas, Xavier Obradors, and Teresa Puig

6 Vortex dynamics in nanofabricated chemical solution deposition high-temperature superconducting films — 195

6.1	Introduction —	195
6.2	Chemical solution deposition (CSD) —	196
6.2.1	Precursor solution —	196
6.2.2	Solution deposition —	197
6.2.3	Pyrolysis —	198
6.2.4	Growth and oxygenation —	198
6.3	Artificial pinning centers in CSD-YBCO films —	199
6.3.1	Electron beam lithography —	201
6.3.2	Focused ion beam lithography —	202
6.4	Manipulating vortex dynamics in YBCO films with APC —	203
6.4.1	Physical characterization techniques —	203
6.4.2	Artificially ordered pinning center arrays —	207
6.5	General conclusions —	217

Roger Wördenweber

7 Artificial pinning sites and their applications — 221

7.1	Introduction —	221
7.2	Artificial pinning sites —	223
7.3	Vortex manipulation via antidots —	227
7.3.1	Vortex-antidot interaction and multiquanta vortices —	227
7.3.2	Guided vortex motion —	230
7.3.3	Vortices at high velocity —	234
7.4	Artificial pinning sites in superconducting electronic devices —	237
7.4.1	Flux penetration in superconducting electronic devices —	237
7.4.2	Strategically positioned antidots in Josephson-junction-based devices —	239
7.4.3	Antidots in microwave devices —	242
7.4.4	Concepts for fluxonic devices —	245
7.5	Conclusions —	248

Enrico Silva, Nicola Pompeo, and Oleksandr V. Dobrovolskiy

- 8 Vortices at microwave frequencies — 253**
 - 8.1 Introduction — 253
 - 8.2 Vortex motion complex resistivity — 257
 - 8.3 High-frequency vortex dynamics in thin films — 261
 - 8.4 Measurement techniques — 262
 - 8.5 Microwave vortex response in S/F/S heterostructures — 264
 - 8.6 Microwave vortex response in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ with nanorods — 266
 - 8.7 Microwave vortex response in Nb films with nanogroove arrays — 269
 - 8.8 Conclusion — 273
 - 8.9 Acknowledgements — 273

Alexander Korneev, Alexander Semenov, Denis Vodolazov, Gregory N. Gol'tsman, and Roman Sobolewski

- 9 Physics and operation of superconducting single-photon devices — 279**
 - 9.1 Introduction: what is a superconducting single-photon detector — 279
 - 9.2 Operational principles of SSPDs — 282
 - 9.2.1 Photoresponse of superconducting nanostripes — 282
 - 9.2.2 SSPDs in an external magnetic field — 287
 - 9.2.3 Origin of dark counts in SSPDs — 289
 - 9.2.4 Production of SSPD output voltage pulses — 291
 - 9.3 Methods of experimental investigation and characterization of SSPDs — 294
 - 9.3.1 SSPD fabrication — 294
 - 9.3.2 Experimental characterization of SSPDs — 295
 - 9.3.3 Demonstration of SSPD single-photon sensitivity and its detection efficiency — 296
 - 9.3.4 Measurements of SSPD timing jitter — 299
 - 9.3.5 Coupling of incoming light to SSPD as a method to increase system detection efficiency — 300
 - 9.4 Conclusion and future research directions — 302

Davide Massarotti, Thilo Bauch, Floriana Lombardi, and Francesco Tafuri

- 10 Josephson and charging effect in mesoscopic superconducting devices — 309**
 - 10.1 Introduction and historical background — 309
 - 10.2 Brief introductory notes on the Josephson effect: main equations, scaling energies and quantum implications — 310
 - 10.2.1 Josephson effect from quasiparticle Andreev-bound states — 313
 - 10.2.2 I-V characteristics and phase dynamics, the Resistively Shunted Junction Model — 315

- 10.3 Why scale junctions to the ‘nanoscale’? From fabrication to general properties and main parameters — **321**
- 10.3.1 Fabrication — **322**
- 10.3.2 Hybrid coplanar structures: from 2d-gas to graphene and topological insulator barriers — **322**
- 10.3.3 Submicron HTS Josephson junctions, energy scales and mesoscopic effects — **325**
- 10.4 Charging effects in ultrasmall junctions — **327**
- 10.4.1 Introduction to single-electron tunneling and parity effect — **327**
- 10.4.2 Unconventional parity effect in $d_{x^2-y^2}$ superconductors — **330**
- 10.5 Conclusions — **332**

Maria José Martínez-Pérez and Dieter Koelle

- 11 NanoSQUIDs: Basics & recent advances — 339**
- 11.1 Introduction — **339**
- 11.2 SQUIDs: Some basic considerations — **341**
- 11.2.1 Resistively and capacitively shunted junction model — **342**
- 11.2.2 dc SQUID basics — **343**
- 11.2.3 SQUID readout — **345**
- 11.3 nanoSQUIDs: Design, fabrication & performance — **347**
- 11.3.1 nanoSQUIDs: Design considerations — **347**
- 11.3.2 nanoSQUIDs based on metallic superconductors — **351**
- 11.3.3 NanoSQUIDs based on cuprate superconductors — **359**
- 11.4 nanoSQUIDs for magnetic particle detection — **361**
- 11.4.1 Nanoparticle positioning — **361**
- 11.4.2 Magnetization measurements — **364**
- 11.4.3 Susceptibility measurements — **366**
- 11.5 nanoSQUIDs for scanning SQUID microscopy — **369**
- 11.5.1 SQUID microscopes using devices on planar substrates — **369**
- 11.5.2 SQUID-on-tip (SOT) microscope — **371**
- 11.6 Summary and outlook — **373**

Reinhold Kleiner and Huabing Wang

- 12 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ intrinsic Josephson junction stacks as emitters of terahertz radiation — 383**
- 12.1 Introduction — **383**
- 12.2 General properties of intrinsic Josephson junctions — **384**
- 12.3 Theoretical concepts — **389**
- 12.4 Coherent THz radiation from large intrinsic Josephson junction stacks — **394**

Alexander Mel'nikov, Sergey Mironov, and Alexander Buzdin

- 13 Interference phenomena in superconductor–ferromagnet hybrids — 409**
 - 13.1 Introduction — 409
 - 13.2 Josephson current through the composite ferromagnetic layer — 411
 - 13.3 Interference phenomena in nanowires — 422
 - 13.3.1 Bogoliubov–de Gennes approach — 423
 - 13.3.2 Ginzburg–Landau approach — 427
 - 13.4 Mesoscopic fluctuations — 430
 - 13.5 Conclusion — 436

Jacob Linder and Sol H. Jacobsen

- 14 Spin-orbit interactions, spin currents, and magnetization dynamics in superconductor/ferromagnet hybrids — 441**
 - 14.1 Spin-orbit coupling from inversion symmetry breaking: novel phenomena in SF structures — 441
 - 14.1.1 From singlet to triplet Cooper pairs — 442
 - 14.1.2 Spin-valve functionality with a single ferromagnet — 444
 - 14.1.3 Pure triplet proximity effect protected via parity symmetry — 447
 - 14.2 Controlling spin flow with superconductors — 451
 - 14.2.1 Spin supercurrents — 451
 - 14.2.2 Enhanced spin lifetimes and relaxation lengths in superconductors — 454
 - 14.3 Magnetization dynamics and spin torques in superconductors — 457
 - 14.3.1 Domain wall motion in superconducting structures — 457
 - 14.3.2 Magnetization switching and φ_0 -states in Josephson junctions — 460
 - 14.3.3 Spin-transfer torques tunable via the superconducting phase — 463

Mark Giffard Blamire

- 15 Superconductor/ferromagnet hybrids — 473**
 - 15.1 Introduction — 473
 - 15.2 Singlet proximity coupling — 475
 - 15.3 Exchange fields and DoS splitting in superconductors — 477
 - 15.4 Triplet pairing in hybrid systems — 479
 - 15.5 Abrikosov vortex pinning in hybrid systems — 480
 - 15.6 Potential applications — 481

Index — 487