

Contents

List of contributing authors — ix

Ana Henriques, Cristina Coelho, João M. Ferra, Jorge Manuel Martins,
Fernão D. Magalhães, and Luísa Carvalho

1	Introduction of advanced functionalities in laminates for wood-based panels: surface quality evaluation — 1
1.1	The HPL and its manufacture — 1
1.1.1	Introduction — 1
1.1.2	The raw materials — 4
1.1.3	HPL manufacturing process — 6
1.2	HPL properties — 8
1.2.1	Test methods for HPL characterization — 8
1.2.2	HPL specifications — 22
1.3	Upgrading HPL characteristics — 23
1.3.1	Mar resistance — 23
1.3.2	Abrasion resistance — 24
1.3.3	Resistance against strong chemicals — 24
1.3.4	Weathering resistance — 26
1.3.5	Self-healing properties — 27
1.3.6	Postformable laminates — 28
1.3.7	Dirt repellence — 28
1.3.8	Antibacterial action — 28
1.3.9	Thermal comfort — 29
1.3.10	Phosphorescence — 29

Stephane Molina

2	Activation of natural fibers using physical routes: Applications for composites materials — 33
2.1	Introduction — 33
2.1.1	Reinforcements — 34
2.1.2	Polymer matrix — 35
2.2	Surface activation of cellulosic fibers: Wave and radiation technologies — 37
2.2.1	Ultraviolet (UV) technology — 37
2.2.2	Plasma technologies — 40
2.2.3	Corona technologies — 44
2.2.4	High energy radiations technologies — 49
2.3	Surface activation of cellulosic fibers: Physico-chemical technologies — 53

2.3.1	Ultrasound technologies —	53
2.3.2	Solvent technologies —	56
2.4	Surface activation of cellulosic fibers: Thermomechanical technologies —	56
2.4.1	Steam explosion (SE) technology —	66
2.5	Surface activation of cellulosic fibers: Other technologies —	62
2.5.1	Steam technologies —	62
2.5.2	Carding technologies —	63
2.6	Conclusions —	65

A. Pizzi

3	Natural matrix/non wood natural fibers composites —	73
3.1	Comparison with UD fiber-reinforced composites —	75
3.2	Water resistance of the composites —	76
3.3	Influence of the layers on the composite properties —	76

Frank C. Beall and Henrique Reis

4	Ultrasonic press control and evaluation of wood-based composite panel properties —	87
4.1	Introduction —	87
4.2	Background —	88
4.2.1	Assessment methods —	88
4.3	Main focus of this chapter —	92
4.3.1	Press control —	92
4.3.2	On-line measurement of board properties —	96
4.4	Future research directions —	97
4.4.1	Press control —	97
4.4.2	On-line air coupling —	98
4.4.3	Preliminary results from single-sided testing —	103
4.5	Conclusions —	104

Xiaozhou Song, Yafang Lei, and Zhangjing Chen

5	Reconstituted composite from crop stalks —	107
5.1	Introduction —	107
5.2	Characteristics of crop stalks —	108
5.2.1	Cotton stalk —	108
5.2.2	Tobacco stalks —	111
5.2.3	Soybean stalks —	112
5.2.4	Corn stalks —	114
5.2.5	Capsicum pepper stalks —	115
5.3	The manufacturing process —	117
5.3.1	Raw material preparation —	119

- 5.3.2 Stalk softening and combing — 119
- 5.3.3 Crop stalk drying — 119
- 5.3.4 Crop stalk sizing — 120
- 5.3.5 Crop stalk forming — 121
- 5.3.6 Hot pressing — 121
- 5.3.7 End products — 122
- 5.3.8 Properties of the composite — 122
- 5.3.9 Stalk composite appearance and other performance — 125
- 5.4 Curing mechanism of urea-formaldehyde resin in stalk composite — 127
- 5.4.1 Infrared spectroscopy before curing — 127
- 5.4.2 Infrared spectroscopy after curing — 128

A. Pizzi

- 6 Wood welding without adhesives — 133**
- 6.1 Systems of frictional wood welding — 134
- 6.1.1 Linear vibration welding — 134
- 6.1.2 High speed rotation dowel welding — 137
- 6.1.3 Bamboo welding — 139
- 6.2 Applications of wood welding — 140
- 6.3 Exterior and semiexterior applications — 140
- 6.4 Interior applications — 143

José Reinaldo Moreira da Silva, Anna Carolina de Almeida Andrade,
and Jordão Cabral Moulin

- 7 Surface quality of mechanically processed wood — 147**
- 7.1 General considerations on wood formation — 147
- 7.2 Surface evaluation — 153
- 7.2.1 Quality assessment by feed per tooth (f_z) — 153
- 7.2.2 Quality assessment by the depth of the cycloid arc (t) — 156
- 7.2.3 Quality assessment by visual analysis — 157
- 7.2.4 Quality assessment by surface roughness — 158
- 7.2.5 Quality assessment by sunset laser — 160

Jorge Manuel Martins, Cristina Coelho, João Pereira, João Macias Ferra,
and Luísa Carvalho

- 8 Strategies to reduce formaldehyde emissions from wood-based panels:
Impact on physico-mechanical properties and machinability — 165**
- 8.1 Strategies to reduce formaldehyde emissions from wood-based panels — 166
- 8.1.1 The concern about formaldehyde and current status — 166
- 8.1.2 Current test methods for determining formaldehyde emissions — 167

8.1.3	Formaldehyde emission classes — 175
8.1.4	Strategies to reduce formaldehyde emissions from wood-based panels — 177
8.2	Impact of formaldehyde-reducing strategies on formaldehyde emission and physico-mechanical properties — 181
8.2.1	Physico-mechanical properties of wood-based panels — 181
8.2.2	Case studies — 182
8.3	Impact of formaldehyde-reducing strategies on machinability — 189
8.3.1	Introduction — 189
8.3.2	Case studies — 190
8.4	Future perspectives — 202
 Index — 207	