

Contents

I. General Topics	1
The new age of autonomous driving – built tough but smart enough? <i>F. Aust¹, E. Hansch¹</i>	3
Next Generation LCD Module <i>D. Duhme¹, B. Fischer¹</i>	11
Blue laser light conversion: a technology comparison between transmissive and reflective approaches. <i>M. Engl¹, A. Lenef², P. Pikart¹, M. Rosenauer¹, M. Zumkley¹, J. Frischeisen¹, J. Strauss¹</i>	19
Field Evaluations of Headlighting Systems: Ratings System Components and Driver Vision <i>M. J. Flannagan¹</i>	29
Test procedure in accordance with the requirements of SAE J3069 <i>C. Funk¹</i>	39
High-Resolution Light-Based Driver-Assistance – Optimal Contrast for Symbols <i>P. Jahn¹, I. Cristea¹, C. Neumann¹</i>	43
Transmission Holograms for White Light Illumination <i>D. Karthaus¹, O. Sandfuchs², S. Sinzinger³</i>	53
New technologies shift 3D-Lighting onto a higher level <i>M. Mügge¹, C. Smarslik¹</i>	63
Three dimensional flow analysis within modern aerated headlamps <i>J. Neukam¹, M. Zych², K. Schneider¹</i>	73
Challenges and opportunities with future headlamp performance requirements <i>R. Neumann¹</i>	83
Simulation vs perception of reflectivity / gloss – a critical review of optical surface characterization <i>M. Schoeneich¹, D. Setz¹, M. Hely¹, R. Ackermann¹, C. Neumann², R. Lachmayer³</i>	89

Dempster-Shafer Theory-based CCD and IR Sensor Fusion for 24 Hour Pedestrian Detection	
<i>M. S. Son¹, S. H. Kim¹</i>	97
Novel light functionality for headlamps to minimize significantly the number of wild animal accidents	
<i>M. Vollmer¹, A. Ebenbichler¹, T. Hornung¹</i>	105
Interference Based Laser Pixel Light: Simulation and First Prototype	
<i>M. Zimmermann¹, F. Buckstegge², E. Thiessen³</i>	115
Beam Pixelation for Dynamic Camera Controlled Low Beam Lighting Functions	
<i>A. Austerschulte¹, E.-O. Rosenhahn¹</i>	125
Next Generation of LED Light Sources: New Potentials for High Performance Low Beam Applications and miniaturized Designs	
<i>S. Schildmann¹, E.-O. Rosenhahn¹</i>	135
Dirty Headlamps – Efficiency of Headlamp Cleaning Devices and the Impact on Stray Light: Method and first results	
<i>C. Schiller¹, K. Kosmas¹, J. Kobbert¹, T. Q. Khanh¹</i>	145
Thin Lens Solutions for Lighting	
<i>A. Perrotin¹, M. Hermitte¹, Y. Gromfeld¹, M. Laminette¹</i>	155
II. ADB Functionality	165
Bending the Light with LCoS: ADB by Phase-modulated RGB Laser	
<i>P. Ansorg¹, B. Höfer², N. Danz², U.D. Zeitner²</i>	167
High Beam Optimization for Low Resolution Glare Free High Beam	
<i>J. Kobbert¹, K. Kosmas¹, D. Bursasiu¹, T. Q. Khanh¹</i>	177
Field-test to determine the optimal traffic sign illumination based on glare-free high beam	
<i>K. Kosmas¹, J. Kobbert¹, T. Q. Khanh¹</i>	185
System Concept for control of high density light sources in ADB systems	
<i>Thomas Liebetrau, Matthias Marquardt (Infineon Technologies)</i>	191
Adverse Weather Light: New Chances for a technically unsolved problem	
<i>C. Schmidt¹</i>	201

Research Status on ADB Safety Features	
<i>M. Hamm</i> ¹	211
Model based optimization of dynamics in adaptive headlamps	
<i>S. Schulze</i> ¹ , <i>W. Sextro</i> ¹ , <i>K. Kister</i> ²	221
III. HD Headlamps	231
System integration for high resolution front lighting	
<i>M. Artmann</i> ¹	233
Outlook on high resolution pixel light	
<i>D. Brunne</i> ¹ , <i>F.-J. Kalze</i> ¹	243
DIGITAL LIGHT – Experiences with the development of high resolution headlights at Daimler	
<i>C. Gut</i> ¹ , <i>M. Fiege</i> ¹ , <i>B. Böke</i> ¹ ,	253
Micro projection arrays for automotive front lighting systems	
<i>S. G. Hackl</i> ¹ , <i>B. Mandl</i> ¹ , <i>B. Reisinger</i> ¹ , <i>A. Moser</i> ¹	263
Handling 17W of scanning laser power – three years of exploration in the iLaS project	
<i>J.Hager</i> ¹ , <i>M.Seitz</i> ² , <i>C.Bemmer</i> ³ , <i>P.Jahn</i> ⁴ , <i>P.Ansorg</i> ^{4,5} , <i>O.Woisetschläger</i> ¹ , <i>F.Buchmann</i> ¹ , <i>D.Sprenger</i> ¹ , <i>M. Vogl</i> ¹ , <i>O.Hering</i> ¹ , <i>J.Artzner</i> ² , <i>M.Glück</i> ² , <i>B.Reisinger</i> ³ , <i>T.Mitterlehner</i> ³ , <i>P.Schantl</i> ³ , <i>L.Weber</i> ⁵ , <i>S.Berlitz</i> ⁵ , <i>C.Neumann</i> ⁴	271
Matrix is Everywhere: Front, Rear and Interior Lighting goes Digital	
<i>M. Hamm</i> ¹	281
Next Generation of Digital Light - Remote-Laser-Light Source supports DLP™	
<i>J. Hansen</i> ¹ , <i>M. Kaup</i> ²	291
Challenges for the laser scanning headlamps to realize safe driving experience	
<i>S. Hoshino</i> ¹ , <i>Y. Kita</i> ¹ , <i>M. Uchida</i> ¹ , <i>T. Mori</i> ¹ , <i>Y. Kimura</i> ¹ , <i>S. Harata</i> ¹ , <i>T. Saito</i> ¹ , <i>Y. Yatsuda</i> ¹	299
Construction zone light: A study on safety and distraction	
<i>S. Omerbegovic</i> ¹ , <i>J. Reim</i> ¹ , <i>C. Funk</i> ¹	307
Laser-based light sources with high luminous flux and advanced functionality	
<i>J. Schug</i> ¹ , <i>S. Zozgornik</i> ¹ , <i>R. Hohn</i> ¹ , <i>U. Hechtfisher</i> ¹	315

Development of 288segments matrix ADB system with improved visibility and safety <i>Y. Takahashi¹, Y. Kita¹, M. Uchida¹</i>	323
New Possibilities with μAFS modules – The Path to High-Resolution Full-Matrix Headlamps <i>J. Trommer¹, T. Feil¹, D. Weissenberger¹, R. Fiederling¹, M. Rayer¹</i>	333
HD-Headlamp Technologies and Development Process: From simulation to demonstration under real traffic conditions <i>B. Kubitz¹, C. Wilks¹</i>	343
HD Technologies: New Functions and Possibilities for Signal Lighting <i>B. Willeke¹, C. Hohmann¹, D. Mundt¹, A. Köhler², A. Thoma²</i>	349
From mechanical ADB systems to high resolution head lamps – new opportunities of novel headlight systems <i>N. Pfullmann¹, A. Thiel¹, M. Thamm¹, R. Plöger¹, G. Kloppenburg², A. Wolf², R. Lachmayer²</i>	357
Verified improvements in visibility with high-resolution system in headlights. <i>S. Iwamoto¹</i>	367
IV. LED Light sources	377
New Generation LEDs and LD for Automotive lighting <i>K. Bando¹</i>	379
Development of direct bonded aluminum substrates with heat sinks for high-power LED headlight modules <i>W. Iwazaki¹, M. Komasaki¹, Y. Nagatomo¹</i>	389
OptiLED Matrix – Compact Efficient Reflector <i>P. Němec¹</i>	399
Complex Glass Optics for LED and Laser Headlamp Systems <i>C. Paßlick¹</i>	405
Improvement of beam performance by integrating micro-optics onto Wafer-Level-Packaged LEDs <i>B. Spinger¹, A. Timinger¹, F. Crompvoets¹, N. Benter¹</i>	415

High Efficiency Headlamp for ECE Regulation based on 5-chips LED <i>K.-W. Park¹, J.-Y. Joo¹</i>	425
High Current LEDs in Next Generation LED Headlamps <i>R. Felbecker¹, P. Ferbas¹, D. Hynar¹, M. Klein¹</i>	435
Highest Efficiency - Lowest Cost - Where are the actual smart LED Optics? <i>A. Kumar¹, M. Gottschalk¹</i>	445

V. Rearlighting **449**

Introduction of OLED in Rear Lamps: electro-optical simulation for photometry assessment <i>P. Bianco¹, B. v. Blanckenhagen², H. Kellermann², A. Locatelli¹, G. Manfreda¹, S. Padovani¹, L. Spadaccini¹</i>	451
Luminance homogeneity analysis of rear lamps by image processing: Rendering vs digital photography <i>A. Custódio¹, D. Trigo¹</i>	461
Quantitative Assessment of Perceptual Luminous Uniformity of OLED and LED Panels for Rear Lights <i>Y. Koga¹, K. Kitamura¹, K. Miyashita¹, M. Kimura²</i>	471
Rear Lamps Luminance homogeneity evaluation: a new analytical method based on eye perception <i>S. Paroni¹, L. Alessandro¹, S. Marco¹</i>	481
Investigation of the Optimum Brightness of Dynamic Taillights <i>P. Rabenau¹, F. Patzig¹, T. Q. Khanh²</i>	491
Glare Effect of LED High mounted Stop Lamps with Different Luminance Distributions <i>W. Tiecheng¹, H. Jian², C. Ye¹, S. Jun²</i>	501
Validity range of luminance and luminous intensity for a right characterization of rear lamps under mesopic vision conditions <i>B. Zandi¹, D. Polin¹, T. Q. Khanh¹</i>	509
Research on Visual Perception of Rear Lights <i>D. Polin¹, T. Q. Khanh¹</i>	519

Evaluation of Rear Lights in Driving Situations	
<i>C. Ries¹, D. Polin¹, C. Schiller¹, T. Q. Khanh¹</i>	529
Analysis of the Brightness of Rear Lights in Encounter Situations	
<i>J. T. Scheer¹, D. Polin¹, T. Q. Khanh¹,</i>	537
VI. Car to Car Communication	547
How Digitalization and Automated Driving will revolutionize Automotive Lighting	
<i>S. Berlitz¹</i>	549
Digital Light: Visual Communication and Perception	
<i>S. Bogdanow¹, M. Marutzky¹, B. Kleinert¹</i>	559
A new traffic participant and its language	
<i>L. Sorokin¹, M. Hofer¹</i>	565
Exterior lighting used for C2C communication – High Speed & High Resolution Smart Detector	
<i>J. Kratochvil¹</i>	575
Optical Car-to-Human Communication for Automated Vehicles	
<i>J.-H. Willrodt¹, H. Strothmann², J. Wallaschek³</i>	579
New Signals for Communication and Marking of Automated Driving Systems (ADS)/ are they Necessary and how can they be included in the UN-ECE Regulations and the Simplification Process?	
<i>M. Pernkopf¹</i>	589
VII. Signaling Functions	599
SurfaceLED	
<i>T. Gloss¹, V. Kubena¹</i>	601
Lighting the way: Safety increase by advanced turn indicator functionality	
<i>M. Kemetmüller¹, Bernd Eichinger¹</i>	607
Trends in design & functions for rear lighting and signaling technologies	
<i>L. Evrard¹, E. Esperance¹, B. Reiss¹</i>	617

Visual Aspects of Time-Modulated Lighting Systems during Saccadic Eye Movements for Automotive Lighting

C.-S. Lee¹, H. Kang¹, S. W. Park¹, J.-H. Lee¹, D.-W. Song¹, H. Pak¹ 627

Animated Signal Functions: “Gimmicks” paving the Way for Visual Car-to-x Communication?

M. Ritter¹, C. Adikari¹, M. Nagel¹ 635

Color inhomogeneity in future signal functions – LED as root cause

C. Adikari¹; P. Tölle¹ 643

VIII. Interior Lighting 651

Advanced optical silicones beneficial for interior and signature lighting

M. Beukema¹, K. v. Tiggelen¹, F. de Buyt¹, K. Sobolev¹, K. McDonald¹ 653

Circadian Lighting – Human Centric Lighting as Passenger

J. Kastner¹, P. Rabenau¹, F. – U. Tontsch¹ 659

Automotive depth perception based on the interaction of multi pixel light projections and adaptive gabor kernels

C. Schneider¹, T. Kunz, C. J. Haas¹, S. Soehner¹, T. Schaal¹ 667

Dynamic ambient interior light

H. Wambsganß¹, A. Bizal¹ 677

Sensors integration into lighting systems - Opportunities & Challenges

B. Reiss¹, D. Falck¹, D. Garnier¹, N. Pinchon¹ 683

Integration of a Melanopic-Light-Unit in a Truck and Investigation of its Impact on Truck Drivers Under Real-Life Conditions

S. Schüler¹, S. Rothe¹, D. Betz¹, M. Schrauf¹, R. Popp² 693

IX. Physiology – Detection and Glare 703

Developing a Better Understanding of Discomfort Glare: Cause and Effect

J. D. Bullough¹ 705

Spectral Sensitivity of Disability Glare in the Mesopic Range for Objects in the Periphery

D. Englisch¹, T. Q. Khanh¹ 715

Homogeneity of Headlamp Light Distributions

J. Locher¹, S. Köhler¹, A. Dahlmann¹;

725

Glare and Perception in Fog: A New Light Simulation Method

M. Marutzky¹, B. Kleinert¹, S. Bogdanow¹

733

Potential Hazard Glare – Does Luminance Make a Difference?

A. Thoma¹, J. Locher¹

737

Contrast determination based on object detection distances under peripheral vision conditions and conclusions for future lighting distribution concepts

K. Schneider¹, J. Kobbert¹, T. Q. Khanh¹;

745

X. Market Potential

755

How to successfully promote light functions to the market

P. Roeckl¹

757

New Chances, New Challenges Creating Customer Excitement with Predictive Exterior Lighting Systems

M. Schumacher¹, W. Moussa¹, A. Spychala¹

763

Design Considerations on Logo and Pattern Projection

G. Uhlenberg¹, J. Müller¹, H.-P. Chiu¹, A. Wang¹

773