

## Contents

About the Editors *xiii*

Series Editors' Preface *xv*

List of Contributors *xvii*

|              |                                                                                                              |               |
|--------------|--------------------------------------------------------------------------------------------------------------|---------------|
| <b>1</b>     | <b>Utilizing Phase Separation Reactions for Enhancement of the Thermoelectric Efficiency in IV–VI Alloys</b> | <b>1</b>      |
|              | <i>Yaniv Gelbstein</i>                                                                                       |               |
| 1.1          | Introduction                                                                                                 | 1             |
| 1.2          | IV–VI Alloys for Waste Heat Thermoelectric Applications                                                      | 2             |
| 1.3          | Thermodynamically Driven Phase Separation Reactions                                                          | 6             |
| 1.4          | Selected IV–VI Systems with Enhanced Thermoelectric Properties Following Phase Separation Reactions          | 9             |
| 1.5          | Concluding Remarks                                                                                           | 11            |
|              | References                                                                                                   | 11            |
| <br><b>2</b> | <br><b>Nanostructured Materials: Enhancing the Thermoelectric Performance</b>                                | <br><b>15</b> |
|              | <i>Ngo Van Nong and Le Thanh Hung</i>                                                                        |               |
| 2.1          | Introduction                                                                                                 | 15            |
| 2.2          | Approaches for Improving $ZT$                                                                                | 16            |
| 2.3          | Recent Progress in Developing Bulk Thermoelectric Materials                                                  | 18            |
| 2.4          | Bulk Nanostructured Thermoelectric Materials                                                                 | 20            |
| 2.4.1        | $\text{Bi}_2\text{Te}_3$ -Based Nanocomposites                                                               | 20            |
| 2.4.2        | PbTe-Based Nanostructured Materials                                                                          | 21            |
| 2.4.3        | Half-Heusler Alloys                                                                                          | 22            |
| 2.4.4        | Nanostructured Skutterudite Materials                                                                        | 24            |
| 2.4.5        | Nanostructured Oxide Materials                                                                               | 26            |
| 2.4.5.1      | p-Type Oxides                                                                                                | 26            |
| 2.4.5.2      | n-Type Oxides                                                                                                | 28            |
| 2.5          | Outlook and Challenges                                                                                       | 28            |
|              | Acknowledgement                                                                                              | 29            |
|              | References                                                                                                   | 29            |

|          |                                                                                                          |           |
|----------|----------------------------------------------------------------------------------------------------------|-----------|
| <b>3</b> | <b>Organic Thermoelectric Materials</b>                                                                  | <b>37</b> |
|          | <i>Simone Fabiano, Ioannis Petsagkourakis, Guillaume Fleury, Georges Hadziioannou and Xavier Crispin</i> |           |
| 3.1      | Introduction                                                                                             | 37        |
| 3.2      | Seebeck Coefficient and Electronic Structure                                                             | 41        |
| 3.3      | Seebeck Coefficient and Charge Carrier Mobility                                                          | 44        |
| 3.4      | Optimization of the Figure of Merit                                                                      | 45        |
| 3.5      | N-Doping of Conjugated Polymers                                                                          | 46        |
| 3.6      | Elastic Thermoelectric Polymers                                                                          | 48        |
| 3.7      | Conclusions                                                                                              | 48        |
|          | Acknowledgments                                                                                          | 50        |
|          | References                                                                                               | 50        |
| <b>4</b> | <b>Silicon for Thermoelectric Energy Harvesting</b>                                                      |           |
|          | <b>Applications</b>                                                                                      | <b>55</b> |
|          | <i>Dario Narducci, Luca Belsito and Alex Morata</i>                                                      |           |
| 4.1      | Introduction                                                                                             | 55        |
| 4.1.1    | Silicon as a Thermoelectric Material                                                                     | 55        |
| 4.1.2    | Current Uses of Silicon in TEGs                                                                          | 56        |
| 4.2      | Bulk and Thin-Film Silicon                                                                               | 57        |
| 4.2.1    | Single-Crystalline and Polycrystalline Silicon                                                           | 57        |
| 4.2.2    | Degenerate and Phase-Segregated Silicon                                                                  | 60        |
| 4.3      | Nanostructured Silicon: Physics of Nanowires and Nanolayers                                              | 63        |
| 4.3.1    | Introduction                                                                                             | 63        |
| 4.3.2    | Electrical Transport in Nanostructured Thermoelectric Materials                                          | 63        |
| 4.3.3    | Phonon Transport in Nanostructured Thermoelectric Materials                                              | 66        |
| 4.4      | Bottom-Up Nanowires                                                                                      | 66        |
| 4.4.1    | Preparation Strategies                                                                                   | 66        |
| 4.4.2    | Chemical Vapor Deposition (CVD)                                                                          | 67        |
| 4.4.3    | Molecular Beam Epitaxy (MBE)                                                                             | 68        |
| 4.4.4    | Laser Ablation                                                                                           | 68        |
| 4.4.5    | Solution-Based Techniques                                                                                | 69        |
| 4.4.6    | Catalyst Materials                                                                                       | 69        |
| 4.4.7    | Catalyst Deposition Methods                                                                              | 70        |
| 4.5      | Material Properties and Thermoelectric Efficiency                                                        | 71        |
| 4.6      | Top-Down Nanowires                                                                                       | 71        |
| 4.6.1    | Preparation Strategies                                                                                   | 71        |
| 4.6.2    | Material Properties and Thermoelectric Efficiency                                                        | 75        |
| 4.7      | Applications of Bulk and Thin-Film Silicon and SiGe Alloys to Energy Harvesting                          | 77        |
| 4.8      | Applications of Nanostructured Silicon to Energy Harvesting                                              | 79        |
| 4.8.1    | Bottom-Up Nanowires                                                                                      | 79        |
| 4.8.2    | Top-Down Nanowires                                                                                       | 80        |
| 4.9      | Summary and Outlook                                                                                      | 83        |
|          | Acknowledgments                                                                                          | 84        |
|          | References                                                                                               | 84        |

|              |                                                                                                         |                |
|--------------|---------------------------------------------------------------------------------------------------------|----------------|
| <b>5</b>     | <b>Techniques for Characterizing Thermoelectric Materials: Methods and the Challenge of Consistency</b> | <b>93</b>      |
|              | <i>Hans-Fridtjof Pernau</i>                                                                             |                |
| 5.1          | Introduction – Hitting the Target                                                                       | 93             |
| 5.2          | Thermal Transport in Gases and Solid-State Materials                                                    | 94             |
| 5.3          | The Combined Parameter $ZT$ -Value                                                                      | 97             |
| 5.3.1        | Electrical Conductivity                                                                                 | 98             |
| 5.3.2        | Seebeck Coefficient                                                                                     | 101            |
| 5.3.3        | Thermal Conductivity                                                                                    | 103            |
| 5.4          | Summary                                                                                                 | 107            |
|              | Acknowledgments                                                                                         | 107            |
|              | References                                                                                              | 107            |
| <br><b>6</b> | <br><b>Preparation and Characterization of TE Interfaces/Junctions</b>                                  | <br><b>111</b> |
|              | <i>Gao Min and Matthew Phillips</i>                                                                     |                |
| 6.1          | Introduction                                                                                            | 111            |
| 6.2          | Effects of Electrical and Thermal Contact Resistances                                                   | 111            |
| 6.3          | Preparation of Thermoelectric Interfaces                                                                | 114            |
| 6.4          | Characterization of Contact Resistance Using Scanning Probe                                             | 117            |
| 6.5          | Characterization of Thermal Contact Using Infrared Microscope                                           | 121            |
| 6.6          | Summary                                                                                                 | 123            |
|              | Acknowledgments                                                                                         | 124            |
|              | References                                                                                              | 124            |
| <br><b>7</b> | <br><b>Thermoelectric Modules: Power Output, Efficiency, and Characterization</b>                       | <br><b>127</b> |
|              | <i>Jorge García-Cañadas</i>                                                                             |                |
| 7.1          | Introduction                                                                                            | 127            |
| 7.1.1        | Moving from Materials to a Device                                                                       | 127            |
| 7.1.2        | Differences in Characterization                                                                         | 128            |
| 7.1.3        | Chapter Summary                                                                                         | 130            |
| 7.2          | The Governing Equations                                                                                 | 130            |
| 7.2.1        | Particle Fluxes and the Continuity Equation                                                             | 130            |
| 7.2.2        | Energy Fluxes and the Heat Equation                                                                     | 132            |
| 7.3          | Power Output and Efficiency                                                                             | 136            |
| 7.3.1        | Power Output                                                                                            | 137            |
| 7.3.2        | Efficiency                                                                                              | 139            |
| 7.4          | Characterization of Devices                                                                             | 142            |
| 7.4.1        | Thermal Contacts                                                                                        | 142            |
| 7.4.2        | Additional Considerations                                                                               | 143            |
| 7.4.3        | Constant Heat Input and Constant $\Delta T$                                                             | 144            |
|              | References                                                                                              | 145            |

|          |                                                                                     |            |
|----------|-------------------------------------------------------------------------------------|------------|
| <b>8</b> | <b>Integration of Heat Exchangers with Thermoelectric Modules</b>                   | <b>147</b> |
|          | <i>Alireza Rezaei</i>                                                               |            |
| 8.1      | Introduction                                                                        | 147        |
| 8.2      | Heat Exchanger Design – Consideration in TEG Systems                                | 148        |
| 8.3      | Cold Side Heat Exchanger for TEG Maximum Performance                                | 150        |
| 8.4      | Cooling Technologies and Design Challenges                                          | 154        |
| 8.5      | Microchannel Heat Exchanger                                                         | 156        |
| 8.6      | Coupled and Comprehensive Simulation of TEG System                                  | 157        |
| 8.6.1    | Governing Equations                                                                 | 157        |
| 8.6.2    | Effect of Heat Exchanger Inlet/Outlet Plenums on TEG Temperature Distribution       | 158        |
| 8.6.3    | Modified Channel Configuration                                                      | 162        |
| 8.6.4    | Flat-Plate Heat Exchanger versus Cross-Cut Heat Exchanger                           | 164        |
| 8.6.5    | Effect of Channel Hydraulic Diameter                                                | 167        |
| 8.7      | Power–Efficiency Map                                                                | 168        |
| 8.8      | Section Design Optimization in TEG System                                           | 169        |
| 8.9      | Conclusion                                                                          | 170        |
|          | Acknowledgment                                                                      | 170        |
|          | Nomenclature                                                                        | 170        |
|          | References                                                                          | 172        |
| <b>9</b> | <b>Power Electronic Converters and Their Control in Thermoelectric Applications</b> | <b>177</b> |
|          | <i>Erik Scholtz and Elena A. Man</i>                                                |            |
| 9.1      | Introduction                                                                        | 177        |
| 9.2      | Building Blocks of Power Electronics                                                | 177        |
| 9.3      | Power Electronic Topologies                                                         | 179        |
| 9.3.1    | Buck Converter                                                                      | 180        |
| 9.3.1.1  | On-state                                                                            | 181        |
| 9.3.1.2  | Off-state                                                                           | 181        |
| 9.3.1.3  | Averaging                                                                           | 181        |
| 9.3.2    | Boost Converter                                                                     | 182        |
| 9.3.3    | Non-Inverting Buck Boost Converter                                                  | 183        |
| 9.3.4    | Flyback Converter                                                                   | 184        |
| 9.4      | Electrical Equivalent Circuit Models for Thermoelectric Modules                     | 185        |
| 9.5      | Maximum Power Point Operation and Tracking                                          | 186        |
| 9.5.1    | MPPT-Methods                                                                        | 187        |
| 9.5.1.1  | Perturb and Observe                                                                 | 187        |
| 9.5.1.2  | Incremental Conductance                                                             | 189        |
| 9.5.1.3  | Fractional Open Circuit Voltage                                                     | 189        |
| 9.6      | Case Study                                                                          | 191        |
| 9.6.1    | Specifications                                                                      | 192        |
| 9.6.2    | Requirements                                                                        | 193        |
| 9.6.3    | Design of Passive Components                                                        | 193        |
| 9.6.4    | Transfer Functions                                                                  | 194        |

|           |                                                                             |            |
|-----------|-----------------------------------------------------------------------------|------------|
| 9.6.5     | Design of Current Controller                                                | 196        |
| 9.6.6     | MPPT Implementation                                                         | 196        |
| 9.6.7     | Design of Voltage Controller                                                | 198        |
| 9.7       | Conclusion                                                                  | 201        |
|           | References                                                                  | 201        |
| <b>10</b> | <b>Thermoelectric Energy Harvesting for Powering Wearable Electronics</b>   | <b>205</b> |
|           | <i>Luca Francioso and Chiara De Pascali</i>                                 |            |
| 10.1      | Introduction                                                                | 205        |
| 10.2      | Human Body as Heat Source for Wearable TEGs                                 | 205        |
| 10.3      | TEG Design for Wearable Applications: Thermal and Electrical Considerations | 208        |
| 10.4      | Flexible TEGs: Deposition Methods and Thermal Flow Design Approach          | 212        |
| 10.4.1    | Deposition Methods                                                          | 212        |
| 10.4.1.1  | Screen Printing                                                             | 213        |
| 10.4.1.2  | Inkjet Printing                                                             | 213        |
| 10.4.1.3  | Molding                                                                     | 213        |
| 10.4.1.4  | Lithography                                                                 | 214        |
| 10.4.1.5  | Vacuum Deposition Techniques                                                | 214        |
| 10.4.1.6  | Thermal Evaporation                                                         | 214        |
| 10.4.1.7  | Sputtering                                                                  | 215        |
| 10.4.1.8  | Molecular Beam Epitaxy (MBE)                                                | 215        |
| 10.4.1.9  | Metal Organic Chemical Vapor Deposition (MOCVD)                             | 216        |
| 10.4.1.10 | Electrochemical Deposition                                                  | 216        |
| 10.4.1.11 | Vapor–Liquid–Solid (VLS) Growth                                             | 216        |
| 10.4.2    | Heat Flow Direction Design Approach in Wearable TEG                         | 217        |
| 10.5      | TEG Integration in Wearable Devices                                         | 218        |
| 10.6      | Strategies for Performance Enhancements and Organic Materials               | 221        |
| 10.6.1    | Organic Thermoelectric Materials                                            | 223        |
|           | References                                                                  | 225        |
| <b>11</b> | <b>Thermoelectric Modules as Efficient Heat Flux Sensors</b>                | <b>233</b> |
|           | <i>Gennadi Gromov</i>                                                       |            |
| 11.1      | Introduction                                                                | 233        |
| 11.1.1    | Applications of Heat Flux Sensors                                           | 233        |
| 11.1.2    | Units of Heat Flux and Characteristics of Sensors                           | 234        |
| 11.1.3    | Modern Heat Flux Sensors                                                    | 235        |
| 11.1.4    | Thermoelectric Heat Flux Sensors                                            | 236        |
| 11.2      | Applications of Thermoelectric Modules                                      | 238        |
| 11.3      | Parameters of Thermoelectric Heat Flux Sensors                              | 240        |
| 11.3.1    | Integral Sensitivity $S_a$                                                  | 240        |
| 11.3.2    | Sensitivity $S_e$                                                           | 241        |
| 11.3.3    | Thermal Resistance $R_T$                                                    | 241        |
| 11.3.4    | Noise Level                                                                 | 241        |

|          |                                                                          |     |
|----------|--------------------------------------------------------------------------|-----|
| 11.3.5   | Sensitivity Threshold                                                    | 241 |
| 11.3.6   | Noise-Equivalent Power <i>NEP</i>                                        | 242 |
| 11.3.7   | Detectivity <i>D*</i>                                                    | 242 |
| 11.3.8   | Time Constant $\tau$                                                     | 243 |
| 11.4     | Self-Calibration Method of Thermoelectric Heat Flux Sensors              | 243 |
| 11.4.1   | Sensitivity                                                              | 243 |
| 11.4.1.1 | Method                                                                   | 243 |
| 11.4.1.2 | Examples                                                                 | 245 |
| 11.4.2   | Values of <i>NEP</i> and <i>D*</i>                                       | 247 |
| 11.5     | Sensor Performance and Thermoelectric Module Design                      | 247 |
| 11.5.1   | Dependence on Physical Properties                                        | 248 |
| 11.5.2   | Design Parameters                                                        | 248 |
| 11.6     | Features of Thermoelectric Heat Flux Sensor Design                       | 249 |
| 11.7     | Optimization of Sensors Design                                           | 250 |
| 11.7.1   | Properties of Thermoelectric Material                                    | 251 |
| 11.7.2   | Parameters of Thermoelectric Module                                      | 251 |
| 11.7.2.1 | Pellets Form-Factor                                                      | 251 |
| 11.7.2.2 | Thermoelement Height                                                     | 252 |
| 11.7.2.3 | Dimensions of Sensors                                                    | 254 |
| 11.7.2.4 | Pellets Number                                                           | 254 |
| 11.7.3   | Features of Real Design                                                  | 255 |
| 11.8     | Experimental Family of Heat Flux Sensors                                 | 257 |
| 11.8.1   | HTX – Heat Flux and Temperature Sensors (HT – Heat Flux and Temperature) | 257 |
| 11.8.2   | HFX – Heat Flux Sensors without Temperature (HF – Heat Flux)             | 257 |
| 11.8.3   | HRX-IR Radiation Heat Flux Sensors (HR – Heat Flux Radiation)            | 257 |
| 11.9     | Investigation of Sensors Performance                                     | 259 |
| 11.9.1   | General Provisions                                                       | 259 |
| 11.9.2   | Calibration of Sensor Sensitivity                                        | 259 |
| 11.9.3   | Sensitivity Temperature Dependence                                       | 261 |
| 11.9.4   | Thermal Resistance                                                       | 263 |
| 11.9.5   | Typical Temperature Dependence of the Seebeck Coefficient                | 264 |
| 11.9.6   | Conclusions                                                              | 264 |
| 11.10    | Heat Flux Sensors at the Market                                          | 265 |
| 11.11    | Examples of Applications                                                 | 268 |
| 11.11.1  | Microcalorimetry: Evaporation of Water Drop                              | 268 |
| 11.11.2  | Measurement of Heat Fluxes in Soil                                       | 269 |
| 11.11.3  | Thermoelectric Ice Sensor                                                | 269 |
| 11.11.4  | Laser Power Meters                                                       | 274 |
|          | References                                                               | 278 |
| 12       | <b>Photovoltaic-Thermoelectric Hybrid Energy Conversion</b>              | 283 |
|          | <i>Ning Wang</i>                                                         |     |
| 12.1     | Background and Theory                                                    | 283 |

|        |                                                                                                                   |     |
|--------|-------------------------------------------------------------------------------------------------------------------|-----|
| 12.1.1 | Introduction                                                                                                      | 283 |
| 12.1.2 | PV Efficiency                                                                                                     | 285 |
| 12.1.3 | TEG Efficiency                                                                                                    | 285 |
| 12.1.4 | PVTE Module Generated Power and Efficiency                                                                        | 285 |
| 12.1.5 | Energy Loss                                                                                                       | 285 |
| 12.1.6 | Cost                                                                                                              | 286 |
| 12.1.7 | Overall Feasibility                                                                                               | 289 |
| 12.2   | Different Forms of PVTE Hybrid Systems: The State of the Art                                                      | 292 |
| 12.2.1 | PVTE Hybrid Systems Based on Dye-Sensitized Solar Cell (DSSC)                                                     | 292 |
| 12.2.2 | Dye-Sensitized Solar Cell with Built-in Nanoscale $\text{Bi}_2\text{Te}_3$ TEG                                    | 294 |
| 12.2.3 | PVTE Using Solar Concentrator                                                                                     | 294 |
| 12.2.4 | Solar–Thermoelectric Device Based on $\text{Bi}_2\text{Te}_3$ and Carbon Nanotube Composites                      | 296 |
| 12.3   | Optimizations of PVTE Hybrid Systems                                                                              | 297 |
| 12.3.1 | Geometry Optimization of Thermoelectric Devices in a Hybrid PVTE System                                           | 297 |
| 12.3.2 | Enhancing the Overall Heat Conduction and Light Absorption                                                        | 298 |
| 12.3.3 | Fishnet Meta-Structure for IR Band Trapping for Enhancement of PVTE Hybrid Systems                                | 299 |
| 12.3.4 | Full-Spectrum Photon Management of Solar Cell Structures for PVTE Hybrid Systems                                  | 300 |
| 12.3.5 | An Automotive PVTE Hybrid Energy System Using Maximum Power Point Tracking                                        | 301 |
| 12.4   | Application of PVTE Hybrid Systems                                                                                | 302 |
| 12.4.1 | Novel Hybrid Solar System for Photovoltaic, Thermoelectric, and Heat Utilization                                  | 303 |
| 12.4.2 | Development of an Energy-Saving Module via Combination of PV Cells and TE Coolers for Green Building Applications | 303 |
| 12.4.3 | Performance of Solar Cells Using TE Module in Hot Sites                                                           | 303 |
| 12.5   | Summary                                                                                                           | 306 |
|        | References                                                                                                        | 307 |

|       |     |
|-------|-----|
| Index | 311 |
|-------|-----|