

Contents

Introduction — IX

Part I: Dissipative geometry and general relativity theory

1	Pseudo-Riemannian geometry and general relativity — 3
1.1	Curvature of spacetime and Einstein field equations — 4
1.1.1	Geodesics — 5
1.1.2	Riemannian curvature tensor — 6
1.1.3	Energy momentum tensor — 6
1.1.4	Einstein field equations — 7
1.2	The universe as a dynamical system — 8
1.2.1	The Friedman–Robertson–Walker (FRW) metric and Friedman equations — 8
1.2.2	State equation and Friedman differential equation — 10
2	Dynamics of universe models — 11
2.1	The Friedman models — 11
2.1.1	The static models — 12
2.1.2	Empty models — 12
2.1.3	Non-empty models with $\Lambda = 0$ — 15
2.1.4	Non-empty models with $\Lambda \neq 0$ — 17
2.2	Milne’s model — 17
3	Anisotropic and homogeneous universe models — 19
3.1	Bianchi type I models — 19
3.1.1	General solution — 21
3.1.2	Sample solution: radiation dominated Bianchi type I model — 23
4	Metric waves in a nonstationary universe and dissipative oscillator — 29
4.1	Linear metric waves in flat spacetime — 29
4.2	Metric waves in an expanding universe — 32
4.2.1	Hyperbolic geometry of the damped oscillator and double universe — 32
5	Bosonic and fermionic models of a Friedman–Robertson–Walker universe — 35
5.1	Bosonic Friedman–Robertson–Walker cosmology — 35
5.2	Fermionic Friedman–Robertson–Walker cosmology — 41

6 Time dependent constants in an oscillatory universe — 47

- 6.1 Model and field equations — 47
- 6.2 Solutions of the field equations — 51
- 6.2.1 Dirac's proposition: $G(t) \sim H$ — 52
- 6.2.2 $G(t) \sim 1/H$ — 58

Part II: Variational principle for time dependent oscillations and dissipations

7 Lagrangian and Hamilton descriptions — 67

- 7.1 Generalized coordinates and velocities — 67
- 7.2 The principle of least action — 67
- 7.3 Hamilton's equations — 69
- 7.3.1 The Poisson brackets — 70

8 Damped oscillator: classical and quantum theory — 73

- 8.1 Damped oscillator — 73
- 8.2 Dissipation in generalized analytical mechanics — 73
- 8.2.1 One degree of freedom — 74
- 8.2.2 Two degrees of freedom — 75
- 8.3 Bateman Dual Description — 75
- 8.4 Caldirola–Kanai approach to the damped oscillator — 77
- 8.5 Quantization of the Caldirola–Kanai damped oscillator with constant frequency and constant damping — 78

9 Sturm–Liouville problem as a damped oscillator with time dependent damping and frequency — 85

- 9.1 Sturm–Liouville problem in double oscillator representation and self-adjoint form — 85
- 9.1.1 Particular cases for the nonself-adjoint equation — 87
- 9.1.2 Variational principle for self-adjoint operator — 89
- 9.1.3 Particular cases of the self-adjoint equation — 91
- 9.2 Oscillator equation with three regular singular points — 92
- 9.2.1 Hypergeometric oscillator — 95
- 9.2.2 Confluent hypergeometric oscillator — 97
- 9.2.3 Bessel oscillator — 99
- 9.2.4 Legendre oscillator — 100
- 9.2.5 Shifted Legendre oscillator — 101
- 9.2.6 Associated Legendre oscillator — 102
- 9.2.7 Hermite oscillator — 103

9.2.8	Gegenbauer ultraspherical oscillator —	104
9.2.9	Laguerre oscillator —	105
9.2.10	Associated Laguerre oscillator —	107
9.2.11	Chebyshev I oscillator —	108
9.2.12	Chebyshev II oscillator —	109
9.2.13	Shifted Chebyshev I —	110
10	Riccati representation of time dependent damped oscillators —	113
10.1	Hypergeometric Riccati equation —	115
10.2	Confluent hypergeometric Riccati equation —	117
10.3	Legendre-type Riccati equation —	117
10.4	Associated Legendre-type Riccati equation —	119
10.5	Hermite-type Riccati equation —	119
10.6	Laguerre-type Riccati equation —	121
10.7	Associated Laguerre-type Riccati equation —	122
10.8	Chebyshev I-type Riccati equation —	124
10.9	Chebyshev II-type Riccati equation —	125
11	Quantization of the harmonic oscillator with time dependent parameters —	127
11.1	Gaussian wave function —	128
11.2	Dynamical symmetry and exact solutions —	129
11.3	Examples of exact solutions —	131
11.3.1	Harmonic oscillator —	131
11.3.2	Caldirola–Kanai damped oscillator —	133
Bibliography —		135
Index —		139