

Contents

Preface *xiii*

List of Contributors *xv*

Part I Introduction 1

- 1 Introduction to Reactive Extrusion 3**
Christian Hopmann, Maximilian Adamy, and Andreas Cohnen
 References 9

Part II Introduction to Twin-Screw Extruder for Reactive Extrusion 11

- 2 The Co-rotating Twin-Screw Extruder for Reactive Extrusion 13**
Frank Lechner
- 2.1 Introduction 13
- 2.2 Development and Key Figures of the Co-rotating Twin-Screw Extruder 14
- 2.3 Screw Elements 16
- 2.4 Co-rotating Twin-Screw Extruder – Unit Operations 22
- 2.4.1 Feeding 23
- 2.4.2 Upstream Feeding 23
- 2.4.3 Downstream Feeding 24
- 2.4.4 Melting Mechanisms 24
- 2.4.5 Thermal Energy Transfer 24
- 2.4.6 Mechanical Energy Transfer 25
- 2.4.7 Mixing Mechanisms 25
- 2.4.8 Devolatilization/Degassing 25
- 2.4.9 Discharge 26
- 2.5 Suitability of Twin-Screw Extruders for Chemical Reactions 26
- 2.6 Processing of TPE-V 27
- 2.7 Polymerization of Thermoplastic Polyurethane (TPU) 29

2.8	Grafting of Maleic Anhydride on Polyolefines	31
2.9	Partial Glycolysis of PET	32
2.10	Peroxide Break-Down of Polypropylene	33
2.11	Summary	35
	References	35

Part III Simulation and Modeling 37

3 Modeling of Twin Screw Reactive Extrusion: Challenges and Applications 39

Françoise Berzin and Bruno Vergnes

3.1	Introduction	39
3.1.1	Presentation of the Reactive Extrusion Process	39
3.1.2	Examples of Industrial Applications	40
3.1.3	Interest of Reactive Extrusion Process Modeling	41
3.2	Principles and Challenges of the Modeling	41
3.2.1	Twin Screw Flow Module	42
3.2.2	Kinetic Equations	44
3.2.3	Rheokinetic Model	44
3.2.4	Coupling	45
3.2.5	Open Problems and Remaining Challenges	45
3.3	Examples of Modeling	46
3.3.1	Esterification of EVA Copolymer	46
3.3.2	Controlled Degradation of Polypropylene	50
3.3.3	Polymerization of ϵ -Caprolactone	55
3.3.4	Starch Cationization	59
3.3.5	Optimization and Scale-up	61
3.4	Conclusion	65
	References	66

4 Measurement and Modeling of Local Residence Time Distributions in a Twin-Screw Extruder 71

Xian-Ming Zhang, Lian-Fang Feng, and Guo-Hua Hu

4.1	Introduction	71
4.2	Measurement of the Global and Local RTD	72
4.2.1	Theory of RTD	72
4.2.2	In-line RTD Measuring System	73
4.2.3	Extruder and Screw Configurations	75
4.2.4	Performance of the In-line RTD Measuring System	76
4.2.5	Effects of Screw Speed and Feed Rate on RTD	77
4.2.6	Assessment of the Local RTD in the Kneading Disk Zone	79
4.3	Residence Time, Residence Revolution, and Residence Volume Distributions	81
4.3.1	Partial RTD, RRD, and RVD	82
4.3.2	Local RTD, RRD, and RVD	86

4.4	Modeling of Local Residence Time Distributions	88
4.4.1	Kinematic Modeling of Distributive Mixing	88
4.4.2	Numerical Simulation	89
4.4.3	Experimental Validation	92
4.4.4	Distributive Mixing Performance and Efficiency	93
4.5	Summary	97
	References	98
5	In-process Measurements for Reactive Extrusion Monitoring and Control	101
	<i>José A. Covas</i>	
5.1	Introduction	101
5.2	Requirements of In-process Monitoring of Reactive Extrusion	103
5.3	In-process Optical Spectroscopy	111
5.4	In-process Rheometry	116
5.5	Conclusions	125
	Acknowledgment	126
	References	126
	Part IV Synthesis Concepts	133
6	Exchange Reaction Mechanisms in the Reactive Extrusion of Condensation Polymers	135
	<i>Concetto Puglisi and Filippo Samperi</i>	
6.1	Introduction	135
6.2	Interchange Reaction in Polyester/Polyester Blends	138
6.3	Interchange Reaction in Polycarbonate/Polyester Blends	143
6.4	Interchange Reaction in Polyester/Polyamide Blends	148
6.5	Interchange Reaction in Polycarbonate/Polyamide Blends	155
6.6	Interchange Reaction in Polyamide/Polyamide Blends	159
6.7	Conclusions	166
	References	167
7	In situ Synthesis of Inorganic and/or Organic Phases in Thermoplastic Polymers by Reactive Extrusion	179
	<i>Véronique Bounor-Legaré, Françoise Fenouillot, and Philippe Cassagnau</i>	
7.1	Introduction	179
7.2	Nanocomposites	179
7.2.1	Synthesis of <i>in situ</i> Nanocomposites	181
7.2.2	Some Specific Applications	183
7.2.2.1	Antibacterial Properties of PP/TiO ₂ Nanocomposites	183
7.2.2.2	Flame-Retardant Properties	184
7.2.2.3	Protonic Conductivity	186
7.3	Polymerization of a Thermoplastic Minor Phase: Toward Blend Nanostructuration	188

7.4	Polymerization of a Thermoset Minor Phase Under Shear	196
7.4.1	Thermoplastic Polymer/Epoxy-Amine Miscible Blends	197
7.4.2	Examples of Stabilization of Thermoplastic Polymer/Epoxy-Amine Blends	202
7.4.3	Blends of Thermoplastic Polymer with Monomers Crosslinking via Radical Polymerization	202
7.5	Conclusion	203
	References	204
8	Concept of (Reactive) Compatibilizer-Tracer for Emulsification Curve Build-up, Compatibilizer Selection, and Process Optimization of Immiscible Polymer Blends	209
	<i>Cai-Liang Zhang, Wei-Yun Ji, Lian-Fang Feng, and Guo-Hua Hu</i>	
8.1	Introduction	209
8.2	Emulsification Curves of Immiscible Polymer Blends in a Batch Mixer	210
8.3	Emulsification Curves of Immiscible Polymer Blends in a Twin-Screw Extruder Using the Concept of (Reactive) Compatibilizer	213
8.3.1	Synthesis of (Reactive) Compatibilizer-Tracers	213
8.3.2	Development of an In-line Fluorescence Measuring Device	214
8.3.3	Experimental Procedure for Emulsification Curve Build-up	216
8.3.4	Compatibilizer Selection Using the Concept of Compatibilizer-Tracer	219
8.3.5	Process Optimization Using the Concept of Compatibilizer-Tracer	220
8.3.5.1	Effect of Screw Speed	220
8.3.5.2	Effects of the Type of Mixer	221
8.3.6	Section Summary	221
8.4	Emulsification Curves of Reactive Immiscible Polymer Blends in a Twin-Screw Extruder	222
8.4.1	Reaction Kinetics between Reactive Functional Groups	222
8.4.2	(Non-reactive) Compatibilizers Versus Reactive Compatibilizers	223
8.4.3	An Example of Reactive Compatibilizer-Tracer	224
8.4.4	Assessment of the Morphology Development of Reactive Immiscible Polymer Blends Using the Concept of Reactive Compatibilizer	225
8.4.5	Emulsification Curve Build-up in a Twin-Screw Extruder Using the Concept of Reactive Compatibilizer-Tracer	229
8.4.6	Assessment of the Effects of Processing Parameters Using the Concept of Reactive Compatibilizer-Tracer	233
8.4.6.1	Effect of the Reactive Compatibilizer-Tracer Injection Location	233
8.4.6.2	Effect of the Blend Composition	235
8.4.6.3	Effect of the Geometry of Screw Elements	238
8.5	Conclusion	241
	References	241

Part V Selected Examples of Synthesis 245

- 9 **Nano-structuring of Polymer Blends by *in situ* Polymerization and *in situ* Compatibilization Processes** 247
Cai-Liang Zhang, Lian-Fang Feng, and Guo-Hua Hu
 - 9.1 Introduction 247
 - 9.2 Morphology Development of Classical Immiscible Polymer Blending Processes 248
 - 9.2.1 Solid–Liquid Transition Stage 249
 - 9.2.2 Melt Flow Stage 251
 - 9.2.3 Effect of Compatibilizer 253
 - 9.3 *In situ* Polymerization and *in situ* Compatibilization of Polymer Blends 255
 - 9.3.1 Principles 255
 - 9.3.2 Classical Polymer Blending Versus *in situ* Polymerization and *in situ* Compatibilization 255
 - 9.3.3 Examples of Nano-structured Polymer Blends by *in situ* Polymerization and *in situ* Compatibilization 257
 - 9.3.3.1 PP/PA6 Nano-blends 257
 - 9.3.3.2 PPO/PA6 Nano-blends 264
 - 9.3.3.3 PA6/Core–Shell Blends 264
 - 9.4 Summary 267
 - References 268
- 10 **Reactive Comb Compatibilizers for Immiscible Polymer Blends** 271
Yongjin Li, Wenyong Dong, and Hengti Wang
 - 10.1 Introduction 271
 - 10.2 Synthesis of Reactive Comb Polymers 272
 - 10.3 Reactive Compatibilization of Immiscible Polymer Blends by Reactive Comb Polymers 274
 - 10.3.1 PLLA/PVDF Blends Compatibilized by Reactive Comb Polymers 274
 - 10.3.1.1 Comparison of the Compatibilization Efficiency of Reactive Linear and Reactive Comb Polymers 274
 - 10.3.1.2 Effects of the Molecular Structures on the Compatibilization Efficiency of Reactive Comb Polymers 278
 - 10.3.2 PLLA/ABS Blends Compatibilized by Reactive Comb Polymers 282
 - 10.4 Immiscible Polymer Blends Compatibilized by Janus Nanomicelles 289
 - 10.5 Conclusions and Further Remarks 293
 - References 293

11	Reactive Compounding of Highly Filled Flame Retardant Wire and Cable Compounds	299
	<i>Mario Neuenhaus and Andreas Niklaus</i>	
11.1	Introduction	299
11.2	Formulations and Ingredients	300
11.2.1	Typical Formulation and Variations for the Evaluation	300
11.2.2	Principle of Silane Crosslinking by Reactive Extrusion	301
11.2.3	Production of Aluminum Trihydroxide (ATH)	301
11.2.4	Mode of Action of Aluminum Trihydroxide	302
11.2.5	Selection of Suitable ATH Grades	303
11.3	Processing	306
11.3.1	Compounding Line	306
11.3.2	Compounding Process for Cross Linkable HFFR Products	308
11.3.2.1	Two-Step Compounding Process	308
11.3.2.2	One-Step Compounding Process	309
11.3.2.3	Advantages and Disadvantages of the Two Process Concepts (Two-Step vs One-Step)	313
11.4	Evaluation and Results on the Compound	314
11.4.1	Crosslinking Density	314
11.4.2	Mechanical Properties	315
11.4.3	Aging Performance	315
11.4.4	Fire Performance on Laboratory Scale	317
11.4.5	Results of the Non-Polar Compounds	318
11.5	Cable Trials	322
11.5.1	Fire Performance of Electrical Cables According to EN 50399	322
11.5.2	Burning Test on Experimental Cables According to EN 50399	323
11.6	Conclusions	328
	References	329
12	Thermoplastic Vulcanizates (TPVs) by the Dynamic Vulcanization of Miscible or Highly Compatible Plastic/Rubber Blends	331
	<i>Yongjin Li and Yanchun Tang</i>	
12.1	Introduction	331
12.2	Morphological Development of TPVs from Immiscible Polymer Blends	333
12.3	TPVs from Miscible PVDF/ACM Blends	334
12.4	TPVs from Highly Compatible EVA/EVM Blends	338
12.5	Conclusions and Future Remarks	342
	References	342

Part VI Selected Examples of Processing 345

- 13 Reactive Extrusion of Polyamide 6 with Integrated Multiple Melt Degassing 347**
Christian Hopmann, Eike Klünker, Andreas Cohnen, and Maximilian Adamy
 - 13.1 Introduction 347
 - 13.2 Synthesis of Polyamide 6 347
 - 13.2.1 Hydrolytic Polymerization of Polyamide 6 347
 - 13.2.2 Anionic Polymerization of Polyamide 6 348
 - 13.3 Review of Reactive Extrusion of Polyamide 6 in Twin-Screw Extruders 352
 - 13.4 Recent Developments in Reactive Extrusion of Polyamide 6 in Twin-Screw Extruders 354
 - 13.4.1 Reaction System and Experimental Setup 354
 - 13.4.2 Influence of Number of Degassing Steps and Activator Content on Residual Monomer Content and Molecular Weight 356
 - 13.4.3 Influence of Amount and Type of Entrainer on Residual Monomer Content and Molecular Weight 365
 - 13.4.4 Influence of Polymer Throughput on Residual Monomer Content 367
 - 13.5 Conclusion 368
 - References 369
- 14 Industrial Production and Use of Grafted Polyolefins 375**
Inno Rappthel, Jochen Wilms, and Frederik Piestert
 - 14.1 Grafted Polymers 375
 - 14.2 Industrial Synthesis of Grafted Polymers 376
 - 14.2.1 Melt Grafting Technology 377
 - 14.2.2 Solid State Grafting Technology 378
 - 14.3 Main Applications 380
 - 14.3.1 Use as Coupling Agents 380
 - 14.3.2 Grafted Polyolefins for Polymer Blending 392
 - 14.3.2.1 Reactive Blending of Polyamides 392
 - 14.3.3 Grafted TPE's for Overmolding Applications 400
 - 14.4 Conclusion and Outlook 403
 - References 404

Index 407