

Contents

Preface — xi

Jia-Su Wang and Su-Yu Wang

1	Fundamentals of superconductivity — 1
1.1	Introduction — 1
1.2	Discovery of superconductivity — 2
1.3	Meissner-Ochsenfeld effects — 3
1.4	Superconducting thermodynamics — 5
1.5	London equations — 7
1.6	Penetration depth — 8
1.7	Coherence length — 9
1.8	Critical current densities — 11
1.9	Critical magnetic fields — 12
1.10	Type I superconductors — 14
1.11	Type II superconductors — 14
1.12	Specific characteristics of HTSC — 16

Jia-Su Wang and Su-Yu Wang

2	Superconducting materials — 21
2.1	LTS materials — 21
2.2	LTS bulk materials — 24
2.3	HTS materials — 24
2.4	HTS bulk materials — 28
2.4.1	Sintering HTS bulk materials — 28
2.4.2	Melt process HTS bulk materials — 30
2.4.3	Developments of HTS bulk materials — 32
2.5	Thermal properties of HTS bulk — 36
2.5.1	Specific heat — 36
2.5.2	Thermal conductivity — 39
2.5.3	Thermal expansion — 40
2.6	Mechanical properties of HTS bulk — 42
2.7	Trapped fluxes in HTS bulk — 45

Jia-Su Wang and Su-Yu Wang

3	Magnetic levitation — 59
3.1	Introduction — 59
3.2	Rail traffic – the mainstream of the 21st-century transportation — 60
3.3	Developments in railway traffic — 61
3.4	Levitation phenomenon — 64

- 3.5 Magnetic levitation — 66
- 3.6 Permanent magnet Maglev — 68
- 3.7 Normal-conductive Maglev — 74

Jia-Su Wang and Su-Yu Wang

- 4 Superconducting magnetic levitation — 87**
 - 4.1 Introduction — 87
 - 4.2 LTS Maglev — 88
 - 4.3 LTS Maglev train — 93
 - 4.4 HTS Maglev — 96
 - 4.5 HTS wire Maglev train — 98
 - 4.6 HTS bulk Maglev — 101
 - 4.7 HTS bulk Maglev train — 103
 - 4.7.1 Unique advantages of HTS bulk Maglev — 103
 - 4.7.2 Moderate-/low-speed HTS Maglev trains — 104
 - 4.7.3 Ultra-high-speed HTS Maglev trains — 109

Su-Yu Wang, Jia-Su Wang, Yi-Yun Lu, and Wei Liu

- 5 HTS Maglev experimental methods and set-up — 119**
 - 5.1 Introduction — 119
 - 5.2 Key components — 121
 - 5.2.1 Permanent magnet guideway (PMG) — 121
 - 5.2.2 Liquid nitrogen vessel with thin bottom — 121
 - 5.3 HTS Maglev measurement system — 124
 - 5.4 Guidance forces of the HTS Maglev vehicle — 127
 - 5.5 Measurement system with more functions and higher precision — 129
 - 5.5.1 System description — 129
 - 5.5.2 The function and technical specification — 130
 - 5.5.3 Measurement precision calibration — 131
 - 5.5.4 Measurement results of HTS Maglev properties — 135
 - 5.6 HTS Maglev dynamic measurement system — 138
 - 5.6.1 System description — 138
 - 5.6.2 The function and technical specification — 140
 - 5.6.3 Stability of dynamic test system — 141
 - 5.6.4 Measurements of HTS Maglev properties — 143
 - 5.7 HTS Maglev bearing measurement system — 145

Jia-Su Wang and Su-Yu Wang

- 6 First manned HTS Maglev vehicle in the world — 151**
 - 6.1 Introduction — 151
 - 6.2 HTS Maglev in National 863 Program — 152
 - 6.3 Levitation forces of HTS bulk above PMG — 154
 - 6.3.1 Levitation forces of single HTS bulk above PMG — 154

6.3.2	Levitation forces of a four-HTS-bulk array —	156
6.3.3	Levitation forces of seven-HTS bulks array —	157
6.3.4	Comparison of levitation forces per unit length —	159
6.3.5	Levitation forces of multiple-seeded melt-growth YBCO bulk —	159
6.4	Levitation stiffness —	160
6.5	Levitation forces vs. temperature —	161
6.6	Levitation forces vs. trapped flux —	165
6.7	Guidance forces of HTS bulks over PMG —	166
6.7.1	Guidance forces of HTS bulks over single PMG —	166
6.7.2	Guidance forces of YBCO bulks over two parallel PMG —	169
6.7.3	Guidance forces of multiple seeded melt growth YBCO —	172
6.7.4	Influence of two tilted PMG on the guidance forces —	172
6.8	Guidance forces stiffness —	173
6.9	Influence of HTS bulk geometry on the properties —	174
6.9.1	Influence of HTS bulk shape on the properties —	174
6.9.2	Influence of HTS bulk size on the properties —	176
6.9.3	Influence of HTS bulk thickness on the properties —	178
6.10	Levitation forces and guidance forces of ring HTS bulks —	181
6.11	Early scheme consideration —	182
6.12	Maglev of HTS bulk above magnets —	183
6.13	Maglev vehicle using HTS PMs —	185
6.14	Permanent magnet guideway —	190
6.15	On-board HTS Maglev equipment —	192
6.16	Experimental results of the on-board Maglev equipment —	193
6.17	First manned HTS Maglev vehicle in the world – “Century” —	198
6.18	Guidance forces of the entire HTS Maglev vehicle —	203
6.19	Long-term stability of the HTS Maglev vehicle in 2001–2003 —	208
6.20	Long-term stability of YBCO bulks in 2001–2009 —	210

Guang-Tong Ma and Yi-Yun Lu

7	Numerical simulations of HTS Maglev —	217
7.1	Introduction —	217
7.2	Maxwell’s equations —	218
7.2.1	Ampère’s law with Maxwell’s addition —	218
7.2.2	Faraday’s law —	219
7.2.3	Gauss’s law —	219
7.2.4	Conservation of magnetic flux density —	220
7.3	Macroscopic electromagnetic properties of HTSC —	220
7.3.1	Nonlinear constitutive equation —	220
7.3.2	Anisotropy —	222
7.4	Calculation of the magnetic field of PMG —	222
7.4.1	Two-dimensional case —	222
7.4.2	Three-dimensional case —	223

- 7.5 Two-dimensional modelings and simulations — 226
- 7.5.1 Prigozhin's model — 226
- 7.5.2 Generalized magnetic vector potential — 230
- 7.6 Three-dimensional modeling and simulations — 240
- 7.6.1 H-formulation — 240
- 7.6.2 T method — 246

Jun Zheng, Zi-Gang Deng, Jia-Su Wang, and Su-Yu Wang

8 New progress of HTS Maglev vehicle — 261

- 8.1 Introduction — 261
- 8.2 Dynamic characteristics — 263
 - 8.2.1 Vibration performance — 263
 - 8.2.2 Dynamic Maglev characteristics under moving applied magnetic field — 270
 - 8.2.3 Levitation performance at different working temperatures — 275
- 8.3 Methods to improve Maglev performances — 281
 - 8.3.1 Pre-loading method — 281
 - 8.3.2 Magnetization process — 285
 - 8.3.3 An on-board double-layered HTSC array — 291
 - 8.3.4 A laying mode using the c -axis orientation of bulk HTSC — 295
 - 8.3.5 Introduction of ferromagnetic materials — 299
- 8.4 Some developed designs of the HTS Maglev vehicle system — 302
 - 8.4.1 Multi-pole PM guideway structure — 302
 - 8.4.2 A T-shaped HTS Maglev monorail system — 308
 - 8.4.3 An asymmetric HTS Maglev curve design — 311
- 8.5 New developments in HTS Maglev vehicle system — 314
 - 8.5.1 An 8-m-diameter PM guideway test line — 314
 - 8.5.2 A 45-m-long HTS Maglev ring test line "Super-Maglev" — 317
 - 8.5.3 ETT HTS Maglev — 319

Zi-Gang Deng, Qun-Xu Lin, Wei Liu, Jia-Su Wang, and Su-Yu Wang

9 HTS Maglev bearing and flywheel energy storage system — 325

- 9.1 Introduction — 325
- 9.2 Characteristics of HTSB — 327
 - 9.2.1 Axial stiffness characteristics of HTSB — 329
 - 9.2.2 Calculation method of radial stiffness — 332
 - 9.2.3 Deflection angle stiffness — 335
- 9.3 Application of HTSB — 336
 - 9.3.1 Typical applications — 336
 - 9.3.2 Liquid nitrogen pump — 338
 - 9.3.3 Future development of HTSB — 343
- 9.4 HTS FESS principle model — 343

9.4.1	Introduction of FESS —	343
9.4.2	HTS Maglev FESS —	346
9.4.3	Double ASBs system —	348
9.4.4	FESS model with double ASBs —	350
9.5	Development of a 5-kWh HTS FESS prototype —	352
9.5.1	Design and constitution —	352
9.5.2	HTS Maglev bearing —	353
9.5.3	Flywheel rotor —	353
9.5.4	Motor/generator —	355
9.5.5	PM assistant bearing —	356
9.5.6	Customized machining equipment —	356
9.5.7	Complete HTS FESS test system —	357
9.6	Application of HTS FESS —	359
9.6.1	Subway regenerative braking —	359
9.6.2	Renewable energy system —	360
9.6.3	Power grid system —	360
9.6.4	Uninterrupted power supply —	361
9.6.5	Electromagnetic launch and weapon —	361
9.6.6	Electric vehicle —	362
9.7	Summary —	362

Wei Liu, Jing Li, Jia-Su Wang, and Su-Yu Wang

10	HTS Maglev launch technology —	369
10.1	Introduction —	369
10.2	Repeatable electromagnetic launch system —	370
10.3	Preliminary research on HTS Maglev launch technology —	371
10.4	Prototypes of HTS Maglev launch system —	373
10.5	Concepts of HTS REL system —	376
10.6	Studies on HTS linear synchronous motor —	377
10.6.1	The 2G HTS coil-type excitation system —	378
10.6.2	Bulk HTSC type excitation system —	381
10.7	Studies on HTS linear induction motors —	383

Acronyms and abbreviations — 387