

Contents

Preface — v

Part I: Cement composition and hydration

Ángeles G. De la Torre, Isabel Santacruz, Laura León-Reina, Ana Cuesta,
and Miguel A.G. Aranda

1	Diffraction and crystallography applied to anhydrous cements — 3
1.1	Introduction — 3
1.2	Rietveld quantitative phase analysis (RQPA) – full crystalline phase content, internal and external standard methods — 4
1.3	Diffraction for quantifying phases in anhydrous clinkers and cements — 11
1.3.1	Quantitative phase analysis of Portland clinkers — 11
1.3.2	Quantitative phase analysis of Portland cements with supplementary cementitious materials (SCM) — 12
1.3.3	Quantitative phase analysis of anhydrous cements for alkaline-activation — 14
1.3.4	Quantitative phase analysis of ye'elimite-containing cements — 15
1.4	Diffraction for characterizing anhydrous cementitious materials in non-ambient conditions: high temperature and high pressure — 21

Miguel A.G. Aranda, Ana Cuesta, A.G. De la Torre, Isabel Santacruz,
and Laura León-Reina

2	Diffraction and crystallography applied to hydrating cements — 31
2.1	Introduction to Rietveld quantitative phase analysis of hydrating cements — 32
2.2	Typical phases in hydrating cements — 33
2.3	Diffraction for quantifying phases in hydrating cements — 35
2.3.1	Quantitative phase analysis of key reference phases — 35
2.3.2	Quantitative phase analysis of Portland cements — 36
2.3.3	Quantitative phase analysis of Portland cements with supplementary cementitious materials (SCM) — 43
2.4	Total diffraction pair distribution function studies of hydrating cements — 45
2.5	Advanced crystallographic characterization of hydrating cements: spatially-resolved studies — 47
2.5.1	Scanning X-ray diffraction microscopy — 48
2.5.2	X-ray diffraction micro-tomography — 49

2.5.3	X-ray ptychographic forward coherent diffraction nano-tomography — 51
2.5.4	X-ray Bragg coherent diffraction nano-tomography — 52
2.6	Conclusions and outlook — 52

Bastian Raab and Herbert Pöllmann

3	Synthesis of highly reactive pure cement phases — 61
3.1	Introduction — 61
3.2	Synthesis methods — 62
3.2.1	Solid state reaction — 63
3.2.2	Sol gel method — 63
3.2.3	Self propagating combustion synthesis (SPCS) — 65
3.2.4	Polymer precursor synthesis (“Pechini method”, “citrate gel method”, or “polymeric precursor process”) — 66
3.2.5	Spray method — 67
3.3	Phase formation of pure cement phases — 68
3.3.1	Calcium aluminates (System $\text{CaO}-\text{Al}_2\text{O}_3$) — 68
3.3.2	Calcium silicate (system $\text{CaO}-\text{SiO}_2$) — 79
3.3.3	Calcium aluminum silicate (system $\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$) — 85
3.3.4	Calcium aluminum ferrate – $\text{Ca}_2(\text{Al}_x\text{Fe}_{2-x})\text{O}_5$ — 87
3.3.5	Calcium aluminum sulfate – $4\text{CaO} \cdot 3\text{Al}_2\text{O}_3 \cdot \text{SO}_3$ ($\text{C}_4\text{A}_3\text{S}$) — 88
3.4	Summary and Discussion — 90

Barbara Lothenbach and Frank Winnefeld

4	Thermodynamic modelling of cement hydration: Portland cements – blended cements – calcium sulfoaluminate cements — 103
4.1	Introduction — 103
4.2	Methods — 104
4.2.1	Thermodynamic modelling and database for cementitious systems — 104
4.2.2	Ternary phase diagrams — 109
4.3	Portland cements — 109
4.3.1	Hydration — 109
4.3.2	Effect of limestone on the hydrate assemblage — 113
4.3.3	Effect of fly ash on the hydrate assemblage — 116
4.3.4	Ternary plots — 118
4.4	Calcium sulfoaluminate cements — 121
4.4.1	Overview — 121
4.4.2	Hydration of ye’elimite in the presence of calcium sulfate — 122
4.4.3	Impact of belite on the phase assemblage of hydrated CSA cements — 125

- 4.4.4 Blending CSA cements with limestone powder — 132
- 4.5 Conclusions — 136

Part II: Special cement and binder mineral phases

G. Artioli, M. Secco, A. Addis, and M. Bellotto

- 5 Role of hydrotalcite-type layered double hydroxides in delayed pozzolanic reactions and their bearing on mortar dating — 147**
 - 5.1 Introduction — 147
 - 5.2 Crystal structural features — 148
 - 5.3 Formation of hydrotalcite during pozzolanic reaction — 150
 - 5.4 Critical role of hydrotalcite-type phases in mortar dating — 152

R. Kaden and H. Poellmann

- 6 Setting control of CAC by substituted acetic acids and crystal structures of their calcium salts — 159**
 - 6.1 Introduction — 160
 - 6.2 Experimental methods — 161
 - 6.2.1 Analytical methods — 161
 - 6.2.2 Materials — 162
 - 6.3 Results — 164
 - 6.3.1 Setting control of CAC using substituted acetic acids — 164
 - 6.3.2 Calcium salts of substituted acetic acids — 176
 - 6.4 Conclusions — 186

S. Stöber and H. Pöllmann

- 7 Crystallography and crystal chemistry of AFm phases related to cement chemistry — 191**
 - 7.1 Introduction — 191
 - 7.2 Layered double hydroxides,
 $[M_{(1-x)}^{II}M_x^{III}(OH)_2]^{x+}[(An)_{(x/y)}^y \cdot m \cdot MX \cdot z H_2O]^{x-}$
 with variable $x = M^{II}/(M^{III} + M^{II})$ ratios — 192
 - 7.2.1 Origin of LDHs in cement pastes and hardened cement pastes — 192
 - 7.2.2 Crystal chemistry of layered double hydroxides
 with variable ion ratios — 193
 - 7.3 The crystal chemistry of $C_3(A,F) \cdot CaX \cdot n H_2O$ with $X = CO_3^{2-}, SO_4^{2-}, 2Cl^-, 2NO_3^-, 2OH^-, 2Al(OH)_4^-, 2(Al, Si)O_2(OH)_4^-$ — 196
 - 7.3.1 $C_3A \cdot Ca(OH)_2 \cdot nH_2O$ — 196
 - 7.3.2 $C_3A \cdot CaSO_4 \cdot nH_2O$ — 197
 - 7.3.3 $C_3F \cdot CaSO_4 \cdot nH_2O$ ($F = Fe_2O_3$) — 198

7.3.4	$C_3A \cdot CaSO_3 \cdot nH_2O$ — 199
7.3.5	$C_3F \cdot CaSO_3 \cdot nH_2O$ — 200
7.3.6	$C_3A \cdot CaCO_3 \cdot nH_2O$ — 200
7.3.7	$C_3F \cdot CaCO_3 \cdot nH_2O$ — 202
7.3.8	$C_3A \cdot CaCl_2 \cdot nH_2O$ — 203
7.3.9	$C_3F \cdot CaCl_2 \cdot nH_2O$ — 205
7.3.10	$C_3A \cdot Ca(NO_3)_2 \cdot nH_2O$ — 207
7.3.11	$C_3F \cdot Ca(NO_3)_2 \cdot nH_2O$ — 209
7.3.12	$C_3A \cdot CaHBO_3 \cdot 12H_2O$ — 209
7.3.13	$C_3A \cdot CaHBO_3 \cdot 11.5H_2O$ — 209
7.3.14	$C_3F \cdot CaHBO_3 \cdot 12H_2O$ — 210
7.3.15	C_2AH_8 — 210
7.3.16	C_2ASH_8 ($S = SiO_2$) — 212
7.4	The fixation of alkali ions in AFm phases — 215
7.5	Binary systems and intermediate AFm phases — 217
7.5.1	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot Ca(OH)_2 \cdot nH_2O$ — 217
7.5.2	The system $C_3F \cdot CaSO_4 \cdot nH_2O - C_3F \cdot Ca(OH)_2 \cdot nH_2O$ — 219
7.5.3	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3F \cdot CaSO_4 \cdot nH_2O$ — 219
7.5.4	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot CaCO_3 \cdot nH_2O$ — 219
7.5.5	The system $C_3F \cdot CaSO_4 \cdot nH_2O - C_3F \cdot CaCO_3 \cdot nH_2O$ — 220
7.5.6	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot CaCl_2 \cdot nH_2O$ — 220
7.5.7	The system $C_3F \cdot CaSO_4 \cdot nH_2O - C_3F \cdot CaCl_2 \cdot nH_2O$ — 221
7.5.8	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot Ca(NO_3)_2 \cdot nH_2O$ — 222
7.5.9	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot CaHBO_3 \cdot nH_2O$ — 223
7.5.10	The system $C_3F \cdot CaSO_4 \cdot nH_2O - C_3F \cdot CaSO_3 \cdot nH_2O$ — 223
7.5.11	The system $C_3A \cdot Ca(OH)_2 \cdot nH_2O - C_3A \cdot CaCO_3 \cdot nH_2O$ — 223
7.5.12	The system $C_3F \cdot Ca(OH)_2 \cdot nH_2O - C_3F \cdot CaCO_3 \cdot nH_2O$ — 226
7.5.13	The system $C_3A \cdot Ca(OH)_2 \cdot nH_2O - C_3A \cdot CaCl_2 \cdot nH_2O$ — 226
7.5.14	The system $C_3A \cdot Ca(OH)_2 \cdot nH_2O - C_3A \cdot Ca(NO_3)_2 \cdot nH_2O$ — 227
7.5.15	The system $C_3A \cdot Ca(OH)_2 \cdot nH_2O - C_3A \cdot CaHBO_3 \cdot nH_2O$ — 229
7.5.16	The system $C_3F \cdot CaHBO_3 \cdot nH_2O - "C_3F \cdot Ca(OH)_2 \cdot nH_2O"$ — 229
7.5.17	The system $C_3A \cdot Ca(OH)_2 \cdot nH_2O - C_3A \cdot CaSO_3 \cdot nH_2O$ — 230
7.5.18	The system $C_3F \cdot Ca(OH)_2 \cdot nH_2O - C_3F \cdot CaSO_3 \cdot nH_2O$ — 230
7.5.19	The system $C_3A \cdot CaCO_3 \cdot nH_2O - C_3A \cdot CaCl_2 \cdot nH_2O$ — 230
7.5.20	The system $C_3F \cdot CaCO_3 \cdot nH_2O - C_3F \cdot CaCl_2 \cdot nH_2O$ — 232
7.5.21	The system $C_3A \cdot CaCO_3 \cdot nH_2O - C_3A \cdot Ca(NO_3)_2 \cdot nH_2O$ — 233
7.5.22	The system $C_3A \cdot CaCO_3 \cdot nH_2O - C_3A \cdot CaHBO_3 \cdot nH_2O$ — 233
7.5.23	The system $C_3A \cdot CaHBO_3 \cdot nH_2O - C_3A \cdot \frac{1}{2}CaCO_3 \cdot \frac{1}{2}Ca(OH)_2 \cdot 11.5H_2O$ — 234
7.5.24	The system $C_3F \cdot CaCO_3 \cdot nH_2O - C_3F \cdot CaSO_3 \cdot nH_2O$ — 234
7.5.25	The system $C_3A \cdot CaCl_2 \cdot nH_2O - C_3A \cdot Ca(NO_3)_2 \cdot nH_2O$ — 235
7.5.26	The system $C_3A \cdot CaCl_2 \cdot nH_2O - C_3A \cdot CaHBO_3 \cdot nH_2O$ — 236

7.5.27	The system $C_3F \cdot CaCl_2 \cdot nH_2O - C_3F \cdot CaSO_3 \cdot nH_2O$ —	236
7.5.28	The system $C_3F \cdot Ca(NO_3)_2 \cdot nH_2O - C_3F \cdot CaSO_3 \cdot nH_2O$ —	237
7.5.29	The system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3F \cdot CaSO_4 \cdot nH_2O$ —	237
7.5.30	The system $C_3A \cdot CaCO_3 \cdot nH_2O - C_3F \cdot CaCO_3 \cdot nH_2O$ —	237
7.5.31	The system $C_3A \cdot CaCl_2 \cdot nH_2O - C_3F \cdot CaCl_2 \cdot nH_2O$ —	238
7.5.32	The system $C_3A \cdot CaSO_3 \cdot nH_2O - C_3F \cdot CaSO_3 \cdot nH_2O$ —	238
7.6	Phase stabilities in the ternary system $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot CaCO_3 \cdot nH_2O - C_3A \cdot Ca(OH)_2 \cdot nH_2O$ at 35 % r.h. and 20 °C —	239
7.6.1	Section $C_3A \cdot CaSO_4 \cdot nH_2O - C_3A \cdot \frac{1}{2}CaCO_3 \cdot \frac{1}{2}Ca(OH)_2 \cdot nH_2O$ —	239
7.6.2	Section $C_3A \cdot \frac{1}{2}CaSO_4 \cdot \frac{1}{2}Ca(OH)_2 \cdot nH_2O - C_3A \cdot \frac{1}{2}CaCO_3 \cdot \frac{1}{2}Ca(OH)_2 \cdot nH_2O$ —	239
7.6.3	Section $C_3A \cdot \frac{1}{2}CaSO_4 \cdot \frac{1}{2}Ca(OH)_2 \cdot nH_2O - C_3A \cdot CaCO_3 \cdot nH_2O$ —	239
7.6.4	The system $C_3A \cdot \frac{1}{2}CaSO_4 \cdot \frac{1}{2}Ca(OH)_2 \cdot nH_2O - C_3A \cdot \frac{1}{2}CaCO_3 \cdot \frac{1}{2}Ca(OH)_2 \cdot nH_2O - C_3A \cdot CaCO_3 \cdot nH_2O$ —	240
7.7	Conclusions —	240

Part III: Cementitious and binder materials

X. Gao, B. Yuan, Q.L. Yu, and H.J.H. Brouwers

8	Chemistry, design and application of hybrid alkali activated binders —	253
8.1	Chemistry of alkali activated binders —	253
8.1.1	Introduction —	253
8.1.2	Review of the chemistry of alkali activated materials —	254
8.1.3	Alkali activation of slag/fly ash blends —	255
8.1.4	Slag activated by ternary activators —	259
8.1.5	Conclusions and the future —	261
8.2	Design of alkali activated binders —	262
8.2.1	Introduction —	262
8.2.2	Review of the design of alkali activated binders —	262
8.2.3	Room temperature cured alkali activated composites —	265
8.2.4	Role of nano-silica in alkali activated slag/fly ash blends —	267
8.2.5	Limestone powder modification in alkali activated slag/fly ash blends —	269
8.2.6	Conclusions and the future —	271
8.3	Applications of alkali activated binders —	271
8.3.1	Introduction —	271
8.3.2	Waste management —	272
8.3.3	High performance building materials —	273
8.3.4	Functional building material —	275
8.3.5	Conclusions and future trends —	278

Christian Pritzel, Torsten Kowald, Yilmaz Sakalli, and Reinhard Trettin

- 9 Binding materials based on calcium sulphates — 285**
 - 9.1 Introduction — **286**
 - 9.2 Historical use of gypsum based binders — **287**
 - 9.3 Principles — **287**
 - 9.3.1 Phase transformation in the system of calcium sulphate and water — **287**
 - 9.3.2 Raw materials and their properties — **290**
 - 9.3.3 Morphology and mineralogical properties of gypsum crystals — **291**
 - 9.4 Materials and Methods — **293**
 - 9.4.1 Materials — **293**
 - 9.4.2 Morphology with optical microscopy — **293**
 - 9.4.3 Morphology with scanning electron microscopy (SEM) — **293**
 - 9.4.4 Thermal behavior with simultaneous thermal analysis and dilatometry — **294**
 - 9.4.5 Reaction heat with isothermal heat flow calorimetry — **294**
 - 9.4.6 Liquid reaction phase — **294**
 - 9.4.7 Mechanical properties — **294**
 - 9.4.8 Porosity with mercury intrusion measurement — **295**
 - 9.5 Experiments — **295**
 - 9.5.1 Hydration of hemihydrate — **295**
 - 9.5.2 Different morphologies of dihydrate created by the hydration of hemihydrate and its influence on technical properties — **297**
 - 9.5.3 Influence of additives on the morphology of the created dihydrate crystals — **301**
 - 9.5.4 Strength development and strength decrease in presence of moisture — **302**
 - 9.6 Summary — **306**

Daniela Freyer

- 10 Magnesia building material (Sorel cement) – from basics to application — 311**
 - 10.1 History and application — **311**
 - 10.2 Magnesia cement composition — **313**
 - 10.3 Phase formation, stability, and properties of Mg-oxychloride phases — **314**
 - 10.3.1 Solubility equilibria in the system $\text{Mg}(\text{OH})_2\text{--MgCl}_2\text{--H}_2\text{O}$ — **314**
 - 10.3.2 Structures — **316**
 - 10.3.3 Thermal behavior — **319**
 - 10.3.4 Binder phase formation during setting reaction — **320**
 - 10.4 Mechanical properties — **325**

- 10.5 Application as a building material in salt formations — 325
- 10.6 Summary — 327

Peter Stemmermann

- 11 New CO₂-reduced cementitious systems — 333**
 - 11.1 Introduction — 333
 - 11.2 Development of CO₂-reduced cements — 334
 - 11.2.1 Globally available raw materials — 335
 - 11.2.2 What is new? Strategies in cement production to lower CO₂ emissions — 336
 - 11.2.3 Obstacles — 336
 - 11.3 New cementitious materials classified according to the raw materials used — 337
 - 11.3.1 Magnesia-based cements — 337
 - 11.3.2 Assisted carbonation — 339
 - 11.3.3 Geopolymer — 340
 - 11.3.4 Calcined clays — 340
 - 11.3.5 Calcium hydrosilicates — 341
 - 11.3.6 Calcium sulfoaluminate belite cements — 342
 - 11.4 Properties of new CO₂-reduced cementitious systems — 343
 - 11.5 Common technical issues to be solved — 347
 - 11.6 Conclusion and outlook — 349

Thomas A. Bier

- 12 Composition and properties of ternary binders — 353**
 - 12.1 Introduction — 353
 - 12.1.1 General description — 353
 - 12.1.2 Terminology — 354
 - 12.2 Chemistry and mineralogy — 355
 - 12.2.1 Composition — 355
 - 12.2.2 Hydration and microstructure — 356
 - 12.3 Properties — 364
 - 12.3.1 General — 364
 - 12.3.2 Rheology — 366
 - 12.3.3 Strength development — 367
 - 12.3.4 Shrinkage compensation or dimensional stability — 368
 - 12.3.5 Long-term behavior — 373

Part IV: Measurement and properties

Christiane Rößler, Bernd Möser, and Horst-Michael Ludwig

13 Characterization of microstructural properties of Portland cements by analytical scanning electron microscopy — 379

- 13.1 Introduction — **380**
- 13.1.1 SEM imaging and EDX spectroscopy — **380**
- 13.1.2 Electron backscatter diffraction (EBSD) in the SEM — **381**
- 13.2 Materials — **382**
- 13.3 Methods — **384**
- 13.3.1 Sample preparation — **384**
- 13.3.2 SEM imaging and analysis — **384**
- 13.4 Results — **386**
- 13.4.1 Characterization of unhydrated clinker materials — **386**
- 13.4.2 Characterization of hydrated cements — **403**
- 13.5 Conclusions — **414**
- 13.5.1 EDX phase mapping for characterization of cement clinker — **414**
- 13.5.2 Combined EBSD-EDX analysis for characterization of cement clinker — **415**
- 13.5.3 EDX phase mapping and high resolution SE imaging for the characterization of hydrated cements — **417**

Torsten Westphal and Thomas A. Bier

14 Correlating XRD data with technological properties — 423

- 14.1 Introduction — **423**
- 14.2 Obtaining values from XRD patterns for correlation analysis — **424**
- 14.2.1 Quantitative analysis of XRD patterns — **424**
- 14.2.2 Numeric but non-quantitative phase analysis of XRD patterns — **427**
- 14.2.3 Challenges of quantitative phase analyses of cement-based materials — **428**
- 14.3 Technological properties — **429**
- 14.3.1 The assessment of technological properties — **429**
- 14.3.2 The challenge of relating technological properties to XRD data — **430**
- 14.4 Methods to correlate XRD data and technological properties — **433**
- 14.4.1 Simple correlations analysis — **433**
- 14.4.2 Correlation analysis using known or presupposed models — **434**
- 14.4.3 Correlation analysis if it is known which XRD characteristics are to be used — **435**
- 14.4.4 Correlations when relations with technological properties are completely unknown — **436**
- 14.5 Case examples — **438**
- 14.5.1 Strength correlated with diffraction data — **438**

- 14.5.2 Heat flow correlated with diffraction data — **438**
- 14.5.3 Rheology correlated with diffraction data — **439**
- 14.5.4 Dimensional change correlated with diffraction data — **440**

Johannes Södje

- 15 No cement production without refractories — 445**
- 15.1 Introduction and application of refractories in cement rotary kilns (historical overview) — **445**
- 15.2 Requirements for refractories in cement kiln systems — **451**
- 15.3 Wear mechanism of refractories in cement kiln system — **457**
- 15.3.1 Mechanical wear — **457**
- 15.3.2 Thermal wear — **460**
- 15.3.3 Chemical wear — **464**
- 15.3.4 Change of wear influences when using secondary fuels — **469**
- 15.4 Conclusions — **476**

Index — 481