

# Contents

## Preface — v

### 1 Introduction — 1

- 1.1 Introduction — 1
- 1.2 The research in China and worldwide — 3
  - 1.2.1 Research on wind turbine airfoils — 3
  - 1.2.2 Research on aerodynamic shape and performance of wind turbine blades — 4
  - 1.2.3 Research on structural design of composite wind turbine blades — 5
  - 1.2.4 Research on aeroelastic performance of wind turbine blades — 6

### 2 Aerodynamic characteristics of wind turbine airfoils — 9

- 2.1 Introduction — 9
- 2.2 Basic theory of wind turbine airfoils — 9
  - 2.2.1 Geometric parameters of airfoils — 9
  - 2.2.2 Reynolds number — 10
  - 2.2.3 Mach number — 11
  - 2.2.4 Boundary layer — 12
  - 2.2.5 Potential flow solving method for an arbitrary airfoil — 15
- 2.3 Aerodynamic characteristic of airfoils — 18
  - 2.3.1 Pressure coefficient of the airfoil — 18
  - 2.3.2 Lift coefficient — 19
  - 2.3.3 Drag coefficient — 20
  - 2.3.4 Pitching moment coefficient — 21
- 2.4 Stall on airfoils — 22
- 2.5 Roughness properties of airfoils — 23
- 2.6 Influence of geometric parameters on aerodynamic characteristics — 25
  - 2.6.1 Influence of the leading edge radius of an airfoil — 25
  - 2.6.2 Influence of the maximum relative thickness and its position — 25
  - 2.6.3 Influence of the maximum camber and its position — 26
- 2.7 Influence of Reynolds number on aerodynamic characteristics — 26
- 2.8 Method of predicting aerodynamic performance of airfoils — 26
  - 2.8.1 Introduction to XFOIL and RFOIL — 27
  - 2.8.2 Airfoil aerodynamic performance calculation cases — 27
- 2.9 Chapter conclusions — 30

<b>3</b>	<b>Integrated expressions of wind turbine airfoils — 31</b>
3.1	Introduction — 31
3.2	Transformation theory of airfoils — 31
3.2.1	Conformal transformation — 31
3.2.2	Joukowsky transformation of airfoils — 33
3.2.3	Theodorsen method — 34
3.3	Integrated expression of airfoil profiles — 36
3.3.1	The trigonometric series representation of airfoil shape function — 37
3.3.2	The Taylor series representation of airfoil shape function — 37
3.4	Airfoil profile analysis using integrated expressions — 39
3.4.1	Type I airfoil profile — 39
3.4.2	Type II airfoil profile — 40
3.4.3	Type III airfoil profile — 40
3.5	Versatility properties for integrated expression of airfoils — 41
3.5.1	First-order fitting — 42
3.5.2	Second-order fitting — 45
3.5.3	Third-order fitting — 45
3.6	Control equation of shape function — 47
3.6.1	Characteristics of airfoil sharp trailing edge — 47
3.6.2	Horizontal offset characteristics — 47
3.6.3	Vertical offset characteristics — 48
3.6.4	Design space — 48
3.7	Convergence analysis of integrated expression of airfoils — 49
3.7.1	Convergence characteristic of airfoil shape — 50
3.7.2	Convergence characteristic of airfoil aerodynamic performance — 54
3.8	Chapter conclusions — 56
<b>4</b>	<b>Theory of parametric optimization for wind turbine airfoils — 57</b>
4.1	Introduction — 57
4.2	Design requirements of wind turbine airfoils — 58
4.2.1	Structural and geometric compatibility — 59
4.2.2	Insensitivity of the maximum lift coefficient to leading edge roughness — 59
4.2.3	Design lift coefficient — 59
4.2.4	The maximum lift coefficient and deep stall characteristics — 60
4.2.5	Low noise — 60
4.3	Single object optimization of wind turbine airfoils — 60
4.3.1	Objective function — 60
4.3.2	Design variables — 61
4.3.3	Design constraints — 61
4.3.4	Optimization method with MATLAB — 62
4.3.5	Optimized results — 62

4.3.6	Roughness sensitivity of the optimized airfoils —	64
4.3.7	Comparative analysis of the performance of optimized airfoils —	69
4.4	Multiobjective optimization of the wind turbine airfoils —	72
4.4.1	Design variables —	72
4.4.2	Objective function —	74
4.4.3	Design constraints —	76
4.4.4	Multiobjective genetic algorithm —	77
4.4.5	WT series wind turbine airfoils of high performance —	78
4.4.6	WTH series wind turbine airfoils with high lift-to-drag ratio —	87
4.4.7	WTI series wind turbine airfoils with low roughness sensitivities —	89
4.5	Design of airfoils with medium relative thickness —	91
4.5.1	Geometric characteristics analysis of medium thickness airfoils —	91
4.5.2	Aerodynamic characteristics of airfoils with medium thickness —	93
4.5.3	The design of a new airfoil with medium thickness —	94
4.5.4	The effects of turbulence, Reynolds number and blade rotation —	97
4.6	Design of airfoils based on noise —	100
4.6.1	Acoustic theory for wind turbines —	100
4.6.2	The measurement of noise —	101
4.6.3	The acoustics model of the airfoil —	103
4.6.4	Comparison of noise calculations —	113
4.6.5	Influence of geometric parameters of airfoils on noise —	115
4.6.6	Design of wind turbine airfoils with high efficiency and low noise —	118
4.7	Airfoil design based on a 2D power coefficient —	123
4.7.1	The optimization model —	125
4.7.2	The optimization flow chart —	127
4.7.3	CQU-DTU-B airfoil series —	128
4.7.4	Influence of airfoil trailing edge on the performance of the airfoil —	138
4.8	Improved design of airfoils using smooth curvature technique —	140
4.8.1	Smooth continuity of the profile for airfoil shape function —	142
4.8.2	Curvature of profile for airfoil shape function —	146
4.8.3	Improvement and optimization of the airfoil —	148
4.8.4	Optimization results —	149
4.9	Design of wind turbine airfoils with high performance —	152
4.9.1	Objective function —	152
4.9.2	Design variables —	152
4.9.3	Design constraints —	153
4.9.4	Optimization results and analysis of thin airfoil series —	154
4.9.5	A new direct design method for medium thickness wind turbine airfoils —	162
4.9.6	Optimal model of thick airfoil series —	163
4.9.7	Optimization results —	164
4.10	Chapter conclusions —	172

<b>5</b>	<b>Experiments on the wind turbine airfoil and data analysis — 175</b>
5.1	Introduction — 175
5.2	Design and manufacture of the airfoil model — 175
5.3	Apparatus, method and data processing of the experiment — 180
5.3.1	Wind tunnel — 180
5.3.2	Installation of the model — 181
5.3.3	Test apparatus — 181
5.3.4	The experiments and data processing — 185
5.4	Results of the experiments — 187
5.4.1	Free transition conditions — 187
5.4.2	Fixed transition conditions — 190
5.4.3	Comparison of the results from experiments and RFOIL — 194
5.4.4	Comparing different experimental cases — 200
5.5	Chapter conclusions — 202
<b>6</b>	<b>Aerodynamics of wind turbine rotors and tip-loss corrections — 203</b>
6.1	Introduction — 203
6.2	Aerodynamics of the wind turbine rotor — 203
6.2.1	The momentum theory — 203
6.2.2	The blade element theory — 205
6.2.3	The blade element momentum theory — 206
6.3	The tip-loss correction model — 207
6.3.1	The tip-loss correction model of Glauert — 207
6.3.2	The tip-loss correction model of Wilson and Lissaman — 207
6.3.3	The tip-loss correction model of De Vries — 208
6.3.4	The tip-loss correction model of Shen — 208
6.4	The BEM model with Shen's tip-loss correction — 208
6.5	Experimental validation — 210
6.6	Chapter conclusions — 214
<b>7</b>	<b>Integrated representations for wind turbine blade shapes — 215</b>
7.1	Introduction — 215
7.2	The integrated representations of 3D blade surface — 215
7.2.1	Integrated expressions for 3D flat blades — 216
7.2.2	Integrated expressions on 3D blade with chord variation — 217
7.2.3	Integrated expressions on 3D blade with chord and twist variations — 219
7.3	Integrated representations for blades of an ART-2B rotor — 220
7.4	Chapter conclusions — 223

<b>8</b>	<b>Shape optimization of wind turbine blades — 225</b>
8.1	Introduction — 225
8.2	Influences of key parameters on the performance of rotors — 226
8.2.1	Three rotors with different power — 226
8.2.2	Two rotors with the same power and different airfoil series — 229
8.3	Optimization model of wind turbine blades based on COE — 233
8.3.1	Optimization objective function — 233
8.3.2	Design variables and constraints — 235
8.3.3	Optimization program and method — 236
8.3.4	Optimization results — 237
8.3.5	Comparison of rotor performance — 241
8.4	Optimization of blades for 2 MW wind turbines — 251
8.4.1	Design of new wind turbine blades — 251
8.4.2	Establishing the multiple-objects optimization model — 252
8.4.3	Optimization result — 254
8.5	Chapter conclusions — 259
<b>9</b>	<b>Structural optimization of composite wind turbine blades — 261</b>
9.1	Introduction — 261
9.2	Basics of the mechanics of composite materials — 261
9.2.1	Classification of fiber reinforcement composite materials — 262
9.2.2	Characteristics of composite materials — 263
9.2.3	Basic structures of composite materials and analysis methods — 264
9.2.4	Anisotropy mechanics theory of composite materials — 266
9.2.5	Strength criteria of unidirectional plies — 268
9.2.6	Strength analysis of laminates — 273
9.2.7	Structural design principles of composite materials — 273
9.3	Structural design of wind turbine blades made of composite materials — 275
9.3.1	The geometric shape of the new blade — 275
9.3.2	Design of internal structure of the blade — 278
9.4	Parametric finite element modeling of composite wind turbine blades — 289
9.4.1	The integrated representation of three-dimensional blade shapes — 289
9.4.2	Parametric representation of chord and twist of wind turbine blades — 290
9.4.3	Parametric finite element modeling of wind turbine blades — 290
9.5	A new fluid-structure interaction method for blade design — 299
9.5.1	The operating conditions of wind turbines — 299
9.5.2	The local angle of attack and pressure distribution — 300
9.5.3	The interpolation of aerodynamic forces — 303

<b>9.6</b>	<b>Study of the structural optimization of the wind turbine blade made of composite materials — 307</b>
<b>9.6.1</b>	<b>The optimization model — 307</b>
<b>9.6.2</b>	<b>Optimization algorithm combined with finite element method — 309</b>
<b>9.7</b>	<b>Optimization results — 311</b>
<b>9.8</b>	<b>Chapter conclusions — 316</b>
<b>10</b>	<b>Analysis of the aeroelastic coupling of wind turbine blades — 319</b>
<b>10.1</b>	<b>Introduction — 319</b>
<b>10.2</b>	<b>The structural kinetic model of wind turbine blades — 319</b>
<b>10.3</b>	<b>The coordinate transformation — 321</b>
<b>10.4</b>	<b>The wind load model — 322</b>
<b>10.4.1</b>	<b>The normal wind model — 322</b>
<b>10.4.2</b>	<b>The extreme wind model — 322</b>
<b>10.5</b>	<b>Results validation — 323</b>
<b>10.6</b>	<b>Case analysis — 323</b>
<b>10.7</b>	<b>Chapter conclusions — 328</b>
<b>11</b>	<b>Aeroelastic stability analysis of two-dimensional airfoil sections for wind turbine blades — 331</b>
<b>11.1</b>	<b>Introduction — 331</b>
<b>11.2</b>	<b>Static aeroelastic stability analysis of 2D airfoil section for wind turbine blades — 332</b>
<b>11.2.1</b>	<b>Static aeroelastic model of wind turbine airfoil section — 332</b>
<b>11.2.2</b>	<b>Analysis of the aeroelastic feedback system for a typical airfoil — 334</b>
<b>11.3</b>	<b>Classic flutter problem — 341</b>
<b>11.3.1</b>	<b>Structural dynamic model — 341</b>
<b>11.3.2</b>	<b>The aerodynamic model — 342</b>
<b>11.3.3</b>	<b>The aerodynamic-structural coupling calculation model — 344</b>
<b>11.3.4</b>	<b>Aeroelastic analysis of a wind turbine airfoil section — 345</b>
<b>11.4</b>	<b>The dynamic stall and aeroelastic analysis of the wind turbine blade — 355</b>
<b>11.4.1</b>	<b>The structural kinematics model — 355</b>
<b>11.4.2</b>	<b>The aerodynamic model — 356</b>
<b>11.4.3</b>	<b>The aeroelastic coupling system — 358</b>
<b>11.4.4</b>	<b>The numerical results — 361</b>
<b>11.5</b>	<b>Chapter conclusions — 365</b>