

Contents

Preface — VII

1 Introduction — 1

- 1.1 The basic loss aggregation problem — 1
- 1.2 Description of the contents — 2

2 Frequency models — 5

- 2.1 A short list of examples — 6
 - 2.1.1 The Poisson distribution — 6
 - 2.1.2 Poisson mixtures — 7
 - 2.1.3 The negative binomial distribution — 8
 - 2.1.4 Binomial models — 9
- 2.2 Unified version — 9
- 2.3 Examples — 10
 - 2.3.1 Determining the parameter of a Poisson distribution — 10
 - 2.3.2 Binomial distribution — 18

3 Individual severity models — 23

- 3.1 A short catalog of distributions — 23
 - 3.1.1 Exponential distribution — 23
 - 3.1.2 The simple Pareto distribution — 24
 - 3.1.3 Gamma distribution — 24
 - 3.1.4 The lognormal distribution — 25
 - 3.1.5 The beta distribution — 25
 - 3.1.6 A mixture of distributions — 26
- 3.2 Numerical examples — 26
 - 3.2.1 Data from a density — 27

4 Some detailed examples — 31

- 4.1 Claim distribution and operational risk losses — 31
- 4.2 Simple model of credit risk — 32
- 4.3 Shock and damage models — 36
- 4.4 Barrier crossing times — 36
- 4.5 Applications in reliability theory — 37

5 Some traditional approaches to the aggregation problem — 39

- 5.1 General remarks — 39
 - 5.1.1 General issues — 40
- 5.2 Analytical techniques: The moment generating function — 41

5.2.1	Simple examples —	42
5.3	Approximate methods —	45
5.3.1	The case of computable convolutions —	45
5.3.2	Simple approximations to the total loss distribution —	45
5.3.3	Edgeworth approximation —	47
5.4	Numerical techniques —	49
5.4.1	Calculations starting from empirical or simulated data —	49
5.4.2	Recurrence relations —	50
5.4.3	Further numerical issues —	50
5.5	Numerical examples —	51
5.6	Concluding remarks —	61
6	Laplace transforms and fractional moment problems —	63
6.1	Mathematical properties of the Laplace transform and its inverse —	63
6.2	Inversion of the Laplace transform —	65
6.3	Laplace transform and fractional moments —	67
6.4	Unique determination of a density from its fractional moments —	68
6.5	The Laplace transform of compound random variables —	68
6.5.1	The use of generating functions and Laplace transforms —	69
6.5.2	Examples —	71
6.6	Numerical determination of the Laplace transform —	73
6.6.1	Recovering a density on $[0, 1]$ from its integer moments —	74
6.6.2	Computation of (6.5) by Fourier summation —	75
7	The standard maximum entropy method —	77
7.1	The generalized moment problem —	78
7.2	The entropy function —	79
7.3	The maximum entropy method —	81
7.4	Two concrete models —	83
7.4.1	Case 1: The fractional moment problem —	83
7.4.2	Case 2: Generic case —	83
7.5	Numerical examples —	84
7.5.1	Density reconstruction from empirical data —	84
7.5.2	Reconstruction of densities at several levels of data aggregation —	88
7.5.3	A comparison of methods —	96
8	Extensions of the method of maximum entropy —	99
8.1	Generalized moment problem with errors in the data —	100
8.1.1	The bounded error case —	100
8.1.2	The unbounded error case —	101
8.1.3	The fractional moment problem with bounded measurement error —	102

8.2	Generalized moment problem with data in ranges —	103
8.2.1	Fractional moment problem with data in ranges —	106
8.3	Generalized moment problem with errors in the data and data in ranges —	106
8.4	Numerical examples —	107
8.4.1	Reconstruction from data in intervals —	108
8.4.2	Reconstruction with errors in the data —	110
9	Superresolution in maxentropic Laplace transform inversion —	115
9.1	Introductory remarks —	115
9.2	Properties of the maxentropic solution —	116
9.3	The superresolution phenomenon —	117
9.4	Numerical example —	119
10	Sample data dependence —	121
10.1	Preliminaries —	121
10.1.1	The maximum entropy inversion technique —	122
10.1.2	The dependence of λ on μ —	124
10.2	Variability of the reconstructions —	125
10.2.1	Variability of expected values —	129
10.3	Numerical examples —	130
10.3.1	The sample generation process —	130
10.3.2	The ‘true’ maxentropic density —	131
10.3.3	The sample dependence of the maxentropic densities —	132
10.3.4	Computation of the regulatory capital —	136
11	Disentangling frequencies and decomposing losses —	139
11.1	Disentangling the frequencies —	139
11.1.1	Example: Mixtures of Poisson distributions —	141
11.1.2	A mixture of negative binomials —	146
11.1.3	A more elaborate case —	146
11.2	Decomposing the losses —	149
11.2.1	Simple case: A mixture of two populations —	151
11.2.2	Case 2: Several loss frequencies with different individual loss distributions —	152
12	Computations using the maxentropic density —	155
12.1	Preliminary computations —	155
12.1.1	Calculating quantiles of compound variables —	156
12.1.2	Calculating expected losses given that they are large —	157
12.1.3	Computing the quantiles and tail expectations —	157
12.2	Computation of the VaR and TVaR risk measures —	158

12.2.1	Simple case: A comparison test —	158
12.2.2	VAR and TVaR of aggregate losses —	161
12.3	Computation of risk premia —	163
13	Review of statistical procedures —	165
13.1	Parameter estimation techniques —	165
13.1.1	Maximum likelihood estimation —	165
13.1.2	Method of moments —	166
13.2	Clustering methods —	167
13.2.1	K-means —	167
13.2.2	EM algorithm —	168
13.2.3	EM algorithm for linear and nonlinear patterns —	169
13.2.4	Exploratory projection pursuit techniques —	171
13.3	Approaches to select the number of clusters —	172
13.3.1	Elbow method —	173
13.3.2	Information criteria approach —	173
13.3.3	Negentropy —	174
13.4	Validation methods for density estimations —	174
13.4.1	Goodness of fit test for discrete variables —	175
13.4.2	Goodness of fit test for continuous variables —	175
13.4.3	A note about goodness of fit tests —	177
13.4.4	Visual comparisons —	178
13.4.5	Error measurement —	178
13.5	Beware of overfitting —	179
13.6	Copulas —	180
13.6.1	Examples of copulas —	181
13.6.2	Simulation with copulas —	190

Index —	191
----------------	------------

Bibliography —	193
-----------------------	------------