

Contents

Introduction	1
Part I La	11
Magnetic properties of polymeric mixed metal lanthanide-copper complex with diglycolic acid	13
Magnetic properties of chains of centered lanthanum cluster with some distortion	14
Part II Ti	15
Magnetic properties of low-valent, titanium(II) complex with iron carbonyl betenylolene ligand	17
Magnetic properties of titanocene hydride	18
Magnetic properties of titanocene anionic dihydride	19
Magnetic properties of dimeric titanocene oxide	20
Magnetic properties of permethyltitanocene telluride	21
Magnetic properties of mononuclear titanium(III) chloro complex with cyclic triamine	22
Magnetic properties of mononuclear titanium(III) thiocyanato complex with cyclic triamine	23
Magnetic properties of mononuclear titanium(III) isocyanato complex with cyclic triamine	24
Magnetic properties of heterometallic Ti(III)–Al(III) ₂ complex with Schiff base ligand	25
Magnetic properties of hexacyanotitanate	26
Magnetic properties of mononuclear anionic titanium(III) aryloxide chloro complex with TMEDA	28
Magnetic properties of mononuclear anionic titanium(III) aryloxide chloro complex with TMEDA	29
Magnetic properties of titanium(III) chloro complex supported by benzamidinate ligand	30
Magnetic properties of titanium(III) complex supported by benzamidinate ligand	31
Magnetic properties of titanium(III) alkyl complex supported by benzamidinate ligand	32
Magnetic properties of titanium(III) alkyl complex supported by benzamidinate ligand	33
Magnetic properties of heterodinuclear titanium(III)-lithium(I) complex supported by dicyclohexyl amide	34
Magnetic properties of titanium(III) complex supported by di(isopropyl) amide	35
Magnetic properties of titanium(III) phenyl supported by di(isopropyl) amide	36
Magnetic properties of titanium(III) complex supported by di(trimethylsilyl) amide	37

Magnetic properties of monomeric titanium(III) alkyl complex stabilized by anilide ligation	38
Magnetic properties of mononuclear titanium(III) bulky-aryloxy complex with TMEDA	40
Magnetic properties of binuclear σ-alkenylcarboxylate complex of titanium(III)	41
Magnetic properties of binuclear σ-alkenylcarboxylate complex titanium(III)	42
Magnetic properties of titanium(III) silylated arylamide	43
Magnetic properties of dimeric titanium(III) aryloxy	44
Magnetic properties of dimeric titanium(III) aryloxy chloro complex with TMEDA	45
Magnetic properties of bent sandwich cyclopentadienyl-Ti(III)-carborane	46
Magnetic properties of titanium(III) bridging-oxo complex with benzamidinate ligand	48
Magnetic properties of dinuclear titanium(III) isocyanato complex with cyclic triamine	49
Magnetic properties of dinuclear titanium(III) thiocyanato complex with cyclic triamine	50
Magnetic properties of trimeric titanium(III) aryloxy complex with TMEDA	51
Part III Zr	53
Magnetic properties of zirconium(III) complex with cyclopentadienyl unit with pendant phosphine donors	55
Magnetic properties of zirconium-lithium cluster	56
Part IV V	57
Magnetic properties of edge-bridged open fifteen electron vanadocene complex	59
Magnetic properties of vanadium(III) chloro complex with chelating silylamino(disilylamido) ligand	60
Magnetic properties of vanadium(III) hydrocarbyl complex with chelating silylamino(disilylamido) ligand	61
Magnetic properties of monomeric V(III) chloro complex supported by dicyclohexyl amide	62
Magnetic properties of monomeric V(III) chloro complex supported by bis-(trimethylsilyl) amide	63
Magnetic properties of dimeric V(III) chloro complex supported by dicyclohexyl amide	64
Magnetic properties of monomeric V(III) borohydride complex supported by bis(trimethylsilyl)amide	65
Magnetic properties of tetranuclear vanadium(III) complex	66
Magnetic properties of tetranuclear vanadium(III) complex	68
Magnetic properties of asymmetric trinuclear vanadium(III) complex (having $[M_3O_2]^{6+}$ core) with oxime	69
Magnetic properties of dinuclear vanadium(III) amide complex containing a vanadazacyclobutane ring	71
Magnetic properties of dimethyl vanadium(III) complex with trimethylsilyl amide	72

Magnetic properties of vanadium(III) dichloride complex with trimethylsilyl amide	73
Magnetic properties of vanadium(IV) diisopropylamide complex	74
Magnetic properties of vanadium(IV) dicyclohexylamide complex	75
Magnetic properties of bis(dicyclohexylamido)-dinaphthylvanadium(IV)	76
Magnetic properties of bis(dicyclohexylamido)-diphenylvanadium(IV)	77
Magnetic properties of dibenzylbis(dicyclohexylamido)-vanadium(IV)	78
Magnetic properties of arylimido vanadium(IV) complex	79
Magnetic properties of vanadocene dichloride	80
Magnetic properties of 1,1'-tetrabutyl-substituted vanadocene dichloride	81
Magnetic properties of 1,1'-tetramethylsilyl-substituted vanadocene dichloride	82
Magnetic properties of 1,1'-triethylsilyl substituted vanadocene dichloride	83
Magnetic properties of vanadium(IV) complex with 3,5-di- <i>tert</i> -butyl-catechol and 1,10-phenanthroline	84
Magnetic properties of vanadium(IV) complex with 3,5-di- <i>tert</i> -butyl-catechol and 2,2'-bipyridine	85
Magnetic properties of vanadium(IV) complex with dithiofuroate	86
Magnetic properties of vanadium(IV) dichloride complex with trimethylsilyl amide	87
Magnetic properties of vanadium(IV) chloride complex with trimethylsilyl amide	88
Magnetic properties of vanadium(IV) chloride complex with trimethylsilyl amide	89
Magnetic properties of vanadium(IV) complex with a macrocyclic tetraminediphenol ligand	90
Magnetic properties of μ -cyanide bridged vanadium(IV)-molybdenum(IV) complex with substituted amido ligand	91
Magnetic properties of tetranuclear oxovanadium(IV) complex with aminoalcohol ligand	92
Magnetic properties of tetranuclear oxovanadium(IV) complex with aminoalcohol ligand	93
Magnetic properties of oxovanadium(IV) complex with 3-methyl-4-amino-5- thiolato-1,2,4-triazole	94
Magnetic properties of oxovanadium(IV) complex with 3-ethyl-4-amino-5- thiolato-1,2,4-triazole	95
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-methyl-4-amino-5-thiolato-1,2,4-triazole and benzaldehyde	96
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-ethyl-4-amino-5-thiolato-1,2,4-triazole and benzaldehyde	97
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-methyl-4-amino-5-thiolato-1,2,4-triazole and 2-chlorobenzaldehyde	98
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-ethyl-4-amino-5-thiolato-1,2,4-triazole and 2-chlorobenzaldehyde	99

Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-methyl-4-amino-5-thiolato-1,2,4-triazole and 4-methoxybenzaldehyde	100
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-ethyl-4-amino-5-thiolato-1,2,4-triazole and 4-methoxybenzaldehyde	101
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-methyl-4-amino-5-thiolato-1,2,4-triazole and acetophenone	102
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-ethyl-4-amino-5-thiolato-1,2,4-triazole and acetophenone	103
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-methyl-4-amino-5-thiolato-1,2,4-triazole and salicylaldehyde	104
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-ethyl-4-amino-5-thiolato-1,2,4-triazole and salicylaldehyde	105
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-methyl-4-amino-5-thiolato-1,2,4-triazole and <i>o</i> -hydroxy-acetophenone	106
Magnetic properties of oxovanadium(IV) complex with Schiff-base derived from 3-ethyl-4-amino-5-thiolato-1,2,4-triazole and <i>o</i> -hydroxy-acetophenone	107
Magnetic properties of vanadyl complex with Schiff-base derived from 1,2,3,5,6,7,8,8a-octahydro-3-oxo-N,1-diphenyl-5(phenylmethylene)-2-naphthalenecarboxamide and <i>o</i> -aminophenol	108
Magnetic properties of vanadyl complex with Schiff-base derived from 1,2,3,5,6,7,8,8a-octahydro-3-oxo-N,1-diphenyl-5(phenyl-methylene)-2-naphthalenecarboxamide and <i>o</i> -aminothiophenol	109
Magnetic properties of vanadyl complex with Schiff-base derived from 1,2,3,5,6,7,8,8a-octahydro-3-oxo-N,1-diphenyl-5(phenyl-methylene)-2-naphthalenecarboxamide and <i>o</i> -aminobenzoic acid	110
Magnetic properties of oxavanadium(IV)carbodithioate complex	111
Magnetic properties of oxavanadium(IV) carbodithioate complex	113
Magnetic properties of oxovanadium(IV) complex with highly conjugated β -diketone	114
Magnetic properties of oxovanadium(IV) complex with highly conjugated β -diketone	115
Magnetic properties of oxovanadium(IV) complex with highly conjugated β -diketone	116
Magnetic properties of oxovanadium(IV) complex with highly conjugated β -diketone	117
Magnetic properties of oxovanadium(IV) complex with macrocyclic ligand	118
Magnetic properties of oxovanadium(IV) complex with macrocyclic ligand	119
Magnetic properties of oxovanadium(IV) complex with macrocyclic ligand	120
Magnetic properties of oxovanadium(IV) complex with macrocyclic ligand	121
Magnetic properties of oxovanadium(IV) complex with macrocyclic ligand	122
Magnetic properties of heterobimetallic VO(IV)-Cd(II) complex with dithiofuroate	124
Magnetic properties of oxovanadium(IV) complex with acetylacetone ligand	125
Magnetic properties of mixed ligand oxovanadium(IV) complex with acetylacetone and imidazole	126

Magnetic properties of oxovanadium(IV) complex with acetylacetone and 1-methylimidazole	127
Magnetic properties of mixed ligand oxovanadium(IV) complex with acetylacetone and 1-ethylimidazole	128
Magnetic properties of mixed ligand oxovanadium(IV) complex with acetylacetone and 1-allylimidazole	129
Magnetic properties of mixed ligand oxovanadium(IV) complex with acetylacetone and 1-vinylimidazole	130
Magnetic properties of mixed ligand oxovanadium(IV) complex with acetylacetone and 1-vinyl-2-methylimidazole	131
Magnetic properties of mixed ligand oxovanadium(IV) complex with acetylacetone and benzimidazole	132
Magnetic properties of oxovanadium(IV) complex with isonitrosoacetophenone thiosemicarbazone	133
Magnetic properties of oxovanadium(IV) complex with 4-chloroisonitrosoacetophenone thiosemicarbazone	134
Magnetic properties of oxovanadium(IV) sulphato complex with 2-acetylpyridine-2-aminobenzophenone-2-furoylhydrazone	135
Magnetic properties of oxovanadium(IV) complex with 2-acetylpyridine-2-aminobenzophenone-2-furoylhydrazone	136
Magnetic properties of dithiocarbamate complex of oxovanadium(IV)	137
Magnetic properties of dithiocarbamate complex of oxovanadium(IV)	138
Magnetic properties of dithiocarbamate complex of oxovanadium(IV)	139
Magnetic properties of dithiocarbamate complex of oxovanadium(IV)	140
Magnetic properties of vanadyl(IV) complex with creatinine	141
Magnetic properties of vanadyl(IV) complex with creatine phosphate	142
Magnetic properties of oxovanadium(IV) complex with 1-(3-hydroxy-2-naphthyl)-5-(phenyl)pent-4-ene-1,3-dione	143
Magnetic properties of oxovanadium(IV) complex with 1-(3-hydroxy-2-naphthyl)-5-(<i>p</i>-chlorophenyl)pent-4-ene-1,3-dione	144
Magnetic properties of oxovanadium(IV) complex with 1-(3-hydroxy-2-naphthyl)-5-(<i>p</i>-methylphenyl)pent-4-ene-1,3-dione	145
Magnetic properties of oxovanadium(IV) complex with 1-(3-hydroxy-2-naphthyl)-5-(<i>p</i>-methoxyphenyl)pent-4-ene-1,3-dione	146
Magnetic properties of oxovanadium(IV) complex with substituted amide	147
Magnetic properties of oxovanadium(IV) complex with substituted amide	148
Magnetic properties of vanadyl(IV) complex with N,N'-bis(<i>o</i>-mercapto-phenyl)ethylenediamine	149
Magnetic properties of hetrometallic vanadyl(IV)-cadmium(II) complex with 1-ethoxycarbonyl-1-cyanoethylene-2,2-dithiolate	150

Magnetic properties of vanadyl(IV) arsenate	151
Magnetic properties of heterometallic vanadyl(IV)-copper(II) complex with 1-ethoxycarbonyl-1-cyanoethylene-2,2-dithiolate	153
Magnetic properties of heterometallic vanadyl(IV)-nickel(II) complex with 1-ethoxycarbonyl-1-cyanoethylene-2,2-dithiolate	154
Magnetic properties of hetero dinuclear $\text{Ni}^{\text{II}}\text{V}^{\text{IV}}$ complex with a macrocyclic tetramine diphenol ligand	155
Magnetic properties of hetero dinuclear $\text{V}^{\text{IV}}\text{Ni}^{\text{II}}$ complex with a macrocyclic tetramine diphenol ligand	156
Magnetic properties of hetero dinuclear $\text{V}^{\text{IV}}\text{Ni}^{\text{II}}$ complex with a macrocyclic tetraminediphenol ligand	158
Magnetic properties of dimeric, non-metallocene vanadium(III) hydride	160
Magnetic properties of linear dinuclear oxo-bridged vanadium(III) complex with 1,2-bis(2,2'-bipyridyl-6-yl)ethane	161
Magnetic properties of (μ -oxo)(μ -propionato)divanadium(III) complex with hydrotris(pyrazolyl)borate	163
Magnetic properties of (μ -hydroxo)(μ -propionato)divanadium(III) complex with hydrotris(pyrazolyl)borate	165
Magnetic properties of (μ -hydroxo)(μ -diphenylphosphato)divanadium(III) complex with hydrotris(pyrazolyl)borate	167
Magnetic properties of a mixed-valence complex of vanadium(IV) with salicylideneserinate ligand	168
Magnetic properties of (μ -oxo) bridged dimeric vanadium(IV) complex with trimethylsilyl amide	169
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and imidazole	170
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 1-methylimidazole	171
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 1-ethylimidazole	172
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 1-vinylimidazole	173
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 1-allylimidazole	174
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 2-methylimidazole	175
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 2-ethylimidazole	176
Magnetic properties of mixed ligand, dimeric oxovanadium(IV) complex with anthranilic acid salicylideneimine and 1,2-dimethylimidazole	177
Magnetic properties of dinuclear bis(μ -phosphato) vanadyl complex	178

Magnetic properties of binuclear V(IV) complex with squaric acid	180
Magnetic properties of binuclear mixed-valance V(V)-V(IV) complex with squaric acid	182
Magnetic properties of mixed valence hetero trinuclear $V^{IV}Ni^{II}V^V$ complex with a macrocyclic tetramine diphenol ligand	184
Magnetic properties of tris[(η -pentamethylcyclopentadienyl)dichlorovanadium](<i>sample 1</i>) . . .	186
Magnetic properties of tetranuclear mixed-valance V(V)-V(IV) complex with squaric acid . . .	188
Magnetic properties of tetrahedral V_4 cluster; vanadium germanium chalcogenide	190
Magnetic properties of hexanuclear bis(μ -phosphato) vanadyl cluster	192
Part V Nb	195
Magnetic properties of mixed-dicyclopentadienyl niobium complex	197
Magnetic properties of mixed-dicyclopentadienyl niobium complex	198
Magnetic properties of three dimensional bimetallic, copper(II)-niobium(V) pyrazine complex	199
Magnetic properties of iodo bridged niobium complex of mesitylene	200
Magnetic properties of dinuclear, nitride bridged heterobimetallic niobium-lithium complex with amide	201
Magnetic properties of chloro bridged dinuclear mixed-valence niobium(II,III) complex with substituted amine	202
Part VI Ta	203
Magnetic properties of mixed-dicyclopentadienyl tantalum complex	205
Magnetic properties of mixed-dicyclopentadienyl tantalum complex	206
Magnetic properties of 17-electron tantalum-centered radical containing carbonyl and 1,2-bis(diphenylphosphino)ethane ligands	207
Part VII Cr	209
Magnetic properties of chromocenes containing triisopropylcyclopentadienyl ligand	211
Magnetic properties of chromocenes containing tetraisopropylcyclopentadienyl ligand	212
Magnetic properties of chromocenes containing di- <i>tert</i> -butylcyclopentadienyl ligand	213
Magnetic properties of chromium(II) tetrahydrofuran complex with calix[4]arene	214
Magnetic properties of chromium(II) complex with N,N'-bis(2,6-xylyl)-formamidinate ligand	216
Magnetic properties of adduct of dichlorosuphato-bis(1,3-propylenediamine) chromium(II) with dimethyltin substrate	217
Magnetic properties of adduct of dichlorosuphato-bis(1,3-propylenediamine) chromium(II) with dibutyltin substrate	218
Magnetic properties of chromium(II) chloride complex with tetraaza macrocyclic ligand . . .	219
Magnetic properties of hydrazine bridged chromium(II) chloro complex	220
Magnetic properties of hydrazine bridged chromium(II) bromo complex	221

Magnetic properties of hydrazine bridged chromium(II) chloro complex with monomethylhydrazine	222
Magnetic properties of chloro bridged chromium(II) chloro complex with dimethylhydrazine	223
Magnetic properties of chloro bridged chromium(II) chloro complex with phenylhydrazine . . .	224
Magnetic properties of bromo bridged chromium(II) chloro complex with phenylhydrazine . . .	225
Magnetic properties of chromium(III) tetrahydrofuran complex with calix[4]arene	226
Magnetic properties of chromium(III) pyridine complex with calix[4]arene	228
Magnetic properties of chromium(III) mesityl complex with calix[4]arene	230
Magnetic properties of chromium(III) cyclopentadienyl complex with calix[4]arene	232
Magnetic properties of chromium(III) complex with chloro-semi-quinonate and catecholate ligand	234
Magnetic properties of charge transfer complex of chromium(III) with bromo-semiquinonate, catecholate and tetrakis(methylsulfanyl)tetrathia- fulvalene ligands	236
Magnetic properties of charge transfer complex of chromium(III) with bromo-semiquinonate, catecholate and tetramethyltetraselenafulvalene ligands	238
Magnetic properties of 2,2'-bipyridyl dioxalate chromate(III) as tetraphenylarsenium salt . . .	240
Magnetic properties of chromium(III) complex with 12-membered Schiff- base macrocycle ligand containing pendant group	242
Magnetic properties of chromium(III) complex with 12-membered Schiff-base macrocycle ligand containing pendant group	243
Magnetic properties of chromium(III) complex with 12-membered Schiff-base macrocycle ligand containing pendant group	244
Magnetic properties of chromium(III) complex with dithiofuroate	245
Magnetic properties of chromium(III) chloride complex with macrocycle derived from carbohydrazide and 2,6-diacetylpyridine	246
Magnetic properties of chromium(III) bromide complex with macrocycle derived from carbohydrazide and 2,6-diacetylpyridine	247
Magnetic properties of chromium(III) nitrate complex with macrocycle derived from carbohydrazide and 2,6-diacetylpyridine	248
Magnetic properties of chromium(III) thiocyanate complex with macrocycle derived from carbohydrazide and 2,6-diacetylpyridine	249
Magnetic properties of chromium(III) complex with chrysenequinone	250
Magnetic properties of chromium(III) complex with uracil	251
Magnetic properties of chromium(III) mixed ligand complex with uracil and histidine	252
Magnetic properties of chromium(III) complex with acetyl salicyl-hydrazone	253
Magnetic properties of polymer complex of secondary cellular acetate (sca) with chromium(III)	254
Magnetic properties of chromium sulfur cubane cluster	255

Magnetic properties of mononuclear chromium(III) picolinate complex	256
Magnetic properties of heterodinuclear $\text{Cu}^{\text{II}}\text{Cr}^{\text{III}}$ complex with substituted dione dioxime . . .	257
Magnetic properties of I3-electron alkyl(trimethylsilylmethyl) complex of chromium	259
Magnetic properties of pyridine adduct with alkyl(trimethylsilyl)chromium complex	260
Magnetic properties of 3-sila-metallacyclobutane complex with chromium	261
Magnetic properties of 3-sila-metallacyclobutane complex with chromium	262
Magnetic properties of 14-electron cyclopentadienyl chromium(II) complex containing a hetrocyclic carbene ligand	263
Magnetic properties of 14-electron cyclopentadienyl chromium(III) complex containing a heterocyclic carbene ligand	264
Magnetic properties of chromium(II) complex with bulky bidentate "trisyl" ligand	265
Magnetic properties of binuclear chromium(III) complex with N,N'- bis(2-pyridylmethhyl)-N,N'-dimethyl-1,2-ethanediamine	266
Magnetic properties of tetraammine chromium(III) complex	267
Magnetic properties of chromium(IV) alkylidene complex	268
Magnetic properties of dithiooxalato bridged bimetallic (Fe-Cr) assembly	269
Magnetic properties of dithiooxalato bridged bimetallic (Co-Cr) assembly	271
Magnetic properties of dithiooxalato bridged bimetallic (Ni-Cr) assembly	273
Magnetic properties of dithiooxalato bridged bimetallic (Zn-Cr) assembly	275
Magnetic properties of polynuclear chromium(III)-copper(II) complex with bipyridine and bridging thiocyanate ligands	277
Magnetic properties of polynuclear chromium(III)-copper(II) complex with 1,10-phenanthroline and bridging thiocyanate ligands	278
Magnetic properties of polynuclear chromium(III)-copper(II) complex with diethylenetriamine and bridging thiocyanate ligands	280
Magnetic properties of polynuclear nickel(II)-chromium(III) complex with 1,10-phenanthroline and thiocyanate ligands	281
Magnetic properties of cyanide-bridged array of chromium atoms based on salene-iron complex	283
Magnetic properties of cyanide-bridged array of chromium atoms based on salene-iron complex	284
Magnetic properties of dichloride bridged dichromium(II) complex with N,N'- bis(2,6-xylyl)-formamidinate ligand	285
Magnetic properties of chloro-bridged chromium(II) complex with methyl isocyanide	286
Magnetic properties of dinuclear chromium(II) complex with acetate and hydrazine ligands	287
Magnetic properties of dinuclear chromium(II) complex with acetate and monomethylhydrazine ligands	288

Magnetic properties of dinuclear chromium(II) complex with acetate and phenylhydrazine ligands	289
Magnetic properties of dinuclear chromium(II) complex with acetate and dimethyl hydrazine ligands	290
Magnetic properties of binuclear complex of chromium(III) with N-hydroxyethyl-N, N'/N'-tribenzimidazolylmethylenediamine	291
Magnetic properties of chromium(III) complex with 2,2'-bipyridyl and oxalate ligands	292
Magnetic properties of binuclear chromium(III) picolinate complex	294
Magnetic properties of dinuclear chromium(III) complex with acetylacetone and tartaric acid	296
Magnetic properties of dinuclear chromium(III) complex with acetylacetone and tartaric acid	298
Magnetic properties of dinuclear chromium(III) complex with acetylacetone and tartaric acid	300
Magnetic properties of α -benzyldioximato-bridged chromium(III)-copper(II)-chromium(III) trinuclear complex	302
Magnetic properties of α -furildioximato-bridged chromium(III)-copper(II)-chromium(III) trinuclear complex	304
Magnetic properties of chromium(III) squarate complex	306
Magnetic properties of μ -carbonato- μ -hydroxo bridged binuclear complex of chromium(III) . . .	308
Magnetic properties of heterometallic trinuclear copper(II)-chromium(III), Cu-Cr ₂ , complex with ammonia	310
Magnetic properties of heterometallic trinuclear copper(II)-chromium(III), Cu-Cr ₂ , complex with cyclam	312
Magnetic properties of μ -chloro bridged trimethylsilylmethyl complex of chromium	314
Magnetic properties of bis(μ -alkylidene) bridged dimeric chromium complex	315
Magnetic properties of bis(μ -alky) bridged dimeric chromium(II) complex	316
Magnetic properties of dimeric chromium(IV) complex with calix[4]arene	317
Magnetic properties of tetranuclear chromium(III) complex	319
Magnetic properties of oxo-bridged tetranuclear chromium(III) assembly	320
Magnetic properties of monocationic cluster complex of chromium-sulfide with a hydrido ligand	321
Magnetic properties of octahedral mixed valence <i>cis</i> -chromium selenide cluster	323
Magnetic properties of octahedral mixed trans <i>trans</i> -chromium selenide cluster	325
Magnetic properties of octahedral mixed valence chromium hydrido selenide cluster	326
Magnetic properties of octahedral mixed valence chromium hydrido sulphide cluster	328
Part VIII Mo	331
Magnetic properties of monocyclopentadienyl molybdenum(II) complex with 16-electron configuration	333

Magnetic properties of monocyclopentadienyl molybdenum(II) complex with 16-electron configuration	334
Magnetic properties of half-sandwich 17-electron molybdenum(III) complex	335
Magnetic properties of half-sandwich 17-electron molybdenum(III) complex	336
Magnetic properties of half-sandwich 17-electron molybdenum(III) complex	337
Magnetic properties of <i>l</i> -bis(triphenylphosphine)iminium <i>trans</i> -dibromo-phthalocyaninatomolybdate(III)	338
Magnetic properties of organometallic charge-transfer compound, bis(benzene)molybdenum radical cation as tetrabromoferrate salt	339
Magnetic properties of 15-electron triphenylphosphine complex of molybdenum(III)	341
Magnetic properties of mixed ligand complex of molybdenum(III) with triphenylphosphine, acetone and pyridine	342
Magnetic properties of mixed ligand complex of molybdenum(III) with triphenylphosphine, acetonitrile and pyridine	343
Magnetic properties of mixed ligand complex of molybdenum(III) with triphenylphosphine, nitrosyl and pyridine	344
Magnetic properties of molybdenum(III) complex with cyclopentadienyl unit with pendant phosphine donors	345
Magnetic properties of molybdenum(III) complex with cyclopentadienyl unit with pendant phosphine donors	346
Magnetic properties of cyclopentadienyl O,O'-diethyldithiophosphate molybdenum(IV) complex	347
Magnetic properties of molybdenum(IV) cyano complex with substituted amido ligand	348
Magnetic properties of mixed ligand of molybdenum(IV) with triphenyl-phosphine and propyl dithionic acid	349
Magnetic properties of mixed ligand of molybdenum(IV) with triphenyl-phosphine and butyl dithio acid	350
Magnetic properties of (pentamethylcyclopentadienyl)molybdenum(IV)	351
Magnetic properties of (pentamethylcyclopentadienyl)molybdenum(IV) bromide	352
Magnetic properties of molybdenum(IV) chloro complex with triamido-amine ligand	353
Magnetic properties of mono-indenyl complex of molybdenum(IV)	355
Magnetic properties of charge-transfer salts of molybdocene dithiolene complex	356
Magnetic properties of cyanide-bridged array of molybdenum atoms based on salene-iron complex	358
Magnetic properties of 18-electron molybdenum mononitrosyl complex with 4-amino-2-methyl-4'-ferrocenylazobenzene	359
Magnetic properties of cyclopentadienyl N,N-diethyldithiocarbamate molybdenum complex	360
Magnetic properties of cyclopentadienyl O,O'-diethyldithiophosphate molybdenum complex	361

Magnetic properties of mixed ligand molybdenum(V) complex with dithioacid and propyl dithioacid	362
Magnetic properties of mixed ligand molybdenum(V) complex with dithioacid and butyl dithioacid	363
Magnetic properties of mixed ligand molybdenum(V) complex with aminothiols and propyl dithioacid	364
Magnetic properties of mixed ligand molybdenum(V) complex with aminothiols and butyl dithioacid	365
Magnetic properties of oxomolybdenum(V) complex with dimethylene-bis-2-benzimidazole	366
Magnetic properties of oxomolybdenum(V) complex with tetramethylene-bis-2-benzimidazole	367
Magnetic properties of oxomolybdenum(V) salt with 2-(2'-quinolyl)- benzimidazole	368
Magnetic properties of oxomolybdenum(V) complex with 2-(2'-quinolyl)benzimidazole	369
Magnetic properties of oxomolybdenum(V) salt with 2-(2'-quinolyl)-benzimidazole	370
Magnetic properties of oxomolybdenum(V) complex with 2-(2'-quinolyl)-benzimidazole	371
Magnetic properties of tricyanomethanide complex of oxomolybdenum(V)	372
Magnetic properties of tricyanomethanide complex of oxomolybdenum(V)	373
Magnetic properties of tricyanomethanide complex of oxomolybdenum(V)	374
Magnetic properties of oxomolybdenum(V) complex with Schiff base (derived from isonicotinic acid hydrazide)	375
Magnetic properties of dimolybdenum(III) complex with triphenyl-phosphine	376
Magnetic properties of (pentamethylcyclopentadienyl)molybdenum(IV) chloride	377
Magnetic properties of (pentamethylcyclopentadienyl)molybdenum(IV) iodide	379
Magnetic properties of μ-cyanide bridged dimolybdenum(V) complex with substituted amido ligand	380
Magnetic properties of tetrachlorophosphonium decachlorodimolybdate	381
Magnetic properties of molybdenum(V) complex with salicylaldehyde-S-methylisothiosemicarbazone	383
Magnetic properties of molybdenum(V) complex with salicylaldehyde-S-methylisothiosemicarbazone (solvated)	384
Magnetic properties of cyanide-bridged array of molybdenum atoms based on salene-iron complex	385
Magnetic properties of heterobimetallic cobalt-molybdenum, sulfido-iodo cluster	386
Magnetic properties of heterobimetallic cobalt-molybdenum, sulfido- bromo cluster	387
Magnetic properties of heterobimetallic cobalt-molybdenum, sulfido-chloro cluster	389
Magnetic properties of heterobimetallic cobalt-molybdenum, sulfido-phenylthiolato cluster	391

Magnetic properties of cubane-type cluster with molybdenum-iron-sulphur core (Mo_3FeS_4)	393
Magnetic properties of cubane-type cluster with molybdenum-nickel-sulphur core (Mo_3NiS_4)	394
Magnetic properties of molybdenocene cluster	395
Magnetic properties of organic-inorganic charge-transfer salt based on $\beta\text{-}[\text{Mo}_8\text{O}_{26}]^{4-}$ isopolyanion	397
Magnetic properties of organic-inorganic charge-transfer salt based on protonated $\beta\text{-}[\text{Mo}_8\text{O}_{26}]^{4-}$ isopolyanion	399
Magnetic properties of cluster with three <i>trans</i> edge-shared Mo octahedra	401
Part IX W	403
Magnetic properties of cyclopentadienyl tungsten(IV) complex with 4,4'-dimethyl-2,2'-bipyridyl	405
Magnetic properties of cyclopentadienyl tungsten(IV) complex with 4,4'-dimethyl-2,2'-bipyridyl	406
Magnetic properties of cyclopentadienyl tungsten(IV) cationic complex with 4,4'-dimethyl-2,2'-bipyridyl as tetraphenylborate	407
Magnetic properties of tungsten(IV) 3,5-dimethylphenoxide complex with triamidoamine ligand	408
Magnetic properties of tungsten(IV) 3,5-dimethylphenyl complex with triamidoamine ligand	409
Magnetic properties of cyclopentadienyl N,N-diethylthiocarbamate tungsten complex	410
Magnetic properties of cyclopentadienyl O,O'-diethylthiophosphate tungsten complex	411
Magnetic properties of cyanide-bridged array of tungsten atoms based on salene-iron complex	412
Magnetic properties of cyanide-bridged array of tungsten atoms based on salene-iron complex	413
Part X Mn	415
Magnetic properties of bis(<i>trans</i>-phenylacetynyl)manganese(II)	417
Magnetic properties of bis(<i>trans</i>-trimethylsilylacetynyl)manganese(II)	418
Magnetic properties of 1,1',2,2'-tetraisopropyl-3,3',4,4',5,5'-hexamethyl-manganocene(II)	419
Magnetic properties of manganese(II) complex with nitronyl nitroxide radical	420
Magnetic properties of azide bridged manganese(II) complex with 4,4'-dimethyl-2,2'-bipyridine	422
Magnetic properties of manganese(II) complex with dicyanamide and pyrazine ligands	424
Magnetic properties of manganese(II) complex with 1,2-bis(4-pyridyl)-ethene	426
Magnetic properties of di-μ-(1,3)-N_3-bridged manganese(II) complex with 1,2-bis(4-pyridyl)-ethane	428

Magnetic properties of bis(hexafluoroacetylacetonato)manganese(II) complex with 4-(<i>N</i> - <i>tert</i> -butylaminoxyl)-2,2'-bipyridine	430
Magnetic properties of manganese(II) complex with dibenzotetramethyltetraaza[14]annulene and tetrahydrofuran	432
Magnetic properties of manganese(II) complex with dibenzotetramethyltetraaza[14]annulene	434
Magnetic properties of manganese(III) chloro complex with dibenzotetramethyltetraaza[14]annulene	436
Magnetic properties of dimeric manganese(II) complex with dibenzotetramethyltetraaza[14]annulene and dimethoxyethane	438
Magnetic properties of dimeric manganese(II) complex with dibenzotetramethyltetraaza[14]annulene and tetrahydrofuran	440
Magnetic properties of Mn(II)-Cu(II) chloro complex with [di(4-bromo-2-iminomethyl-6-methylaminomethylphenolate)]	442
Magnetic properties of Mn(II)-Cu(II) complex with [di(4-bromo-2-iminomethyl-6-methylaminomethylphenolate)]	444
Magnetic properties of manganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-diaminopropan-2-ol and nitrate ligands	446
Magnetic properties of manganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-diaminopropan-2-ol and thiocyanato ligands	447
Magnetic properties of manganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-diaminopropan-2-ol and phenanthroline	448
Magnetic properties of dimanganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-diaminopropan-2-ol, acetate and phenanthroline ligands	449
Magnetic properties of manganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-propanediamine, bipyridine and methanol	451
Magnetic properties of manganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-propanediamine and thiocyanate ligand	452
Magnetic properties of manganese(II) complex with <i>N,N'</i> -bis(2-pyridylmethylene)-1,3-propanediamine and phenanthroline ligand	453
Magnetic properties of manganese(II) complex with 2,3-pyrazinedicarboxylate	454
Magnetic properties of manganese(II) complex with 2,3-pyrazinedicarboxylate	456
Magnetic properties of polynuclear manganese(II) complex with L-dihydro-orotic acid	458
Magnetic properties of manganese(II) complex with 3,5-dimethylpyrazolate	459
Magnetic properties of manganese(II) complex with 3,4,5-trimethylpyrazolate	461
Magnetic properties of manganese(II) complex with 4-chloro-3,5-dimethylpyrazolate	462
Magnetic properties of manganese(II) complex with 4-bromo-3,5-dimethylpyrazolate	464
Magnetic properties of manganese(II) complex with 4-bromo-3,5-dimethylpyrazole and 4-bromo-3,5-dimethylpyrazolate	465
Magnetic properties of manganese(II) complex with 4-chloro-3,5-dimethylpyrazole and 4-chloro-3,5-pyrrazolate	466

Magnetic properties manganese(II) complex of 2,2'-thiodiethanol	467
Magnetic properties of manganese(II) complex with dihydro-bis(tetrazolyl)borate	469
Magnetic properties of manganese(II) complex with diethyl 2-quinolyl-methylphosphorate ligand	470
Magnetic properties of singly <i>anti-anti</i> carboxylate-bridged zig-zag chain complex of Mn(II) containing Schiff base and hexafluoroacetylacetonate ligands	471
Magnetic properties of ferro-antiferromagnetic alternating manganese-azido chain complex	473
Magnetic properties of <i>syn-anti</i> -carboxylate-bridged manganese(II) chain involving a tetradentate ligand	475
Magnetic properties of two dimensional manganese-azido system containing diethylnicotinamide	477
Magnetic properties of manganese(II) complex with pyrazole-functionalized tetraazamacrocyle	479
Magnetic properties of manganese(II) chloro complex with triethyl-phosphine oxide	480
Magnetic properties of manganese(II) bromo complex with triethyl-phosphine oxide	481
Magnetic properties of manganese(II) iodo complex with triethyl-phosphine oxide	482
Magnetic properties of manganese(II) chloro complex with tripropyl-phosphine oxide	483
Magnetic properties of manganese(II) bromo complex with tripropyl-phosphine oxide	484
Magnetic properties of manganese(II) iodo complex with tripropyl-phosphine oxide	485
Magnetic properties of manganese(II) bromo complex with tributyl-phosphine oxide	486
Magnetic properties of manganese(II) iodo complex with tributyl-phosphine oxide	487
Magnetic properties of manganese(II) thiocyno complex with triethyl-phosphine oxide	488
Magnetic properties of manganese(II) thiocyanato complex with triethyl-phosphine oxide	490
Magnetic properties of manganese(II) thiocyanato complex with triethyl-phosphine oxide	491
Magnetic properties of manganese(II) thiocyanato complex with tributyl-phosphine oxide	492
Magnetic properties of manganese(II) thiocyanato complex with tributyl-phosphine oxide	493
Magnetic properties of manganese(II) thiocyanato complex with tributyl-phosphine oxide	494
Magnetic properties of manganese(II) chloro complex with phenyl-diphenylphosphinate ligand	495
Magnetic properties of manganese(II) bromo complex with phenyl-diphenylphosphinate ligand	496
Magnetic properties of manganese(II) iodo complex with phenyl-diphenylphosphinate ligand	497
Magnetic properties of manganese(II) thiocyanato complex with phenyl- diphenylphosphinate ligand	498
Magnetic properties of manganese(II) iodo complex with phenyl-diphenylphosphinate ligand	499

Magnetic properties of manganese(II) thiocyanato complex with phenyl-diphenylphosphinate ligand	500
Magnetic properties of manganese(II) complex with 12-membered Schiff- base macrocycle ligand containing pendant group	501
Magnetic properties of manganese(II) complex with 12-membered Schiff-base macrocycle ligand containing pendant group	502
Magnetic properties of manganese(II) complex with 12-membered Schiff-base macrocycle ligand containing pendant group	503
Magnetic properties of manganese(II) complex with ethylenediamine and chlorosulphate ligands	504
Magnetic properties of manganese(II) complex with N-methyl-ethylene-diamine and chlorosulphate ligands	505
Magnetic properties of manganese(II) complex with N-ethyl-ethylene-diamine and chlorosulphate ligands	506
Magnetic properties of manganese(II) complex with N, N'-dimethyl-ethylenediamine and chlorosulphate ligands	507
Magnetic properties of manganese(II) complex with N, N'-diethyl-ethylenediamine and chlorosulphate ligands	508
Magnetic properties of manganese(II) complex with malonyldihydrazide based macrocyclic ligand	509
Magnetic properties of manganese(II) complex with succinyldihydrazide based macrocyclic ligand	510
Magnetic properties of manganese(II) complex with a 17-membered macrocyclic containing an N₅ donor set	511
Magnetic properties of manganese(II) complex with 2-mercaptobenzo-thiazole	513
Magnetic properties of manganese(II) carbodithiate complex	514
Magnetic properties of triphenylmethylphosphonium salt of manganese(II)	516
Magnetic properties of manganese(II) complex with hydrogen N-picolinamido-N'-benzoylthiocarbamide	517
Magnetic properties of manganese(II) complex with dithiofuroate	518
Magnetic properties of heterobimetallic Mn(II)-Cd(II) complex with dithiofuroate	519
Magnetic properties of manganese(II) α-formyl pyridyl hydrazine complex	520
Magnetic properties of manganese(II) chloro complex with α-acetyl pyridyl hydrazone	521
Magnetic properties of manganese(II) chloro complex with α-benzoyl pyridyl hydrazone	522
Magnetic properties of manganese(II) complex with α-oximinoacetoacet-<i>o</i>-chloroanilide-β-thiosemicarbazone	523
Magnetic properties of manganese(II) complex with α-oximinoacetoacetyl-<i>p</i>-chloroanilide-β-thiosemicarbazone	524
Magnetic properties of manganese(II) acetate complex with fluorenone anthranilic acid	525

Magnetic properties of manganese(II) heterochelate with 2-furfuraldehydesemicarbazone and 2-acetylthiophene semicarbazone	526
Magnetic properties of manganese(II) heterochelate with 2-furfuraldehydesemicarbazone and 2-acetylthiophene semicarbazone	527
Magnetic properties of coordination polymer of manganese(II) with poly-Schiff-base	528
Magnetic properties of manganese (II) complex with 7-(α-phenyl-α-<i>m</i>-nitroanilinomethyl)-8-quinolinol	529
Magnetic properties of manganese(II) complex with 7-(α-phenyl-α-<i>p</i>-nitroanilinomethyl)-8-quinolinol	530
Magnetic properties of manganese(II) complex with thiadiazole	531
Magnetic properties of manganese(II) chloro complex with 2-acetylpyridine-2-aminobenzophenone-2-furoylhydrazone	532
Magnetic properties of manganese(II) complex with 2-acetylpyridine-2-aminobenzophenone-2-furoylhydrazone	533
Magnetic properties of manganese(II) complex with 7-(α-phenyl-α-<i>o</i>-chloroanilinomethyl)-8-quinolinol	534
Magnetic properties of manganese(II) complex with 7-(α-phenyl-α-<i>m</i>-chloroanilinomethyl)-8-quinolinol	535
Magnetic properties of manganese(II) polychelate with Schiff-base (4,4'-dihydroxy-3,3'-diacetylbiophenyl-2,3-butanedione dihydrazone)	536
Magnetic properties of manganese(II) chloro complex with 2,6-diacetylpyridine-bis(benzalhydrazone)	537
Magnetic properties of manganese(II) bromo complex with 2,6-diacetylpyridine-bis(benzalhydrazone)	538
Magnetic properties of manganese(II) nitrate complex with 2,6-diacetylpyridine-bis(benzalhydrazone)	539
Magnetic properties of manganese(II) thiocynato complex with 2,6-diacetylpyridine-bis(benzalhydrazone)	540
Magnetic properties of manganese(II) complex with acetyl salicylhydrazone	541
Magnetic properties of manganese(II) complex with 2-(benzothiazolyl-2'-aminoimino)-1,2-diphenylethanone	542
Magnetic properties of manganese(II) complex with 2-hydroxyacetophenoneoxime-thiourea-trioxane resin	543
Magnetic properties of mixed ligand complex of manganese(II) with hydrazine and glycine . . .	544
Magnetic properties of mixed ligand complex of manganese(II) with hydrazine and glycolic acid	545
Magnetic properties of mixed ligand complex of manganese(II) with <i>o</i>-hydroxybenzoic acid and hydrazine	546
Magnetic properties of manganese(II) complex with citric acid	547
Magnetic properties of polymeric chain complex of bis(hexafluoroacetylacetonato) manganese(II) with diazodi(4-pyridyl)methane	548

Magnetic properties of polymeric chain complex of bis(hexafluoroacetylacetonato) manganese(II) with diazodi(4-pyridyl)methane	549
Magnetic properties of manganese(II) complex with 4,7-bis(2-hydroxybenzyl)-1-oxa-4,7-diazacylononane	550
Magnetic properties of manganese(II) chloro complex with 4,7-bis(2-hydroxybenzyl)-1-oxa-4,7-diazacylononane	551
Magnetic properties of manganese(II) thiocyanato complex with 4,7-bis(2-hydroxybenzyl)-1-oxa-4,7-diazacylononane	552
Magnetic properties of manganese(II) azido complex with 4,7-bis(2-hydroxybenzyl)-1-oxa-4,7-diazacylononane	553
Magnetic properties of manganese(II) complex with hexadentate ligand	554
Magnetic properties of manganese(II) complex with [4-{2-((5-nitrosalicylidene)amino)ethyl}imidazole]	555
Magnetic properties of polymeric manganese(II) complex with [4-{2-((5-nitrosalicylidene)amino)ethyl}imidazole]	556
Magnetic properties of cesium manganese thiotellurite	557
Magnetic properties of heterodinuclear $\text{Cu}^{\text{II}}\text{Mn}^{\text{III}}$ Complex with substituted dione dioxime	559
Magnetic properties of heterodinuclear $\text{Cu}^{\text{II}}\text{Mn}^{\text{II}}$ Complex with substituted dione dioxime	561
Magnetic properties of tetrameric manganese(II) polytungstate	563
Magnetic properties of manganese(II) halide-bridged complex with bulky bidentate “trisyl” ligand	564
Magnetic properties of potassium manganese selenophosphate	565
Magnetic properties of rubidium manganese selenophosphate	566
Magnetic properties of cesium manganese selenophosphate	567
Magnetic properties of bis(<i>trans</i> -phenylacetynyl)manganese(III)	568
Magnetic properties of bis(<i>trans</i> -trimethylsilylacetynyl)manganese(III)	569
Magnetic properties of manganese(III) complex with dibenzotetra-methyltetraaza[14]annulene and dimethoxyethane	570
Magnetic properties of manganese(III) complex with dibenzotetra-methyltetraaza[14]annulene and pyridine	572
Magnetic properties of manganese(III) complex with dibenzotetra-methyltetraaza[14]annulene and thiocyanate ligand	574
Magnetic properties of manganese(II) complex with dibenzotetra-methyltetraaza[14]annulene and nitrosyl ligand	576
Magnetic properties of sulfur-rich manganese(III) complex containing N-ethyl dithioacid ligand	578
Magnetic properties of sulfur-rich manganese(III) complex containing N-propyl dithioacid ligand	579

Magnetic properties of sulfur-rich manganese(III) complex containing N-butyl dithioacid ligand	580
Magnetic properties of manganese(III) complex with 3-aminopyrazine-2-carboxylate	581
Magnetic properties of manganese(III) carbodithioate complex	582
Magnetic properties of manganese(III) complex with macrocycle derived from carbohydrazide and 2,6-diacetylpyridine	584
Magnetic properties of manganese(III) fluoride	585
Magnetic properties of porphinatomanganese(IV) complex	587
Magnetic properties of tris(4-chloroquinone oximate) of manganese(III)	588
Magnetic properties of tris(4-bromoquinone oximate) of manganese(III)	589
Magnetic properties of tris(4-methylquinone oximate) of manganese(III)	590
Magnetic properties of tris(4- <i>tert</i> -butyl quinone oximate) of manganese(III)	591
Magnetic properties of tris(4-chloroquinone oximate) of manganese(II)	592
Magnetic properties of tris(4-bromoquinone oximate) of manganese(II)	593
Magnetic properties of tris(4-methylquinone oximate) of manganese(II)	594
Magnetic properties of tris(4- <i>tert</i> -butyl-quinone oximate) of manganese(II)	595
Magnetic properties of bis{dinuclear Mn(III)- μ -oxo-bis(μ -acetato)} complex	596
Magnetic properties of manganese(IV) complex with <i>o</i> -(salicylidene-aminomethyl)phenol	598
Magnetic properties of manganese(IV) complex with <i>o</i> -(3,5-dichloro-salicylideneaminomethyl)phenol	599
Magnetic properties of manganese(IV) complex with <i>o</i> -(3,5-dibromo-salicylideneaminomethyl)phenol	600
Magnetic properties of manganese(IV) complex with <i>o</i> -(3-methoxy-salicylideneaminomethyl)phenol	601
Magnetic properties of manganese(IV) complex with <i>o</i> -(4,6-dimethoxy-salicylideneaminomethyl)phenol	602
Magnetic properties of manganese(IV) complex with <i>o</i> -(5-chloro-salicylideneaminomethyl)phenol	603
Magnetic properties of manganese(IV) complex with <i>o</i> -(5-bromo-salicylideneaminomethyl)phenol	604
Magnetic properties of manganese(IV) complex with <i>o</i> -(salicylidene-5-chloro-aminomethyl)phenol	605
Magnetic properties of manganese(IV) complex with <i>o</i> -(salicylidene-5-bromo-aminomethyl)phenol	606
Magnetic properties of thallium tetrafluoromanganate(III)	607
Magnetic properties of dimanganese(II) complex with N,N'-bis(2-pyridyl- methylene)-1,3-propanediamine and nitrate ligand	609

Magnetic properties of trimetallic Mn_2Fe assembly compound of 18-crown-6 and Schiff-base ligand	610
Magnetic properties of trimetallic Mn_2Fe assembly compound of 18-crown-6 and Schiff-base ligand (desolvated)	612
Magnetic properties of dinuclear manganese(II), Mn_2 azide complex with octaamino cryptand (as triflate salt)	614
Magnetic properties of tetrachlorophthalato-bridged manganese(II) binuclear complex	615
Magnetic properties of binuclear complex of manganese(II) with N-hydroxyethyl-N,N'-tribenzimidazolymethylenediamine	617
Magnetic properties of tetrabromophthalato-bridged manganese(II)-binuclear complex with 1,10-phenanthroline	619
Magnetic properties of chloroanilato-bridged binuclear manganese(II) complex with 4,4'-dimethyl-2,2'-bipyridine	621
Magnetic properties of chloroanilato-bridged binuclear manganese(II) complex with 5-methyl-1,10-phenanthroline	623
Magnetic properties of chloroanilato-bridged binuclear manganese(II) complex with 5-chloro-1,10-phenanthroline	625
Magnetic properties of chloroanilato-bridged binuclear manganese(II) complex with 5-nitro-1,10-phenanthroline	627
Magnetic properties of chloroanilato-bridged binuclear manganese(II) complex with 2,9-dimethyl-1,10-phenanthroline	629
Magnetic properties of dimeric manganese(II) chloride complex with N,N-dimethylformamide	631
Magnetic properties of μ -hydroxo bridged dinuclear manganese(II) complex with 4,7-bis(2-hydroxybenzyl)-1-oxa-4,7-diazacylononane	632
Magnetic properties of dinuclear manganese(II) complex with water and carboxylate bridges	634
Magnetic properties of dinuclear manganese(II) complex with water and carboxylate bridges	635
Magnetic properties of phenolate-bridged diamanganese(II) complex of a dinucleating phenol ligand	636
Magnetic properties of three-dimensional ferrimagnetic material	637
Magnetic properties of three-dimensional ferrimagnetic material	639
Magnetic properties of (μ -oxalato)-bis(tetramine)diamanganese(II) complex	640
Magnetic properties of (μ -oxalato)-bis(tetramine)diamanganese(II) complex	641
Magnetic properties of (μ -oxalato)-bis(tetramine)diamanganese(II) complex	643
Magnetic properties of mixed-valence Mn-oxo cluster with N,N-bis(2-pyridylmethyl)-1,2-diaminoethane	644
Magnetic properties of first oxalate bridged pentanuclear $\text{Cu}_3^{\text{III}}\text{Mn}_2^{\text{III}}$ complex with 1,10-phenanthroline	646

Magnetic properties of bis(μ -oxo)diamanganese(III,III) complex with N,N'-bis(2-pyridylmethyl)-1,2-ethanediamine	648
Magnetic properties of linear trinuclear manganese(II) complex with [4-{2-(5-nitrosalicylidene)amino}ethyl]imidazole]	649
Magnetic properties of bis(μ -oxo)diamanganese(III,IV) complex with N,N'-bis(2-pyridylmethyl)-1,2-ethanediamine	650
Magnetic properties of bis(μ -oxo)diamanganese(III,IV) with N,N'-bis(2-pyridylmethyl) related ligand	651
Magnetic properties of bis(μ -oxo)diamanganese(IV,IV) complex with N,N'-bis(2-pyridylmethyl)-1,2-ethanediamine	652
Magnetic properties of bis(μ -oxo)diamanganese(IV,IV) with N,N'-bis(2-pyridylmethyl) related ligand	653
Magnetic properties of (μ -hydroxo)bridged dinuclear manganese(III) complex with porphyrin	654
Magnetic properties of dinuclear mixed-valence manganese(III, IV) complex with N,N-bis(2-pyridylmethyl)ethylamine	655
Magnetic properties of bis(oxo)-bridged dimanganese(IV) complex with Schiff base	657
Magnetic properties of bis(oxo)bridged dimanganese Mn(III)-Mn(IV) complex with N, N,N',N'-tetrakis-(2-pyridylmethyl)-1,2-ethanediamine	659
Magnetic properties of bis(μ -oxo)- μ -acetato bridged binuclear Mn ₂ (IV) complex with 2,2'-bipyridine	660
Magnetic properties of μ_3 -oxide trinuclear mixed-valence manganese complex with acetate and pyridine ligands	662
Magnetic properties of μ_3 -oxide trinuclear mixed-valence manganese complex with benzoate and pyridine ligands	664
Magnetic properties of trinuclear, mixed-valence, manganese acetate complex with Schiff-base	666
Magnetic properties of trinuclear, mixed-valence, manganese acetate complex with Schiff-base	668
Magnetic properties of trinuclear, mixed-valence, manganese acetate complex with Schiff-base	669
Magnetic properties of trinuclear, mixed-valence, manganese acetate complex with Schiff-base	671
Magnetic properties of trinuclear, mixed-valence, manganese acetate complex with Schiff-base	673
Magnetic properties of trinuclear, mixed-valence, manganese acetate complex with Schiff-base	675
Magnetic properties of mixed valence Mn ^{III} Mn ^{II} Mn ^{III} Schiff-base polymeric complex	677
Magnetic properties of bimetallic manganese(II, II) complex with bis(2-hydroxy-1-naphthaldenylde)-oxaloyldihydrazone	679
Magnetic properties of bimetallic manganese(II, II) complex with bis(2-hydroxy-1-naphthaldenylde)-oxaloyldihydrazone	680

Magnetic properties of bimetallic manganese(II, II) complex with bis(2-hydroxy-1-naphthaldenyl)oxaloyldihydrazone	681
Magnetic properties of tetranuclear manganese(III)-oxo-acetate complex with 8-hydroxyquinoline	682
Magnetic properties of tetranuclear manganese(III)-oxo-acetate complex with 8-hydroxyquinoline	683
Magnetic properties of tetranuclear manganese(III)-oxo-acetate complex with 8-hydroxyquinoline	684
Magnetic properties of tetranuclear manganese(III)-oxo-benzoate complex with 8-hydroxyquinoline	685
Magnetic properties of tetranuclear manganese(III)-oxo-acetate complex with 5-chloro-8-hydroxyquinoline	686
Magnetic properties of tetranuclear manganese(III)-oxo-benzoato complex with 2-(hydroxymethyl)pyridine	687
Magnetic properties of tetranuclear manganese(III)-oxo-benzoato complex with 2-(hydroxymethyl)pyridine	688
Magnetic properties of tetranuclear manganese(III)-oxo-benzoato complex with 2-(hydroxymethyl)pyridine	689
Magnetic properties of tetranuclear manganese-oxo aggregate	690
Magnetic properties of tetranuclear mixed valence manganese-oxo aggregate	691
Magnetic properties of three-dimensional ferrimagnetic material	692
Magnetic properties of high-spin hetero-polymetallic manganese-iron Mn_8Fe_4 complex with acetate ligand	693
Magnetic properties of high-spin homo-polymetallic manganese, Mn_{12} complex with acetate ligand	695
Magnetic properties of octadecanuclear manganese(III) carboxylate	697
Part XI Re	699
Magnetic properties of rhenium(II) isocyanide complex with diphenylphosphinoethane	701
Magnetic properties of rhenium(II) complex with cyano and diphenylphosphinoethane ligands	702
Magnetic properties of rhenium(III) complex with 2-(4-chlorophenylazo)-1-methylimidazole	703
Magnetic properties of rhenium(III) complex with 2-(4-chlorophenylazo)-1-methylimidazole	704
Magnetic properties of rhenium(IV) chloro complex that contains tri-amidoamine ligand	705
Magnetic properties of rhenium(II) complex with phthalocyanine	707
Magnetic properties of tetrachlorophosphonium decachlorodirhenate	709
Magnetic properties of tetrachlorophosphonium hexachlororhenate	711
Magnetic properties of mixed valence $Re(I)C_4Re(II)$ radical cation	713