

Contents

1	Introduction	1
1.1	Health Care System Modeling	1
1.2	Overview of Diabetes	2
1.2.1	Diabetes Classifications	2
1.2.2	Type 2 Diabetes Treatments	3
1.2.3	The Prevalence and Costs of Diabetes	3
1.3	Model Structure	5
1.4	Objectives of This Study	7
	References	7
2	Agent-Based Modeling and Simulation	9
2.1	Software Agents	9
2.1.1	Basic Concepts	10
2.1.2	Agent Classification	10
2.1.3	Mobile Agents	11
2.1.4	Multi-agent Systems	12
2.1.5	TEEMA Agent Platform	13
2.2	Agent-Based Simulation in Healthcare	13
	References	14
3	The Ackerman Mathematical Model	15
3.1	Ackerman Model	15
3.2	The Extended Ackerman Model	17
3.2.1	Incorporation of Stochastic and Unpredictable Behaviour	17
3.2.2	The Random Walk Model	18
3.2.3	Self-awareness	20
	References	21

- 4 Patient-Physician Interaction Model** 23
 - 4.1 Diabetic Patient Agent Model 23
 - 4.1.1 Patient Agent Behaviour 23
 - 4.1.2 Assumptions in the Design of the Patient Agent Model . . . 27
 - 4.2 Physician Agent Model 28
 - 4.2.1 Treatment Method 28
 - 4.2.2 Assumptions in the Design of Physician Agent Model . . . 28
 - 4.3 Description of the Simulation Process 29
 - References 33
- 5 Simulation Results** 35
 - 5.1 Manipulating the Frequency and the Period of Self-monitoring . . . 35
 - 5.1.1 Scenario #1 36
 - 5.1.2 Scenario #2 37
 - 5.1.3 Scenario #3 38
 - 5.1.4 Scenario #4 43
 - 5.1.5 Scenario #5 45
 - 5.1.6 Scenario #6 46
 - 5.2 Incorporating Continuous Blood Glucose Monitoring
in the Treatment Regime of the Patient 49
 - 5.2.1 Scenario #7 49
 - 5.3 Comparison of the Clinical-Effectiveness of Different
Monitoring Regimens 51
 - 5.4 Comparison of the Cost-Effectiveness of Different
Monitoring Regimen 54
 - 5.5 Evaluation of the Variance in the Target Estimation of Blood
Glucose Recorded by the Patient and the Actual Blood Glucose
of the Patient 55
 - 5.6 Manipulating the Willingness of the Patient to Adopt a Healthier
Lifestyle 57
 - 5.6.1 Scenario #8 57
 - 5.6.2 Scenario #9 58
 - 5.6.3 Scenario #10 58
 - 5.7 Comparison of the Clinical and Cost Effectiveness Resulting
from Different Willingness Parameters 62
- 6 Control Patient Agent Model** 67
 - 6.1 Methods 67
 - 6.1.1 Control Patient Agent Model Architecture 67
 - 6.1.2 Control Patient Agent Model and Algorithm 68
 - 6.1.3 Assumptions in the Model 71
 - 6.1.4 User Interface 71

- 6.2 Experiments and Results 71
 - 6.2.1 Experiment Configurations 72
 - 6.2.2 Recommended Blood Glucose Range for Diabetic Patients 72
 - 6.2.3 Experimental Results 73
- 6.3 Summary 79
- References 80
- 7 Self-aware Patient Agent Model 81**
 - 7.1 Self Monitoring Blood Glucose 81
 - 7.2 Method 82
 - 7.2.1 Self-aware Patient Agent Model Architecture 82
 - 7.2.2 Self-awareness 82
 - 7.2.3 Self-aware Patient Agent Algorithm 83
 - 7.2.4 User Interface 84
 - 7.3 Experiments and Results 84
 - 7.3.1 Experiment Configurations 84
 - 7.3.2 Experimental Results 85
 - 7.4 Summary 91
 - References 91
- 8 Blood Glucose Monitoring Frequency Evaluation 93**
 - 8.1 Signal Analysis Techniques in Diabetes Physiology 93
 - 8.2 Evaluation Method 94
 - 8.2.1 Blood Glucose Monitoring Frequency 94
 - 8.2.2 Self-aware Patient Agent Categories 95
 - 8.2.3 Interpolation of Samples 97
 - 8.2.4 Normalized Cross-Correlation at Zero Lag 98
 - 8.2.5 Average Value Deviation 102
 - 8.3 Experiments and Results 102
 - 8.3.1 Normalized Cross-Correlation at Zero Lag 103
 - 8.3.2 Average Deviation Value 105
 - 8.4 Summary 110
 - References 115
- 9 Conclusions and Future Work 117**
 - 9.1 The Patient-Physician Interaction Model 118
 - 9.2 Summary of Experiments with the CPA and the SPA Models 119
 - 9.3 Blood Glucose Monitoring Frequency Evaluation 120
 - 9.4 Future Works 121
 - Reference 123