

Contents.

I. Algebraic preliminaries (1).

§ 1. The E_n (1).

affine space (1) — E_n (1) — affine group (1) — G_a (1) — minor (1) — summation convention (1) — A_λ^α , A_λ^α (1) — point space (1) — allowable coordinate transformations (1) — rectilinear coordinates (1) — homogeneous linear group (2) — G_{ho} (2) — centred E_n (2) — point transformations (2) — $\frac{*}{-}$ (2) — dragging along of coordinate system (2) — δ_λ^α (2) — KRONECKER symbol (2, 7) — $\delta_\lambda^{\alpha'}$ (2) — generalized KRONECKER symbol (2) — kernel letter (2) — running indices (2) — fixed indices (2) — kernel-index method (3) — flat submanifold (3) — linear submanifold (3) — C_λ^α (3) — rank (3) — B_β^α (3) — point (3) — straight line (3) — plane (3) — hyperplane (3) — coordinate axes (4) — coordinate planes (4) — coordinate E_p 's (4) — net (4) — lie in (4) — contain (4) — translation (4) — parallel (4) — p -direction (4) — improper E_{p-1} (4) — E_{p-1} "at infinity" (4) — direction (4) — reduction (5) — i/p -parallel (4) — section (4, 5) — spanning (4) — join (4) — projection (4, 5) — screwsense (5) — sense (5) — sense of rotation (5) — opposite (5) — inner orientation (5) — outer orientation (5).

§ 2. Quantities in E_n (6).

quantity (6) — components (6) — kind (6) — sum of quantities (5) — manner of transformation (6) — scalar (6) — contravariant vector (6) — contragredient (6, 7) — contravariant basis (7) — dead indices (7) — living indices (7) — covariant vector (7) — covariant basis (8) — transvection (8) — reciprocal sets (9) — strangling (10) — tensor (10) — affiner (10) — valence (10) — co- and contravariant tensor (10) — cocontravariant (10) — mixed (10) — unity tensor (10) — A_λ^α (10) — intermediate components (11) — equiform (11) — pseudo-tensor (11) — pseudo-scalar (11) — pseudo-vector (11) — class of pseudo-quantity (11) — tensor density (12) — tensor Δ -density (12) — weight (12) — W -tensor (12) — $\tilde{\omega}$ (12) — G_{sa} (12) — connecting quantities (13).

§ 3. Invariant processes and relations (13).

addition of quantities (13) — isomer (13) — general multiplication (13) — contraction (13) — transvection (14) — saturated indices (14) — dummy indices (14) — free indices (14) — mixing (14) — round brackets (14) — symmetric (14) — symmetric part (14) — alternation (14) — square brackets (14) — alternating (14) — alternating part (14) — concomitant (15) — invariant (15) — rational integral (15).

§ 4. Section and reduction with respect to an E_m in E_n (16).

decomposition with respect to a rigged E_m (16) — section (16) — reduction (17) — rigging (17) — projection (18) — E_m -part (19).

§ 5. Rank, domain and support of domain with respect to one or more indices (20).
 μ -rank (20) — μ -domain (20) — support of domain (20) — double brackets $[\square]$ (20).

§ 6. Symmetric tensors (21).

symmetric tensor (21) — symmetric multiplication (21) — divisor of a symmetric tensor (21) — irreducible symmetric tensors (21).

§ 7. Multivectors (22).

multivector (22) — p -vector (22) — bivector, trivector, quadrivector (23) — alternating multiplication (23) — divisor of a multivector (23) — simple multivector (23) — n -vector (23) — $E^{x_1 \dots x_n}$ (25) — $e_{\lambda_1 \dots \lambda_n}^{(x)}$ (25) — ∞ (25) — $\tilde{E}^{x_1 \dots x_n}$ (26) — $\tilde{e}_{\lambda_1 \dots \lambda_n}$ (26) — identifications (27) — pseudo-scalar (27) — tables of alternating quantities in E_3 (28).

§ 8. Tensors of valence 2 (28).

Cocontravariant tensor of valence 2 (28) — trace (29) — spur (29) — eigenvector (29) — eigenvalue (29) — characteristic equation (29) — first canonical form of the matrix (33) — elementary divisors (33) — co- and contravariant tensors (34) — s -vector tensor (34) — adjoint (34, 38) — symmetric co- and contravariant tensors (34) — index (34) — signature (34) — rank tensors (34) — definite (35) — indefinite (35) — semi-definite (35) — co- and contravariant bivectors (35) — blades (36) — classification of trivectors (36) — reduction number (37).

§ 9. Introduction of a metric in an E_n (40).

length (40) — distance (40) — indicatrix (40) — fundamental tensor (41) — euclidean R_n (41) — minkowskian R_n (41, 42) — time-like (41) — space-like (41) — $\pm$ -region (41) — nullcone (41) — unitvector (41) — angle (41) — duration (41) — isotropic E_p (42) — full isotropic E_p (42) — null E_p (42) — perpendicular (42) — cartesian coordinate system (42) — minkowskian proper rotations (43) — LORENTZ transformations (43) — minkowskian reflexions (43) — improper minkowskian rotations (44) — vector (44) — raising and lowering of indices (44) — $I^{x_1 \dots x_n}$ (45) — $i_{\lambda_1 \dots \lambda_n}$ (45) — $i, \tilde{i}$ (45) — g (45) — principal multidirection (46) — theorem of principal axes (46) — theorem of principal blades (46) — orthogonal coordinate transformations (47ff.) — rotations (47) — reflexotations (47) — principal angles (48) — reflexional orthogonal transformations (50) — proper and improper rotations (50) — t/p -parallel (51) — t/p -perpendicular (51).

§ 10. Hybrid quantities (51).

quantities of the first and second kind (51) — hybrid quantities (52) — weight and antiweight (52) — hermitian (symmetric) tensor (52) — hermitian alternating tensor (52) — hybrid bivector (52) — $\pm$ -invertible (53) — index (53) — signature (53) — $\pm$ -definite (53) — indefinite (53) — semi-definite (53) — the auxiliary E_{2n} (53) — principal E_n (53) — first and second set of invariant E_n 's (54) — hermitian fundamental tensor (54) — $\tilde{R}_n$ (54) — ordinary $\tilde{R}_n$ (54) — kets and bras (54) — unitary perpendicular vectors (54) — norm of vector (54) — unitvector (54) — unitary cartesian coordinate systems (54) — unitary orthogonal group (55) — fundamental figure in $\tilde{R}_n$ (55) — nullcone in $\tilde{R}_n$ (55) — the auxiliary R_{2n} (55) — principal multidirections of a hermitian tensor (56) — theorem of principal axes (56).

§ 11. Abridged notations (57).

collecting indices (57) — representative indices (57) — the notation of GIVENS (57) — VITALI's method (57) — CRAIG's extensors (58) — ideal vectors (58) — systems of "direct" calculus (58) — skeleton of a formula (59) — the method of the radius-vector in E_n and R_n (60) — CARTAN's method (61) — abbreviations ad hoc (61).

II. Analytic preliminaries (61).

§ 1. The arithmetic n -dimensional manifold $\mathfrak{A}_n$ (61).

arithmetic point (61) — arithmetic manifold $\mathfrak{A}_n$ (61) — components of the arithmetic point (61) — polycylinder (61) — box (61) — region of $\mathfrak{A}_n$ (62) — neighbourhood (62).

§ 2. The geometric n -dimensional manifold X_n (62).

coordinate system (62) — analytic functions (62) — class of a function (62) — coordinate transformation (63) — pseudo-group (64) — groupoid (64) — super-numerary coordinates (64) — allowable coordinate systems (64) — geometric manifold (64) — X_n (64) — geometric point (64) — KLEIN's principle (65) — cell (65) — region of X_n (65) — imbedding (66) — neighbourhood (66) — analyticity in X_n (66) — geometry in the large or global geometry (66) — class in X_n (66).

§ 3. Geometric objects and quantities in X_n (67).

geometric object at a point (67) — $\{ \}$ (67) — components of geometric object (68) — kind of an object (68) — quantities (68) — connecting objects (68) — pseudo-quantities (69) — pseudo-scalar (69) — class of pseudo-quantities (69) — tangent E_n (69) — local E_n (69) — object field (70) — analyticity of field (70) — class of field (70) — natural derivative (70) — gradient (70) — Grad (70) — D (70) — convention about operators (70) — covariant and contravariant basis vectors in X_n (70f.) — $e^\alpha_\lambda, e^\alpha_\lambda$ (71) — A^α_λ (71) — δ^α_λ (71) — region of constant rank (71) — contra- and covariant measuring vectors (71).

§ 4. The X_m in X_n (72).

functional matrix (72) — rank of a set of functions (72) — theorem of adaptation (73) — rank of a system of equations (73) — null point of a system of equations (73) — nullmanifold (73) — null form (73) — equivalent systems (73) — minimal regular (73) — dimension of nullmanifold (73) — imbedding (74f.) — m -dimensional surface (74) — curve, surface, hypersurface (74) — covariant connecting quantity (74) — base (74) — first and second base theorem (74f.) — base transformation (75) — parametric form or representation (75) — minimal regular (75) — contravariant connecting quantity (75) — coordinate X_m 's (76) — normal system of X_m 's (76) — net of a coordinate system (76) — reduction (Zusammenlegung) of X_n (76) — tangent E_m (77) — section with X_m (77) — reduction with respect to X_m (77) — rigged (77) — parts of a tensor (77) — prolongation of a field of X_m over X_n (78).

§ 5. The E_m -field or X_m^m in X_n . Systems of linear partial differential equations (78).

section with X_m^m (78) — reduction with respect to X_m^m (78) — rigged X_m^m (79) — parts of a tensor (79) — enveloping (79) — outer and inner problem (79) — PRAFF's problem (79) — solution of a system of partial differential equations (79) — nullpoint of a system (80) — totally integrable systems (80) — conditions of integrability (80) — homogeneous linear equations (80) — adjoint systems (80) — integral function (80) — integral (80) — derived systems (81) — complete systems (81) — X_m -forming E_m -field (81) — non homogeneous linear equations (82) — reduced system (82) — complete non homogeneous systems (82) — gradient equation (83).

§ 6. The invariant operators Rot and Div (83).

alternated derivative (83) — natural derivative (83, 84) — rotation (83) — Rot (83) — D (83) — divergence (84) — Div (84) — gradient product (84) — theorem of rotation and divergence (85) — other conditions of integrability (86ff.) — section of a rotation (89).

§ 7. PFAFF'S problem (89).

class K (89) — rotation class 2ρ (89) — similarity class h (89) — supports of rotation (90) — supports (90) — characteristics (90) — S_1, S'_1, S_4, S'_4 (90) — similarity transformations (91) — gradient transformations (91) — table of results (92) — canonical form (93) — w_λ is X_ν -enveloping, $\nu = n - \rho - \varepsilon$ (94) — special canonical forms (94).

§ 8. Theorem of STOKES (95).

generalized theorem of STOKES (97) — differential forms (97 f.) — non invariant forms (99).

§ 9. Anholonomic coordinates (99).

anholonomic coordinate system (h) (99) — net (100) — A_λ^h (100) — $\stackrel{h}{=} (100)$ — $(d\xi)^h$ (100) — object of anholonomy Ω_{ji}^h (100) — X_m in X_n with anholonomic coordinates (100) — X_n^m with anholonomic coordinates (101) — intermediate components $\Omega_{\mu\lambda}^h$ of Ω_{ji}^h (101).

§ 10. The LIE derivative (102).

dragging along of a coordinate system (102) — dragging along of an object field (102) — dragging along over $v^* dt$ (103) — operator e^{tX} (104) — displacement over τv^* (104) — infinitesimal point transformation (104) — group generated by an infinitesimal transformation (104) — LIE derivative, LIE differential (104) — LIE derivative of sums, products, transvections, contractions (106) — LIE derivative of scalars, vectors, tensors, p -vectors, densities (106) — Δ -densities (107) — geometric objects (107) — absolutely invariant fields (107) — absolute invariance with respect to streamlines (107) — LIE derivative of $\Pi_{\mu\lambda}^*$ (108) — operator $e^{t\xi}$ working on linear geometric objects (108) — $\xi \xi^*$ and $\xi \xi^*$ (109) — commutativity of ξ and D (110).

§ 11. The LAGRANGE derivative (111).

LAGRANGE derivative (112) — LAGRANGE equation (112) — relations for LAGRANGE derivative (114).

§ 12. CARTAN'S symbolical method (117).

alternating differential form (118) — symbolical method of CARTAN and KÄHLER (119) — symbolical method applied to geometric objects (119) — scheme of translation (120) — examples (120 f.).

III. Linear connexions (121).

§ 1. Parallel displacement in an E_n (121).

covariant differential and derivative (122) — parameters of parallel displacement (122) — δ, ∇_μ (122).

§ 2. Parallel displacement in X_n (123).

parallel displacement of quantities (123) — conditions for the covariant differential (124) — $\Gamma_{\mu\lambda}^*$ (124) — linear displacement (125) — linear connexion (125) — geometric interpretation (125) — covariant stationary (125 ff.) — covariant constant (125 f.) — recurrent or parallel field (126) — $S_{\mu\lambda}^*$ (126) — symmetric and semi-symmetric connexion (126) — geometric interpretation (127) — displacement of points (127) — CARTAN displacement (128 f.) — covariant differentiation of densities (129) — covariant differentiation of pseudo-quantities (130) — parallel displaced field (130).

§ 3. A linear connexion expressed in terms of $S_{\mu\lambda}^{\cdot\cdot\cdot\kappa}$, an auxiliary symmetric tensor field $g_{\lambda\kappa}$ of rank n and $\nabla_{\mu} g_{\lambda\kappa}$ (131).

CHRISTOFFEL symbol (132) — $\{\mu\lambda\}^{\kappa}$ (132) — $\{\mu\lambda\kappa\}$ (132) — metric connexion (132) — U_n (133) — fundamental tensor (133) — V_n (133) — riemannian geometry (133) — ordinary U_n and V_n (133) — semi-metric connexion (133) — W_n (133) — WEYL's geometry (133) — conformal transformation of $g_{\lambda\kappa}$ (134) — "Umeichung" (134) — W_n dealt with by means of pseudo-tensor (135) — necessity of fundamental tensor of valence 2 (135 ff.) — rings of quantities (137).

§ 4. Curvature (138).

$R_{\nu\mu\lambda}^{\cdot\cdot\cdot\kappa}$ (138) — RIEMANN-CHRISTOFFEL tensor (139) — curvature tensor (139) — integrable connexion (139) — $\nabla_{[\nu} \nabla_{\mu]}$ and the rule of LEIBNIZ (139 f.) — application to densities and pseudo-quantities (140 f.) — $V_{\nu\mu}$ (140) — $R_{\mu\lambda}$, $K_{\mu\lambda}$ RICCI tensor (141) — teleparallelism or absolute parallelism (142) — $R_{\nu\mu\lambda}^{\cdot\cdot\cdot\kappa}$ and integrability conditions (142) — the ideal factors a_{λ} , b_{λ} (143) — special semi-symmetric and metric connexions (143) — volume preserving connexions (144).

§ 5. The identities for the curvature tensor (144).

first and second identity (144) — third and fourth identity (145) — principal directions of V_n (146) — BIANCHI's identity (146) — K (148) — $G_{\kappa\lambda}$ (148) — scalar curvature κ (148) — Gaussian curvature (148) — RICCI space, special (148) — EINSTEIN space, special (148) — theorem of HERGLOTZ (148) — space of constant curvature (148) — S_n (148) — $\overset{p}{V}_{[\mu\dots]}^{\cdot\cdot\cdot}$ (149) — $\overset{p+1}{V}_{[\nu} \overset{p}{V}_{\mu\dots]}^{\cdot\cdot\cdot}$ and the rule of LEIBNIZ (149) — geometric interpretation of $\overset{p}{V}_{[\mu\dots]}^{\cdot\cdot\cdot}$ (150) — field in equilibrium (150) — geometric interpretation by means of CARTAN displacements (151 f.) — LIE derivative of $\overset{\kappa}{F}_{\mu\lambda}$ (152) — $\overset{\kappa}{F}$ expressed in terms of $\overset{p}{V}$ instead of ∂ (152) — $\overset{\kappa}{F}_{\nu} \overset{p}{V}_{\mu} - \overset{p}{V}_{\nu} \overset{\kappa}{F}_{\mu}$ (152) — riemannian curvature with respect to a 2-direction (153) — theorem of SCHUR (153).

§ 6. Integrability conditions in L_n (153).

integrability conditions with $\overset{p}{V}$ (154) — possibility of covariant constant n -vector fields (155).

§ 7. Geodesics and normal coordinates (155).

geodesic (155) — affine parameter (155) — symmetric connexion determined by geodesics and their affine parameters (156) — coordinate system geodesic at a point (157) — $\overset{\kappa}{F}_{\mu_p\dots\mu_1\lambda}$ (157) — normal coordinates in A_n (158) — normal tensors (159 f.) — extension (160) — relations between the R 's and the N 's (162) — A_n symmetric with respect to a point (163) — $R_{\nu\mu\lambda}^{\cdot\cdot\cdot\kappa}$ covariant constant in symmetric A_n (163) — differential concomitants (164) — absolute and relative differential invariants (164) — first and second reduction theorem (164).

§ 8. FERMI coordinates (166).

FERMI coordinates (169) — generalization for X_m (169).

§ 9. Linear connexions expressed in anholonomic coordinates (169).

$\overset{h}{F}_{ji}^{\cdot\cdot\cdot}$ (169) — $\overset{h}{F}_j$ (169) — $\overset{h}{Q}_{jih}$ (170) — $\overset{h}{X}_{jih}$ (170) — $\overset{h}{F}_{jih}$ (170) — $\overset{h}{Y}_{jih}$ (171) — coefficients of rotation (171) — $\overset{h}{R}_{kji}^{\cdot\cdot\cdot}$ (172) — $\overset{h}{V}_{kj}$ (172).

§ 10. CARTAN'S symbolical method used for connexions (172).

$A^h, \Omega^h, I_i^h, S^h, R_i^h$ (172) — structural equations of L_n (173) — théorème de conservation de la courbure et de la torsion (173) — $[\bar{V} \dots]$ (174) — mapping of two sets of n vector fields on each other (174 f.) — mapping of two L_n 's on each other (176 ff.).

§ 11. Linear connexions depending on a non-symmetric fundamental tensor (179).

non-symmetric fundamental tensor (179) — $s_{\lambda\kappa}, S^{\lambda\kappa}, s^{-1\lambda\kappa}, \bar{s}, \bar{\otimes}^{\lambda\kappa}, h_{\lambda\kappa}, k_{\lambda\kappa}$ (180) — the connexion $I_{\mu\lambda}^{\kappa}$ (180) — $\mathfrak{G}_{\mu\lambda}^{\kappa}$ (180) — the $(- - +)$ -differentiation (180) — $\bar{\otimes}^{[\mu\lambda]}$ and its divergence (181) — $*I_{\mu\lambda}^{\kappa}$ (181 ff.) — the condition for $*S_{\lambda}$ (181) — the four necessary relations derived by means of the LIE derivative (183) — the connexion $*I_{\mu\lambda}^{\kappa}$ in special cases (184) — first geometrical interpretation of the condition (184) — EINSTEIN'S interpretation (184) — discussion of results (184 f.).

IV. LIE groups and linear connexions (185).

§ 1. Finite continuous groups (185).

r -parameter finite continuous group (185) — unity element (185) — group germ (186) — group space (186) — $(\pm)$ -equipollent (186) — $(\pm)$ -constant (187) — $\bar{I}_{\gamma\beta}^{\alpha}$ (187) — $(\pm)$ -connexion (187) — $(\pm)$ -parallel (187) — $\bar{R}_{\gamma\beta}^{\alpha} \bar{\gamma}^{\beta} = 0$ (187) — anholonomic coordinate systems (a) and (A) (187 ff.) — geodesic (188) — $I_{\gamma\beta}^{\alpha}$ (188) — (θ) -connexion (188) — $V, \bar{V}, \bar{V}$ (189) — $\bar{S}_{\gamma\beta}^{\alpha}$ (189) — $c_{\gamma\beta}^{\alpha}, c_{cb}^a, c_{CB}^A$ (190) — $c_{cb}^a = \text{const.}, c_{CB}^A = \text{const.}$ (190) — $R_{\delta\gamma}^{\alpha} \bar{\gamma}^{\beta} = 0$ (191) — $V_{\epsilon} R_{\delta\gamma}^{\alpha} \bar{\gamma}^{\beta} = 0$ (191).

§ 2. The parameter-groups and the adjoint group of a finite continuous group (191).

continuous group (191) — parameter-groups (191 f.) — special anholonomic coordinate systems in general X_r (195 ff.) — application to group space (196) — structural formulae of the parameter-groups after LIE and after MAURER-CARTAN (196) — structural constants (196) — $\mathfrak{L}, \mathfrak{L}$ (197) — finite transformations of the parameter-groups (197) — adjoint group (198) — centre (198) — homologous elements and subgroups (198) — invariant or normal subgroup (198) — linear adjoint group (199) — normal coordinates η^a (199) — series for A_B^a (200) — linear transformations of the η^a (200).

§ 3. Finite continuous transformation groups (201).

essential parameters (201) — connected and dependent infinitesimal transformations (203) — theorem I. 1 (203) — structural formulae of a transformation group after LIE and their generalization by means of the LIE derivative (205) — structural constants (205) — theorems II. 1, III. 1, I. 2 (206) — theorem II. 2 (207) — generators of a group germ (208) — theorem III. 2 (208).

§ 4. The geometry of group space (209).

relations between general coordinates and the normal coordinates η^a (209 ff.) — series for A_b^a, A_b^a, A_B^a and A_B^a (211) — series for $A_B^a, I_{cb}^a, \bar{I}_{cb}^a$ and c_{cb}^a (212 f.) — reflexions at the point η^a (213).

§ 5. Invariants of a transformation group in the X_n of the $\mathfrak{L}^{\kappa}$ (214).

invariant functions (214) — invariant subspace (215) — relative invariant sets of functions (215) — smallest invariant subspace through a point (215) — group induced in invariant subspace (216) — transitive (216) — simply transitive (217 f.) — invariant contravariant vector fields (217 ff.) — primitive (218).

§ 6. Invariants of a group in group space (220).

g_b, g_{ba}, g_{cba} (220) — X_p 's representing subgroups (221 ff.) — the group of g_b , the centre (224) — the derived groups (224 f.) — the group of g_{ba} (225) — the group of $c_b^{\cdot d} g_{da}$ (225).

§ 7. Properties of integrable groups (225).

integrable groups (225) — necessary and sufficient conditions (225) — canonical form for an integrable group (226).

§ 8. Simple and semi-simple groups (227).

the group space of a semi-simple group is a V_r (227).

V. Imbedding and Curvature (227).

§ 1. The X_1 in V_n (227).

linear element (227) — first curvature (228) — curvatura geodetica (228) — curvature vector (228) — first normal (228) — osculating R_2 (228) — stationary point (228) — second curvature (229) — second normal (229) — osculating R_3 (229) — stationary osculating R_2 (229) — higher curvatures (229) — osculating R_m (229) — FRENET formulae (229 f.) — natural equations (230) — invariance of the proportions of the curvatures (230) — contact of order u of a curve and a hypersurface (231).

§ 2. The X_1 in W_n and L_n (231).

X_1 in W_n (231) — X_1 in L_n (231) — osculating p -direction (232) — affine parameter (232) — affine length (233).

§ 3. The X_{n-1} in A_n (235).

X_{n-1} in A_n (235) — rigged X_{n-1} (235) — pseudo-normal vector (235) — tangent vector (235) — first normalizing condition (235) — induced connexion (236) — h_{cb} (236) — principal tangents (237) — asymptotic lines (237) — directions of principal curvature (237) — equation of GAUSS for A_{n-1} in A_n (237) — second condition of normalization (237) — equations of CODAZZI for A_{n-1} in A_n (238) — different cases of normalization in a volume preserving A_n (238 ff.) — integrability conditions for an A_{n-1} in E_n (240).

§ 4. The V_{n-1} in V_n (242).

V_{n-1} in V_n (242) — equations of GAUSS and CODAZZI for V_{n-1} in V_n and R_n (242) — second fundamental tensor (243) — integrability conditions for V_{n-1} in R_n (243) — bending (244).

§ 5. Congruences in V_n (244).

real congruences (244) — canonical congruences (245) — normal congruences (245) — geodesic congruences (245) — orthogonal net (246) — orthogonal system (246) — congruences belonging to an orthogonal system (246 ff.) — conditions for the principal directions of a symmetric tensor to be V_{n-1} -normal (247 f.) — conditions for the eigenvectors of a co-contravariant tensor to be X_{n-1} -forming (248 f.).

§ 6. Properties of curvature of a V_{n-1} in V_n (250).

absolute, relative and enforced curvatures and curvature vectors (250) — theorem of MEUSNIER (250) — directions of principal curvature (250) — principal curvatures (250) — mean curvature (250) — theorem of DUPIN (250) — principal tangents (250) — asymptotic lines (250) — geodesic V_{n-1} in V_n (251) — umbilical point (251) — umbilical V_{n-1} (251) — SCHUR space (252) — V_{n-1} in S_n (252) — S_{n-1} in S_n (252) — indicatrix of DUPIN (252) — theorem of EULER (253).

§ 7. The rigged X_n^m in L_n and X_n (253).

X_n^m rigged in L_n (253 ff.) — D -symbolism, D_μ , D_c , D_z (254) — full sets of components (255) — skeleton of a formula (255) — first and second curvature tensors $H_{cb}^{m'}$, $L_c^{m'a}$, $H_{zy}^{m'}$, $L_z^{m'x}$ (256) — $L_n^m(A_n^m)$ in $L_n(A_n)$ (257) — $Z_{cb}^{m'x}$, $Z_{zy}^{m'a}$ (257) — $\Omega_{cb}^{m'a}$, $\Omega_{cy}^{m'}$, $\Omega_{zy}^{m'x}$, $\Omega_{zy}^{m'x}$ (258) — $\nu_{dc}^{m'a}$, $\nu_{zy}^{m'x}$ (260) — $\mathfrak{D}_c$, $\mathfrak{D}_z$ (260 f.) — $R_{dc}^{m'}$, $R_{zy}^{m'a}$ (261) — equation of GAUSS for L_n^m in L_n (261) — $R_{dc}^{m'x}$, $R_{zy}^{m'a}$ (261 f.) — equations of RICCI for L_n^m in L_n (261 f.) — equations of CODAZZI for L_n^m in L_n (262 f.) — geodesic L_n^m (263) — $L_n^m(A_n^m)$ rigged in X_n (263 f.) — generalization of $\mathfrak{D}_c$ and $\mathfrak{D}_z$ (264).

§ 8. The rigged X_m in A_n (265).

X_m^m rigged in A_n (265) — equations of GAUSS, CODAZZI and RICCI for A_m in A_n (266 f.) — equations for A_m in E_n (267) — supposition of SCHLÄFLI (268) — class of A_m (268).

§ 9. The V_n^m and V_m in V_n and X_n (269).

V_n^m in V_n (269) — V_n^m in X_n (270) — V_m in V_n (271) — absolute, relative and enforced curvature vectors (271) — principal tangent (271) — asymptotic lines (271) — first curvature region (271) — curvature figure (Krümmungsgebilde) (271) — axial, planar and spatial points (272) — umbilical point (272) — umbilical V_m (272) — mean curvature vector (272) — minimal V_m (272) — transposition of a problem of variation (273).

§ 10. Higher curvatures of a V_m in V_n (275).

p -th curvature region (275) — asymptotic V_m of order p (275) — asymptotic lines of order p on V_m (275) — higher curvature tensors of valence 3 (276) — generalization of the FRENET formulae for V_m in V_n (277) — equations of GAUSS, CODAZZI and RICCI involving higher curvatures (278 ff.) — imbedding theorems (280 ff.) — W_m in W_n and A_m in A_n (285).

§ 11. Product spaces (285).

product spaces (285) — decomposable spaces (285) — breakable and decomposable objects (285) — covariant constant symmetric tensor fields (286).

VI. Projective and conformal transformations of connexions (287).

§ 1. Projective transformation of a symmetric connexion (287).

vector p_λ of projective transformation (287) — preservation of parallelism (287) — restricted projective transformation (288) — volume preserving connexion (288) — projectively euclidean connexion (288 ff.) — D_n (288) — projective curvature tensor (289) — necessary projective transformation of an E_n into an E_n (290).

§ 2. Projective transformation of the connexion in a V_n (292).

every S_n a D_n (292) — projective transformation of a V_n into a V_n (292) — equations of LAMÉ (296).

§ 3. Imbedded spaces in A_n under projective transformations of the connexion (296).

induced connexion transformed projectively (297) — X_{n-1} in A_n (297 f.) — curve in A_n (298) — quasi-plane curve (298) — affine parameter (299) — affine normal (299) — affine conic (299).

§ 4. Projective connexions (300).

projective parameters of T. Y. THOMAS (301f.) of WHITEHEAD and of BORTOLLOTTI (302) — connexion of CARTAN (302) — connexion of KÖNIG (303) — geometry of paths (303) — homogeneous coordinates of VAN DANTZIG (303) — K -spreads of DOUGLAS (303).

§ 5. Conformal transformation of a connexion in V_n (304).

geodesic and conformal properties fix a V_n (304) — conformally euclidean V_n (305) — C_n (305) — every V_2 an S_2 (306) — conformal curvature tensor (306f.) — orthogonal systems in C_n (307) — umbilical V_{n-1} 's (308f.) — conformally geodesic V_m 's (309ff.) — theorem of THOMSON and TAIT (310) — null geodesic invariant (310) — umbilical points invariant (310) — theorem of LIOUVILLE and LIE (312).

§ 6. Conformal transformations of the connexion in an EINSTEIN space (312). integrability conditions (313) — conformally invariant tensor density $\mathfrak{G}_{\kappa\lambda}$ (313) — theorem of BRINKMAN (314).

§ 7. Conformal connexions (315).

conformal parameters of J. M. THOMAS (315) — connexions of CARTAN, KÖNIG, T. Y. THOMAS and of SCHOUTEN-HAANJES (316).

§ 8. Subprojective connexions (317).

k -fold projective A_n (317) — subprojective A_n (317) — pole direction (317) — theorem of RACHEVSKI (317) — every subprojective connexion projectively invariant (319) — auxiliary algebraic theorem (320) — subprojective D_n (321).

§ 9. ADATI's problem (321).

torse forming fields (322) — concircular, special concircular, concurrent, recurrent, parallel and covariant constant fields (322f.) — chief theorem of the subprojective connexions (324) — special solutions (325f.).

§ 10. Subprojective transformations of a connexion in A_n (327).

subprojective transformation of a connexion belonging to a direction field (327) — subgeodesics belonging to a direction field (327).

§ 11. The subprojective V_n (328).

every subprojective V_n , $n > 2$, a special C_n (329) special cases (329).

§ 12. Concircular transformations of a V_n (330).

geodesic circles (330) — concircular transformations (330ff.) — relations with the principal directions of V_n (321f.) — umbilical V_m 's (321) — necessary and sufficient conditions for a V_n to admit a concircular transformation (322f.) — concircular curvature tensor (334) — concircular euclidean V_n (334).

VII. Variations and deformations (335).

§ 1. General deformation problems (335).

natural value of a field (335) — value after dragging along (335) — value after pseudoparallel displacement (335) — operators invariant with respect to certain objects (336) — covariant differential (336) — LIE differential $\mathfrak{L}_v dt$ (336) — apparent differential $\frac{D}{s} dt$ (336) — identities (337) — natural variation $\overset{n}{D} dt$ (335) — absolute variation $\overset{a}{D} dt$ (338) — geodesic variation $\overset{g}{D} dt$ (338) — relations between these operators (338) — a deformation problem (339) — product integrals (340ff.) —

transposition of a variation problem (341) — $'D = \overset{n}{D} = \overset{a}{D}$ (341) — BERTRAND curves and their generalizations (342ff.).

§ 2. Groups of "motions" in V_n and L_n (346).

affine, conformal, homothetic and projective motions (346) — details on affine motions (346f.) — number of parameters of groups of motions in V_n and A_n (348) — KILLING's equation (348) — translation (349) — translations in V_n (349) — groups of motions in V_n and projective mapping (349) — number of parameters of the group of all motions in a V_n (350).

§ 3. Deformation of subspaces (352).

details on V_m in V_n under infinitesimal transformations (352ff.) — deformation of V_m^m in V_n , L_m in L_n and L_n^m in L_n (352ff.) — method of transposition impossible for X_m in X_n (354) — method of NIJENHUIS for the rigged X_n^m in X_n (354ff.) — the rigged L_n^m in X_n (358ff.).

§ 4. The holonomy group of an L_n (361).

the holonomy group (361) — non homogeneous holonomy group (361) — the infinitesimal transformations of the holonomy group deduced by means of product integrals (362ff.) — generators of the holonomy group (363f.) — introduction of an auxiliary tangent E_r (364) — extension of covariant differentiation (364ff.) — covariant constant fields and the holonomy groups (367) — special results for $L_n = V_n$ (367f.) — the V_n with a recurrent curvature tensor (368) — product spaces (370).

§ 5. Affine motions and the holonomy group in a symmetric A_n (370).

the holonomy group in a symmetric A_n (370) — equations for the affine motions (371) — extension of the LIE operator (372) — group of isotropy (373) — the group of affine motions is transitive (374) — number of parameters (374).

§ 6. CARTAN'S method applied to the holonomy group and the symmetric A_n (375).

introduction of local coordinate systems (375) — the allowable anholonomic coordinate system in a region (375) — the infinitesimal transformations of the holonomy group (376) — the case of the symmetric A_n (377) — the case of the general A_n (377ff.) — group of point transformations in a symmetric A_n leaving the connexion invariant (381).

VIII. Miscellaneous Examples (381).

§ 1. The harmonic V_n (381).

V_n harmonic at a point (381) — characteristic function (382) — completely harmonic (382) — centrally harmonic (382) — RUSE's invariant (382) — simply harmonic (383) — equation of LICHNEROWICZ (384) — equations of COPSON and RUSE (385) — condition for a completely harmonic V_n to be an EINSTEIN space, an S_n or an R_n (385ff.) — SCHUR space and centrally harmonic space (385) — a completely harmonic V_n that is not an S_n (386) — the inequality of LICHNEROWICZ (388) — imbedding of an EINSTEIN V_n and a completely harmonic V_n in S_{n+1} (388).

§ 2. Connexions for hybrid quantities (388ff.).

analytic and semi-analytic fields (389) — the new conditions for the connexion of hybrid quantities (389) — most general form of connexion (389) — the auxiliary X_{2n} (390) — the two invariant sets of $\infty^n X_n$'s in X_{2n} (390) — equipollent figures (390) — the principal X_n in X_{2n} (390) — most general connexion in X_{2n} (391) — first invariant conditions: the tangent n -directions are parallel (391) — second invariant condition: the principal X_n is geodesic (391) — third invariant condition about equipollence and parallelism (392) — the $\tilde{L}_n$ (393) — the auxiliary X_{2n}

is an L_{2n} (393) — curvature tensors in $\tilde{L}_n$ (393 ff.) — first and second identity (393) — identity of BIANCHI (393) — $V_{\tilde{\nu}\mu}$ and $V_{\tilde{\nu}\mu}^*$ (394) — identities found by contraction (394 f.) — the $\tilde{A}_n$ (394) — necessary and sufficient conditions for a semi-analytic scalar field to be analytic (395) — necessary and sufficient conditions for a semi-analytic transformation of X_n to be analytic (395).

§ 3. Unitary connexions (395 ff.).

hermitian tensor field $a_{\lambda\bar{\lambda}}$ (395) — unitary connexion (396) — the $\tilde{U}_n$ (396) — fundamental tensor of a $\tilde{U}_n$ (396) — connexion in a $\tilde{U}_n$ derived from a connexion in an X_{2n} with a symmetric fundamental tensor (397 f.) — the auxiliary X_{2n} is a U_{2n} (397) — the $\tilde{V}_n$ and its auxiliary V_{2n} (397) — the $a_{\lambda\bar{\lambda}}$ in a $\tilde{V}_n$ derived from a scalar (397 f.) — KÄHLER space (397) — the curvature tensors of a $\tilde{U}_n$ (398 ff.) — $V_{\tilde{\nu}\mu}$ vanishes and $V_{\tilde{\nu}\mu}^*$ is hermitian (398) — the four identities in $\tilde{U}_n$ (398 f.) — BIANCHI's identity in $\tilde{U}_n$ (399) — S_λ a gradient in a semi-symmetric $\tilde{U}_n$ (399) — $R_{\tilde{\nu}\lambda}$ hermitian in a $\tilde{V}_n$ (399) — the identities in $\tilde{V}_n$ (399) — list of formulae in $\tilde{L}_n$, $\tilde{A}_n$, $\tilde{U}_n$ and $\tilde{V}_n$ (400 f.) — mutually perpendicular analytic fields of unitvectors in $\tilde{U}_n$ and the integrability and analyticity of the connexion (402 f.) — a $\tilde{V}_n$ with an analytic connexion is a $\tilde{R}_n$ (403).

§ 4. The $\tilde{V}_n$ of constant curvature (404 ff.).

$\tilde{V}_n$ of constant curvature (404) — $\tilde{S}_n$ (405) — projective transformation of an $\tilde{S}_n$ into an $\tilde{R}_n$ (405) — the linear element of FUBINI and STUDY in $\tilde{S}_n$ (406) — hermitian non euclidean geometry (406).

§ 5. Imbedding in an $\tilde{L}_n$ (407 ff.).

a rigged X_m in $\tilde{L}_n$ (407) — B_b^x , C_λ^x (407) — the X_m is an L_m (408) — induced connexion (408) — a rigged X_m in $\tilde{A}_n$ is an $\tilde{A}_m$ (408) — $H_c^{\dot{x}\dot{b}}; L_c^{\dot{x}\dot{a}}; l_c^{\dot{x}\dot{a}}_\lambda$ (408) — geodesic L_m in $\tilde{L}_n$ (409) — two GAUSS equations (410) — five CODAZZI equations (410) — two RICCI equations (410) — the GAUSS, CODAZZI and RICCI equations in $\tilde{U}_n$ (411 f.) — imbedding in $\tilde{V}_n$ (412).

§ 6. Curves in a $\tilde{U}_n$ with a positive definite fundamental tensor (412 ff.).

the $\tilde{U}_1$ in $\tilde{U}_n$ (412) — the dz of COBURN (412) — the $\tilde{R}_1$ in $\tilde{U}_n$ (414) — curves with a real parameter (415).

§ 7. Conformal transformation of a connexion in $\tilde{U}_n$ (413 ff.).

a conformal transformation is also restricted projective transformation (415) — a $\tilde{V}_n$ determined by its conformal properties only (416) — conformal euclidean $\tilde{V}_n$ (416) — $\tilde{C}_n$ (416) — conformal curvature tensor (417) — $C_{\tilde{\nu}\mu\lambda}^{\dot{x}}(417)$ — conformally symmetric $\tilde{U}_n$ (417).

§ 8. Conformal unitary connexions (418 ff.).

$\mathfrak{A}_{\lambda\kappa}$ (418) — conformal connexion $\tilde{\Pi}_{\mu\lambda}^{\dot{x}}(419)$ — $\tilde{V}$ (419) — $\tilde{R}_{\nu\mu\lambda}^{\dot{x}}(419)$ — $\tilde{R}_{\tilde{\nu}\mu\lambda}^{\dot{x}}(419)$.

§ 9. Spaces of recurrent curvature (421 ff.).

recurrent curvature tensor (421) — K_n , K_n^* (421) — k_ω always a gradient (421) — the decomposable K_n^* (421 f.) — flat extension (422) — null-extension (422) — the three cases for the simple K_n^* (423) — classification of simple K_n^* 's (423 f.) — linear elements of WALKER (424).

Bibliography	425
Index	512