

Contents

1 DNA Polymorphisms

1.1 Biostatistics

Measurement Error in Determination of Band Size for Highly Polymorphic Single-Locus DNA Markers (<i>D. W. Gjertson, J. Hopfield, P. A. Lachenbruch, M. R. Mickey, T. Sublett, C. Yuge, P. I. Terasaki, Los Angeles, USA</i>)	3
Use of a Spreadsheet Template and Microcomputer to Calculate Gene Frequencies of Multi-allele Systems (<i>M. A. Helgeson, L. Wiessner, H. F. Polesky, Minneapolis, USA</i>)	12
Likelihood Calculations in Paternity Testing on the Basis of DNA Fingerprints (<i>R. Fimmers, J. T. Epplen, P. M. Schneider, M. P. Baur, Bonn, Martinsried and Mainz, FRG</i>)	14
Biostatistical Approaches Using Minisatellite DNA Patterns in Paternity Cases (Mother-Child-Putative Father Trios) (<i>K. Hummel, W. Bär, K. Zang, Freiburg, FRG, Zürich, Switzerland and Homburg, FRG</i>)	17
Kinship Plausibilities from DNA Fingerprints (<i>K. Hummel, N. Fukshansky, W. Bär, Freiburg, FRG and Zürich, Switzerland</i>)	20

1.2 Methodology, Data Bases

Rapid Preparation of DNA for RFLP Analysis and DNA Fingerprinting (<i>G. Holmlund, P. Hyltén, K. Friberg, B. Lindblom, Linköping, Sweden</i>)	23
A Simple and Efficient Non-organic Procedure for the Extraction of DNA from Evidentiary Samples (<i>A. Turck, B. Schall, S. Maguire, L. Belluscio, S. Nawoschik, R. McKee, J. Grimberg, A. Eisenberg, Valhalla, USA</i>)	26
DNA Extraction from Small Samples Using a Microextraction Method with Low Gelling Temperature (LGT) Agarose (<i>M. Prinz, H. Haas, M. Staak, G. Berghaus, Köln, FRG</i>)	29
VNTR Polymorphism: Reproducibility in Techniques and Interpretation (<i>G. Holmlund, B. Lindblom, Linköping, Sweden</i>)	34

VIII

A Non-isotopic DNA Detection System with the Sensitivity of ^{32}P : Applications for Paternity and Forensic Identifications (<i>H. J. Baum, H. Fritz-Charles, R. McKee, Valhalla, USA</i>)	37
Rapid, Simple, Non-isotopic Probing of Southern Blots for DNA Fingerprinting (<i>A. F. Giles, K. J. Booth, J. R. Parker, A. J. Garman, D. T. Carrick, H. Akhavan, A. P. Schaap, Cheshire, United Kingdom and Detroit, USA</i>)	40
Simultaneous DNA Probing of Paternity Cases Using Non-isotopic Methods (<i>D. D. Dykes, S. A. Miller, M. S. Schanfield, Denver, USA</i>)	43
Comparison of Chemiluminescent and Radioactive Methods of DNA Typing (<i>L. R. Liss, G. R. Hudson, Madison, USA</i>)	48
On the Effectiveness of Three DNA Probes in Hybridization Experiments Over HINF I Blots Containing Aged/Degraded Samples (<i>E. D'Aloja, V. L. Pascali, M. Dobosz, M. Pescarmona, A. Fiori, Roma, Italy</i>)	51
Accuracy, Precision and Site-to-Site Reproducibility in Analysis of DNA Polymorphisms for Identity Testing (<i>I. Balazs, J. Chimera, A. Eisenberg, D. Endean, R. Giles, J. Kately, S. Maguire, B. Schall, A. Turck, R. McKee, Valhalla, Burlington, Milwaukee, Dallas and Lansing, USA</i>)	54
Elements of a Quality Assurance (QA)/Quality Control (QC) Program for DNA Testing (<i>J. L. Mudd, Quantico, USA</i>)	57
Investigation of Aged Blood Samples by Means of Single-Locus DNA Probes (<i>G. Hummelsheim, L. Henke, J. Henke, Dortmund and Düsseldorf, FRG</i>)	60
Problems Associated with the Determination of Band Match Probabilities (<i>P. Gill, D. J. Werrett, I. W. Evett, Berkshire, United Kingdom</i>)	63
Allele Frequencies Distribution of Two VNTR Markers (YNH24; YNZ22) in PST I Digests from Random Italian Individuals (Population of Rome) (<i>V. L. Pascali, E. D'Aloja, M. Dobosz, M. Pescarmona, A. Fiori, Roma, Italy</i>)	68
Hardy-Weinberg Equilibrium Analysis of DNA Polymorphic Loci that Exhibit a Continuous Distribution of Fragment Sizes (<i>I. Balazs, M. L. Baird, K. McElfresh, J. Udey, Valhalla, USA</i>)	71
Segregation of Single-Locus DNA-Fragments in a Large Family (<i>J. Henke, L. Henke, S. Cleef, M. Zakrzewska, K. Sander, Düsseldorf, FRG</i>)	75

1.3 Practical Use

Comparison of HLA Antigens and DNA Polymorphisms in Parentage Testing (<i>R. T. Acton, L. Harman, R. C. P. Go, Birmingham, USA</i>)	77
---	----

A Comparative Paternity Study: DNA vs Traditional Testing (<i>D. J. Endean, A. M. Schmitz, C. Callaway, J. L. Gottschall, Milwaukee, USA</i>)	80
Compatibility of Several HVR-Type Probes with Pvu II Restriction Endonuclease and Advantages of Pvu II Over Other Commonly Used Enzymes (<i>R. W. Allen, B. A. Hoover, L. Santiago, J. Miller, St. Louis, USA</i>)	83
Analysis of Case Work Samples by Single Locus VNTR Polymorphisms (<i>M. L. Baird, K. McElfresh, L. McNally, L. Bennett, J. Coleman, D. Vining, J. Sgueglia, M. Keel, L. Galbreath, R. Cunningham, I. Balazs, Valhalla, USA</i>)	88
Routine Use of a Single Locus DNA Probe (<i>H. F. Polesky, M. Mount, J. M. Souhrada, Minneapolis, USA</i>)	92
Results on Selected Trios Tested with Two Single Locus DNA Probes (<i>H. F. Polesky, M. Mount, L. Wiessner, T. Maus, Minneapolis, USA</i>)	95
Paternity Testing Using the Hypervariable 3'HVR DNA Probe (<i>G. Lucotte, P. Guérin, S. Berriche, Paris, France</i>)	98
Analysis of Disputed Paternities Using Hae III/YNH24 and Hinf I/MS31 RFLPs (<i>P. H. van Eede, G. G. de Lange, Amsterdam, The Netherlands</i>)	101
Investigation of the Use of DNA Probes L336 and YNH24 in Problems of Doubtful Parentage (<i>P. J. Lincoln, C. P. Phillips, J. A. Thomson, P. H. Watts, N. J. Wood, London, United Kingdom</i>)	106
Clarification of a Two-Man Case Only by DNA Markers (<i>W. Weber, Köln, FRG</i>)	109
Characterization of DNA Probe pH30 (D4S139) and Preparation of Related Synthetic Oligonucleotides (<i>H. C. Coleman, B. Bahramian, D. C. MacClaren, K. W. van Dijk, E. C. B. Milner, Cambridge and Seattle, USA</i>)	112
Casework Experience with DNA Profiling (<i>B. H. Parkin, M. Greenhalgh, S. Jones, C. Buffery, J. R. Russel, London, United Kingdom</i>)	114
Exclusion of an Individual Charged with Rape by Allele-Specific DNA Profiling on Fetal Tissues (<i>M. Dobozs, V. L. Pascali, E. D'Aloja, M. Pescarmona, A. Fiori, Roma, Italy</i>)	117
Rapid Sex Determination Using Restriction Enzymes Digestion (<i>B. Ludes, P. Mangin, A. Hanauer, Strasbourg, France</i>)	119
DNA Fingerprinting with Simple Repetitive Oligonucleotide Probes in Forensic Medicine (<i>H. Pöche, G. Wrobel, V. Schneider, J. T. Epplen, Berlin and Martinsried, FRG</i>)	122

Application of Simple Repeat Oligonucleotides for DNA Fingerprinting (<i>H. Zischler, P. Nürnberg, L. Roewer, H. Pöche, I. Nanda, M. Schmid, J. T. Epplen, Martinsried, FRG, Berlin, GDR, Berlin, FRG, and Würzburg, FRG</i>)	125
DNA Fingerprinting with M13 Probe (<i>A. Leriche, Brussels, Belgium</i>) ..	128
Minisatellite DNA Probe MZ 1.3: Application in Paternity Testing and Estimate of the Number of Genetic Loci (<i>P. M. Schneider, U. Schacker, K. Braunbeck, T. Breidbach, G. Rittner, B. Holtkamp, C. Rittner, Mainz, Kaiserslautern, and Offenbach, FRG</i>)	130
Non-isotopic DNA Fingerprint Analyses with the Minisatellite Probe MZ 1.3 (<i>B. Holtkamp, E. Bohnke, U. Schacker, H.-H. Sonneborn, Offenbach and Mainz, FRG</i>)	133
DNA Fingerprinting in Paternity Analyses (<i>E. Iten, R. Pflugshaupt, Bern, Switzerland</i>)	136
A Review of the Cases Submitted for DNA Analysis in the FBI Laboratory (<i>L. A. Presley, D. E. Adams, H. A. Deadman, A. G. Lynch, J. L. Quill, J. E. Mertens, M. A. Vick, Washington, USA</i>)	140

1.4 PCR

A Method for the Analysis of PCR Amplification Products to Identify Base-Pair Substitution and VNTR Polymorphisms (<i>N. Ip, R. C. Shaler, S. Fischer, I. Van de Stadt, J. Neuweiler, M. King, L. Bert, Valhalla, USA</i>)	143
Analysis of PCR Products (pMCT118) by Polyacrylamide Gel Electrophoresis (<i>B. Budowle, A. M. Giusti, R. C. Allen, Quantico and Charleston, USA</i>)	148
Effects of UV Damage on DNA Amplification by the Polymerase Chain Reaction (<i>M. Buoncristiani, C. von Beroldingen, G. F. Sensabaugh, Berkeley, USA</i>)	151
Typing by Polymerase Chain Reaction Mediated Amplification of DNA Fragments in the HLA Class I Region and Direct DNA Sequencing (<i>K. Schönborn-Sobolewski, J. Holtz, J.-P. Faber, M. Bormann, Bonn, FRG</i>)	154
Use of the Polymerase Chain Reaction for Typing GC Variants (<i>R. L. Reynolds, G. F. Sensabaugh, Berkeley, USA</i>)	158
Amplification of Y-Chromosome-Specific Sequences in Biological Evidence (<i>C. H. von Beroldingen, G. F. Sensabaugh, L. A. von Beroldingen, R. Higuchi, H. A. Erlich, Berkeley, Santa Rosa and Emeryville, USA</i>)	162

2 Conventional Markers

2.1 Alloantigens

Differential Detection of A, B and H Antigens in Semen and Saliva Stains Detected by an ELISA Technique (<i>K. de Soyza, London, United Kingdom</i>)	167
A Modified ELISA for the Detection of ABH Antigens in Bloodstains (<i>Z.Zhang, P.J.Lincoln, London, United Kingdom</i>)	171
Mosaic Phenomenon of ABH and Lewis Antigen Expression in Minor Salivary Glands – An Immunohistochemical Demonstration of the Transferase Activity (<i>J.Lötterle, Erlangen, FRG</i>)	174
Different Expression of Blood Group A Antigen in the Secretory Cells of Salivary Glands from German and Japanese Nonsecretor Individuals (<i>K.Nishi, N.Ito, T.Hirota, G.Fechner, S.Rand, B.Brinkmann, Kashihara Nara, Japan and Münster, FRG</i>)	177
Different Epitopes of ABH Antigens Exist in Red Cell and Body Fluids (<i>J.Chen, Y.Yamamoto, H.Ishizu, Kochi, Japan</i>)	180
Production of Monoclonal Antibody to ABH-Carrying α -2-Seminoglycoprotein for ABO-Grouping of Semen by Enzyme-Linked Immunosorbent Assay (ELISA) (<i>Y.Tamaki, T.Kishida, Oita, Japan</i>)	182
Isolation and Identification of ABO Blood Group of Seminal Stains Mixed with Vaginal Secretion or Blood (<i>C.Chang, K.Liu, H.Zhao, Beijing, China</i>)	185
Histochemical Analysis of the Chemical Structure of Blood Group-Related Carbohydrate Chains in Human Pancreas (<i>N.Ito, K.Nishi, M.Nakajima, A.Ishitani, K.Nakajima, T.Hirota, Kashihara Nara, Japan</i>)	187
Enzyme Immuno Assay for the Typing of the Gm(a) and Gm(f) Allotypes of Human IgG1 in Semen, Vaginal Secretions and Other Body Fluids (<i>B.Hoste, R.Merciny, G.G.de Lange, Ch.Francois-Gerard, Liège, Belgium and Amsterdam, The Netherlands</i>)	190
Production of Monoclonal Antibodies IgG Allotypes and Their Use in Dot Immunobinding (<i>Y.Tamaki, T.Kishida, Oita, Japan</i>)	194
Allotyping by Immunoblot Using Polyclonal Antisera (<i>S.Weston-Kirkegaard, J.M.Souhrada, H.F.Polesky, Minneapolis, USA</i>) ..	197
Whose Heritage is the Giant Stone Culture in Easter Island? (<i>H.Matsumoto, K.Suzuki, T.Miyazaki, S.Itoh, K.Hiraiwa, Osaka and Fukushima City, Japan</i>)	200
The Generation of Class II Polymorphism by Recombination (<i>M.Oudshoorn, E.D.du Toit, R.W.Martell, Cape Town, South Africa</i>) ..	203

Polymorphism of HLA-DRB3 and DRB4 Genes Detected by RFLPs (<i>E. D. du Toit, R. W. Martell, M. Oudshoorn, Cape Town, South Africa</i>)	207
--	-----

2.2 Electrophoretic Polymorphisms

Human Red Cell Acid Phosphatase (ACP1): The Primary Structure of the Two Isozymes, Bf and Bs, Encoded by the ACP1*B allele (<i>J. Dissing, A. H. Johnsen, Copenhagen, Denmark</i>)	211
Further Evidence for a Silent Allele and a Rare Variant in the ADA System (<i>S. Weidinger, W. Gutensohn, F. Schwarzfischer, München, FRG</i>)	214
Intragenic Recombination Within the PGM ₁ Locus (<i>G. Wetterling, Linköping, Sweden</i>)	218
Practical Value of PGM 1 Subtyping in Blood and Semen Stains and Hair Roots (<i>K.-U. Koch, E.-M. Hußlein, J. Lötterle, Erlangen, FRG</i>)	222
Additional Data on PGP (EC 3.1.3.18) Polymorphism in Düsseldorf (<i>W. Huckenbeck, P. Freudenstein, W. Bonte, J. Barz, Düsseldorf, FRG</i>) ..	225
Biochemical and Population Genetics of S-Adenosylhomocysteine Hydrolase in NW Portugal (<i>J. Rocha, C. Bento, I. Veiga, A. Amorim, Porto, Portugal</i>)	228
Group Specific Component Phenotyping by Ultrathin-Layer Agarose Isoelectric Focusing Using Chemical Spacers (<i>L. J. Mendoza, D. Stoney, H. M. Gebel, Chicago, USA</i>)	232
Haptoglobin Subtypes in the Swiss Population: Phenotype and Gene Frequencies - Description of an Easy Method for Routine Typing (<i>R. Scherz, B. Reber, R. Pflugshaupt, Bern, Switzerland</i>)	236
Haptoglobin Subtyping by Agarose Isoelectric Focusing (<i>N. Dimo-Simonin, C. Brandt-Casadevall, H.-R. Gujer, Lausanne, Switzerland</i>)	239
Haptoglobin Subtype Determination of Bloodstains (<i>M. Thymann, B. Eriksen, H. Broksø, Copenhagen, Denmark</i>)	243
The Application of Agarose Isoelectric Focusing in Paternity Testing (<i>A. G. Gathof, B. Gathof, H. Bernd, H.-J. Leifheit, München, FRG</i>)	246
Fast IEF of Some Polymorphic Proteins and Enzymes in Bloodstains Using the PhastSystem (<i>A. Carracedo, M. V. Lareu, M. S. Rodríguez-Calvo, L. Concheiro, Santiago de Compostela, Spain</i>)	251
Isoelectric Focusing in Miniaturized Gels: Application to GC, PI, TF, and ORM Subtyping in Central Spain (<i>A. Alonso, G. Visedo, M. Sancho, J. Fernández-Piqueras, Madrid, Spain</i>)	255
The Use of Hybrid Isoelectric Focusing for the Detection of Polymorphic Proteins and Enzymes in Bloodstains Analysis (<i>J. I. Muñoz-Barús, A. Carracedo, I. Lopez-Rodríguez, M. D. Montiel, Santiago de Compostela, Spain</i>)	260

Distribution of Twelve Human Salivary Polymorphisms in Japanese Populations (<i>S. Ikemoto, S. Tsuchida, E. Kajii, E. Nozawa, K. Tomita, Tochigi, Japan</i>)	263
Inheritance of Some Electrophoretic Phenotypes of Human Hair (<i>M. Schimkat, M. P. Baur, J. Henke, Düsseldorf and Bonn, FRG</i>)	265
HP, GLO and GC Polymorphism in the Balearic Islands (Spain): The Mediterranean Blueprint (<i>M. De La Iglesia, J. M. Ruiz de la Cuesta, A. Gremo, Madrid, Spain</i>)	266
A Simple Dilution Technique for Assessing Red Cell Enzyme Activity in Cases of Single System Incompatibilities (<i>C. P. Phillips, P. J. Lincoln, London, United Kingdom</i>)	271
A Rapid High Resolution Separator IEF Technique for Phenotyping Alpha ₁ -Antitrypsin (<i>C. Phillips, D. Whitehouse, London, United Kingdom</i>)	274
PI M Subtyping: Indication for an Alpha ₁ -Antitrypsin Null Allele in Three Paternity Cases (<i>S. Weidinger, G. A. Gathof, F. Schwarzfischer, München, FRG</i>)	277
Transferrin C Subtypes in Different Ethnic Groups and Spontaneous Abortion (<i>A. Rodewald, Hamburg, FRG</i>)	281
Polymorphism of Plasminogen in West Germany (<i>A. Willems, W. R. Mayr, Aachen, FRG</i>)	286
The Significance of Current and of Origin and Concentration of Sialidases for the Determination of Plasminogen Groups (<i>V. Sachs, R. Gützkow, Kiel, FRG</i>)	288
Coagulation Factor XIII A and XIII B Polymorphisms in the North of Germany (Mecklenburg Area) (<i>H. Schmidt, J. Rummel, R. Wegener, Rostock, GDR</i>)	291
Polymorphisms of Coagulation Factors 13 A and 13 B in West Germany (<i>S. Stahl, W. R. Mayr, Aachen, FRG</i>)	294
Identification of F13A*7 as a Population Specific Marker (<i>S. A. Miller, D. D. Dykes, M. S. Schanfield, Denver, USA</i>)	296
Factor XIII B (FXIII B) in Disputed Paternity: Complete Analysis of a Family with the Rare Phenotypes 4-1 and 4-2 (<i>A. F. Reyfer, A. Teyssier, O. Fryc, Geneva, Switzerland</i>)	300
Study of Genetic Polymorphism of Coagulation Factor XIII B in a Italian Population Sample Using PAGIEF and Semi-dry Electroblotting (<i>R. Giorgetti, A. Tagliabracchi, Torrette, Italy</i>)	302
Isoelectric Focusing of Orosomucoid in Agarose Gels (<i>B. Gathof, H. Bernd, J. Howe, München, FRG</i>)	305

ORM1 Subtypes in Hanover and Lower Saxony, FRG, by PAG SIEF and Immunoblotting (N = 1934); 11 Variants (<i>H.-J. Krüger, M. Edler, W. Keil, H. D. Tröger, Hannover, FRG</i>)	308
A Silent Allele in the Orosomucoid (ORM) System (<i>D. H. Kasulke, S. Weidinger, Baden-Baden and München, FRG</i>)	313
Genetic Polymorphism of Human Peptidase C (PEP C) (<i>J. Kömpf, A. Amorim, H. Ritter, M. I. Prata, Tübingen, FRG and Porto, Portugal</i>) ..	316
Kallikrein Phenotyping by Isoelectric Focusing (<i>H.-J. Leifheit, H. Cleve, München, FRG</i>)	320

3 General Biostatistics

The Probability of Paternity (<i>R. C. Elston, New Orleans, USA</i>)	327
Seroanalysis and Expert Opinion in Practice (<i>K. Hummel, Freiburg, FRG</i>)	334
The Effect of Blanks and Antigen Sharing in the HLA System on the Paternity Index (<i>R. H. Walker, C. Rajagopalan, Royal Oak, USA</i>)	337
Paternity Probability Calculation in "Exclusion" Cases (<i>A. Amorim, J. Rocha, Porto, Portugal</i>)	340

4 Varia

A Remarkable Case of Affiliation: Exclusion from Paternity After 8 Years (<i>W. Huckenbeck, J. Barz, St. Rand, W. Bonte, P. Freudenstein, Düsseldorf and Münster, FRG</i>)	347
Legal Aspects of Disputed Paternities in Singapore (<i>Keng-Poh Wee, Singapore</i>)	350
Evaluation of Unusual Band Patterns in Stains of Biological Interest (<i>S. Rand, M. Schürenkamp, U. Schütte, B. Brinkmann, Münster, FRG</i>) ...	352
Characterisation of Vaginal Secretion Stains in Forensic Cases – A Critical Review (<i>S. Joshi, V. K. Sharma, A. R. Sarin, Patiala, India and New York, USA</i>)	355
Monoclonal Antibodies Detect Sperm Antigens in Seminal Stains (<i>O. Feenstra, G. Dohr, G. Siwetz, T. Hirsch, A. Ziegler, Graz, Austria and Marburg, FRG</i>)	358
GDA-J/F3 Monoclonal Antibody: The Ideal Probe for Sperm Detection in Forensic Science (<i>A. Jassim, P. J. Lincoln, H. Festenstein, London, United Kingdom</i>)	361
Preparation and Application of Monoclonal Anti-P30 Antibody (<i>Q. Zhang, H. Yan, X. Wang, Beijing, China</i>)	364

Chromosome Polymorphism in Paternity Investigations (<i>V.M. Almeida, A. Amorin, Porto, Portugal</i>)	366
Plasma Protein Polymorphism in HIV-Seropositive Patients: GC- and TF* <i>C</i> -Subtypes and PI-System (<i>W. Bonte, W. Huckenbeck, B. M. E. Kuntz, H. TH. Brüster, Düsseldorf, FRG</i>)	369
Distribution of C3 and BF Phenotypes in HIV-Seropositive Patients (<i>W. Huckenbeck, B. M. E. Kuntz, H. TH. Brüster, W. Bonte, A. Wehr, Düsseldorf FRG</i>)	373
Plasma Protein Polymorphism in HIV-Seropositive Patients: Allotype Frequencies in the GM- and KM-System (<i>W. Huckenbeck, B. M. E. Kuntz, W. Bonte, H. TH. Brüster, A. Wehr, Düsseldorf, FRG</i>)	377