

2704-103 9

Biliary Excretion of Drugs and other Chemicals

Edited by

C.-P. Siegers and J.B. Watkins III

91 figures and 53 tables



Gustav Fischer Verlag · Stuttgart · Jena · New York · 1991

HFQ + TAT Proton pharmacology

Contents

Preface	V
Section 1: Bile formation	1
M. S. Anwer	
1.1 Anatomy and physiology of bile formation	3
1.1.1 Introduction	3
1.1.2 Anatomy of the bile secretory apparatus	4
1.1.3 Canalicular bile formation	5
1.1.3.1 Mechanism of BADF	6
1.1.3.1.1 Mechanisms of bile acid-induced HCO_3^- -rich hypercholeresis	7
1.1.3.2 Mechanism of BAIF	9
1.1.3.2.1 Role of inorganic solute secretion in BAIF	9
1.1.3.2.2 Role of organic solute secretion in BAIF	11
1.1.3.3 Exogenous osmotic choleretics	12
1.1.3.4 Role of paracellular and transcellular pathways in bile formation	12
1.1.3.5 Role of microfilaments and microtubules in bile formation	13
1.1.4 Ductular bile flow	14
1.1.5 Role of second messengers in bile formation	15
1.1.6 Conclusions	16
1.1.7 Acknowledgements	16
1.1.8 References	17
Section 2: Methodology	25
C.-P. Siegers	
2.1 <i>In vivo</i> biliary excretion and the isolated perfused liver preparation	27
2.1.1 Introduction	27
2.1.2 <i>In vivo</i> methods in experimental animals	27
2.1.3 Bile flow	28
2.1.4 Bile composition	28
2.1.5 The isolated perfused liver preparation	29
2.1.6 Indirect signs for biliary excretion and enterohepatic circulation	30
2.1.7 Conclusions	31
2.1.8 References	31

	V. Kukongviriyapan and N.H. Stacey	
2.2	Hepatocellular transport	33
2.2.1	Introduction	33
2.2.2	Strengths and limitations of hepatocytes <i>in vitro</i>	33
2.2.3	Techniques for isolation and primary culture of hepatocytes	34
2.2.4	Factors affecting transport rates	35
2.2.4.1	Cell density	35
2.2.4.2	Temperature	35
2.2.4.3	Loss of liver specific characteristics on primary culture of hepatocytes	36
2.2.5	Experimental design	37
2.2.5.1	Substrate characteristics	37
2.2.5.2	Concentration of substrate	37
2.2.5.3	Method of measuring transport rates	38
2.2.5.4	Termination of transport	38
2.2.5.5	Kinetic analysis	39
2.2.6	Application of hepatocytes <i>in vitro</i> in transport studies	42
2.2.7	Conclusion	43
2.2.8	References	43
	E. Petzinger	
2.3	Canalicular transport: experimental models, morphology requirements and transport processes	49
2.3.1	Introduction	49
2.3.2	Transport mechanisms at the canalicular pole of hepatocytes: general comments	49
2.3.3	Studies on biliary secretion with the intact liver	51
2.3.3.1	Indicator compounds to measure canalicular bile flow	53
2.3.3.2	Fluid exocytosis at the canalicular membrane	53
2.3.3.3	Indicator compounds to measure fluid exocytosis	54
2.3.3.4	Exocytosis of bile acids in the perfused rat liver	56
2.3.3.5	Exocytosis and membrane fusion	57
2.3.3.6	T_m and SR_{max} of canalicular solute secretion	58
2.3.3.7	Canalicular drug elimination	59
2.3.4	Studies of canalicular secretion with cell couplets	61
2.3.4.1	Studies with isolated hepatocytes	61
2.3.4.2	Studies with hepatocyte cultures	64
2.3.5	Studies of canalicular transport with purified membrane vesicles	67
2.3.5.1	Primary transport systems: ectoenzymes and multi-drug transport protein	67
2.3.5.2	Secondary active transport systems: chloride/bicarbonate transport and bile acid/bilirubin secretion	69
2.3.5.3	Tertiary active transport: reabsorption of amino acids and glutathione secretion	71

2.3.6	Acknowledgements	72
2.3.7	References	72
	K. S. Pang and M. V. St-Pierre	
2.4	Hepatic modeling of drugs and metabolites	89
2.4.1	Introduction	89
2.4.2	Theoretical considerations	92
2.4.2.1	Flow-limited substrates	93
2.4.2.2	Barrier-limited substrates	95
2.4.3	Estimation of kinetic parameters	98
2.4.4	Computer simulation	99
2.4.4.1	Simple parallel pathways	99
2.4.4.2	Complex metabolic schemes	102
2.4.4.3	Barrier-limited entry	105
2.4.5	Examples of hepatic modeling	111
2.4.6	Concluding remarks	116
2.4.7	References	120
	R. Remie, J. W. Rensema, R. Havinga and F. Kuipers	
2.5	The permanent bile fistula rat model	127
2.5.1	Introduction	127
2.5.2	Historical overview	127
2.5.3	Preparation of cannulae and other materials	129
2.5.4	Surgery	130
2.5.4.1	Anatomy	130
2.5.4.2	Anaesthesia	131
2.5.4.3	Preparation of the crown of the head	131
2.5.4.4	Opening of the abdominal wall	131
2.5.4.5	Double cannulation of the bile duct	132
2.5.4.6	Cannulation of the duodenum	132
2.5.4.7	Closure of the abdominal wall	134
2.5.4.8	Subcutaneous tunnelling to the head	134
2.5.4.9	Anchoring of the cannulae	134
2.5.4.10	Postoperative care	134
2.5.5	Liver function	135
2.5.6	Collection of bile	136
2.5.7	Applications	137
2.5.7.1	Bile formation	138
2.5.7.2	Long term bile diversion	140
2.5.7.3	Enterohepatic circulation	141
2.5.7.4	Pharmacokinetic studies	142
2.5.8	Concluding remarks	142
2.5.9	Acknowledgements	143
2.5.10	References	143

X Contents

	J. B. Watkins III	
2.6	Effect of volatile anesthetics on hepatobiliary function	147
2.6.1	Introduction	147
2.6.2	Anesthetic-induced alterations in hepatic blood flow	148
2.6.3	Anesthetic-induced alterations in drug availability to hepatocytes . . .	149
2.6.4	Anesthetic-induced alterations in biotransformation	150
2.6.5	Anesthetic-induced alterations in hepatobiliary clearance	150
2.6.6	Conclusions	152
2.6.7	Acknowledgements	152
2.6.8	References	152
Section 3: Biliary excretion of endogenous and exogenous compounds		157
	P. J. Meier	
3.1	Biliary excretion of bile acids	159
3.1.1	Bile acids and their salts	160
3.1.1.1	Nomenclature	160
3.1.1.2	Chemical structure	160
3.1.1.3	Important types of bile acids	162
3.1.1.4	Degree of ionization	162
3.1.1.5	Solubility	163
3.1.1.6	Hydrophilic-hydrophobic balance	163
3.1.2	Bile acid uptake into hepatocytes	164
3.1.2.1	Na ⁺ -coupled bile salt uptake	165
3.1.2.2	Na ⁺ -independent bile salt uptake	167
3.1.2.3	Uptake by nonionic diffusion	168
3.1.3	Intracellular transport of bile acids	169
3.1.4	Canalicular bile salt secretion	170
3.1.4.1	Electrogenic canalicular bile salt secretion	170
3.1.4.2	Transport by the «Multispecific Organic Anion Transporter (MOAT)»	171
3.1.5	The cholehepatic shunt pathway	171
3.1.6	Summary and conclusions	172
3.1.7	References	173
	A. Sieg	
3.2	Bilirubin	183
3.2.1	Chemistry of bilirubins	183
3.2.2	Bilirubin isomers	184
3.2.3	Plasma transport	185
3.2.4	Hepatic uptake and intracellular transport	186

3.2.5	Conjugation	186
3.2.6	Biliary excretion	190
3.2.7	Conclusion and future directions	192
3.2.8	References	192
	B. H. Lauterburg	
3.3	Biliary excretion of glutathione and glutathione adducts	201
3.3.1	Biliary excretion of glutathione (GSH)	201
3.3.2	Biliary excretion of GSSG	205
3.3.3	Biliary excretion of glutathione S-conjugates	208
3.3.4	Role of GSH in the biliary excretion of metals	209
3.3.5	Role of glutathione in bile	209
3.3.6	Acknowledgements	209
3.3.7	References	210
	F. Kuipers and R. J. Vonk	
3.4	Biliary excretion of organic anions	215
3.4.1	Introduction	215
3.4.2	Hepatic uptake	216
3.4.3	Intracellular transport	218
3.4.4	Canalicular excretion	219
3.4.5	Interactions of organic anions with bile constituents	224
3.4.6	Factors influencing organic anion excretion	227
3.4.6.1	Bile acids	227
3.4.6.2	Sex	229
3.4.6.3	Species	229
3.4.6.4	Diurnal variation and nutritional status	229
3.4.7	Perspectives	230
3.4.8	Acknowledgements	230
3.4.9	References	230
	H. Steen and D.K.F. Meijer	
3.5	Organic cations	239
3.5.1	Introduction	239
3.5.2	Methodology in the study of hepatic transport of organic cations	240
3.5.3	Influence of chemical structure of organic cations on hepatobiliary transport	243
3.5.3.1	Type I and Type II compounds	244
3.5.3.2	Interrelation of hepatobiliary, renal and intestinal excretion	245
3.5.4	Biliary excretion of organic cations <i>in vivo</i>	248
3.5.4.1	Type I organic cations	248
3.5.4.2	Type II organic cations, with special reference to elimination in man	250
3.5.5	Mechanisms for hepatic uptake of organic cations	251
3.5.5.1	Endogenous cations	251

XII Contents

3.5.5.2	Hepatic transport mechanisms for type I organic cations	252
3.5.5.3	Hepatic transport mechanisms for type II organic cations	254
3.5.6	Mechanisms for bile canalicular transport of organic cations	255
3.5.6.1	Acinar heterogeneity in hepatocyte transport function of organic cations	255
3.5.6.2	Subcellular sequestration of organic cations in the liver	255
3.5.6.3	Driving forces in uptake and secretion	257
3.5.6.4	Potential carrier proteins in hepatobiliary transport of organic cations	258
3.5.7	Conclusions	261
3.5.8	Further perspectives in the study of organic cation transport	261
3.5.9	References	262
	 M. Younes and M. Goll	
3.6	Biliary excretion of hormones	273
3.6.1	Introduction	273
3.6.2	Progestins	273
3.6.3	Estrogens	275
3.6.4	Androgens	276
3.6.5	Corticosteroids	277
3.6.6	Concluding remarks	277
3.6.7	References	278
	 N. Ballatori	
3.7	Biliary excretion of metals	283
3.7.1	Introduction	283
3.7.2	Factors influencing hepatobiliary metal transport	284
3.7.2.1	Physicochemical properties of metals	284
3.7.2.2	Intracellular ligands	285
3.7.2.3	Biological factors	286
3.7.3	Biliary excretion of essential trace metals	287
3.7.3.1	Iron	287
3.7.3.2	Copper	288
3.7.3.3	Zinc	290
3.7.3.4	Manganese	291
3.7.3.5	Cobalt	293
3.7.4	Biliary excretion of toxic metals	293
3.7.4.1	Cadmium	293
3.7.4.2	Mercury	294
3.7.4.3	Lead	295
3.7.4.4	Arsenic	296
3.7.4.5	Silver	296
3.7.4.6	Other metals	297
3.7.5	Summary	298
3.7.6	References	298

	V.G. Urich and U. Speck	
3.8	Biliary excretion of contrast media	307
3.8.1	Introduction	307
3.8.1.1	Intravenous biliary contrast media	307
3.8.1.2	Oral biliary contrast media	309
3.8.1.3	General pharmacokinetics	310
3.8.2	Biliary excretion	310
3.8.2.1	Hepatic uptake of biliary contrast media	310
3.8.2.2	Biotransformation of biliary contrast media in the hepatic cell	311
3.8.2.3	Biliary excretion of contrast media in experimental animals and in man	312
3.8.2.4	Choleretic effects of contrast media	317
3.8.3	Summary and conclusion	317
3.8.4	Outlook in the development of biliary contrast media	318
3.8.5	References	319
	U. Gundert-Remy, W. Christ and H. Kemmler	
3.9	Biliary excretion of antimicrobial agents	323
3.9.1	Introduction	323
3.9.2	Clindamycin	324
3.9.3	Macrolide antibiotics	325
3.9.3.1	Erythromycin	325
3.9.3.2	Spiramycin	327
3.9.3.3	Josamycin	327
3.9.3.4	Roxithromycin	327
3.9.3.5	Clarithromycin	328
3.9.3.6	Azithromycin	328
3.9.4	Drugs used in the chemotherapy of tuberculosis	328
3.9.4.1	Rifampicin	329
3.9.5	Tetracyclines	330
3.9.6	Metronidazole	331
3.9.7	Glycopeptide antibiotics (e.g. Vancomycin, Teicoplanin)	332
3.9.8	Cefalosporins	332
3.9.9	Penicillins	340
3.9.10	Quinolones	341
3.9.11	Management of biliary infection	342
3.9.12	Discussion and outlook	345
3.9.13	References	345

Section 4: Enterohepatic circulation	355
J. B. Watkins III	
4.1 Role of biotransformation in enterohepatic circulation	357
4.1.1 Introduction	357
4.1.1.1 Determination of enterohepatic circulation	358
4.1.2 Biotransformation and absorption by enterocytes	359
4.1.2.1 Intestinal first-pass elimination	359
4.1.2.2 Absorption into enterocytes	361
4.1.2.3 Biotransformation by enterocytes	361
4.1.3 Biotransformation during passage in bile and intestine	363
4.1.3.1 Microbial hydrolysis	363
4.1.3.2 Microbial reduction	365
4.1.3.3 Microbial C-S lyase and γ -glutamyltranspeptidase	365
4.1.4 Biotransformation and absorption by hepatocytes	366
4.1.4.1 Hepatic first-pass effect	366
4.1.4.2 Uptake into hepatocytes	366
4.1.4.3 Biotransformation by hepatocytes	368
4.1.5 Factors affecting biotransformation and enterohepatic circulation	369
4.1.5.1 Role of bile acids in enterohepatic circulation	369
4.1.5.2 Species variations	370
4.1.5.3 Effect of age and development	370
4.1.5.4 Effects induced by exposure to xenobiotics	371
4.1.5.5 Intestinal adsorption of chemicals	371
4.1.6 Conclusions and future directions	372
4.1.7 References	373
C.-P. Siegers	
4.2 Interruption of enterohepatic circulation	389
4.2.1 Introduction	389
4.2.2 Intestinal adsorption of bile acids	389
4.2.3 Intestinal adsorption of drugs and chemicals	390
4.2.4 Induction and inhibition of microfloral enzymes	391
4.2.5 Management of poisonings by interrupting enterohepatic circulation	392
4.2.6 Conclusions and future directions	393
4.2.7 References	394

Section 5: Physiological, pharmacological and pathological alterations of biliary excretion	399
Z. Gregus	
5.1 Ontogenic development of biliary excretory function	401
5.1.1 Introduction	401
5.1.2 Ontogeny of bile formation	401
5.1.3 Ontogeny of biliary excretion of endogenous and foreign compounds	403
5.1.3.1 Biliary excretion during fetal development	403
5.1.3.2 Biliary excretion during early postnatal development	404
5.1.3.3 Factors responsible for deficient biliary excretion in neonates	404
5.1.4 Ontogeny of enterohepatic circulation	408
5.1.5 Implications of biliary excretion during development	409
5.1.5.1 Implications of biliary excretion in the fetus	409
5.1.5.2 Implications of neonatal immaturity of biliary excretion	410
5.1.6 Conclusions	411
5.1.7 References	411
K. Kitani	
5.2 The effect of aging on biliary excretion	417
5.2.1 Introduction	417
5.2.2 Physiological alterations related to hepatobiliary excretion during aging	417
5.2.2.1 Liver size	418
5.2.2.2 Hepatic blood flow	418
5.2.2.3 Membrane quality	418
5.2.2.4 Biotransformation capacities	421
5.2.2.5 Effect of morbidity (infection, malnutrition)	421
5.2.2.6 Bile flow and bile lipids	422
5.2.3 Hepatic uptake and storage	423
5.2.4 Biliary excretion	427
5.2.5 Hepatobiliary transport of macromolecules	427
5.2.6 Conclusions	429
5.2.7 Acknowledgements	430
5.2.8 References	430
H. Krell	
5.3 Eicosanoids and bile secretion	435
5.3.1 Arachidonic acid metabolites and the liver	435
5.3.2 Sources of eicosanoids in the liver	436
5.3.3 Effects of prostanoids on liver function and bile secretion	436
5.3.4 Secretion of prostaglandins into bile	438

XVI Contents

5.3.5	Effects of leukotrienes on liver function and bile secretion	438
5.3.6	Hepatobiliary elimination of leukotrienes	441
5.3.7	Cysteinyl leukotrienes and cholestasis	445
5.3.8	Conclusions	447
5.3.9	Acknowledgements	447
5.3.10	References	448
	M. Vore	
5.4	Cholestasis	455
5.4.1	Definition of cholestasis	455
5.4.2	α -Naphthylisothiocyanate	456
5.4.3	Phalloidin, cytochalasin, colchicine	458
5.4.4	Cyclosporin	460
5.4.5	Bile salts	460
5.4.6	Estrogens	463
5.4.7	Summary	466
5.4.8	References	467
	J. B. Watkins III and R.A. Sanders	
5.5	The effects of diabetes on hepatobiliary function	475
5.5.1	Introduction	475
5.5.2	Diabetes and hepatic uptake	476
5.5.3	Diabetes and biotransformation	476
5.5.3.1	Cytochrome P450-mediated metabolism	476
5.5.3.2	Phase II enzymes	480
5.5.4	Diabetes-induced changes in biliary excretory function	483
5.5.4.1	Alterations in bile production and flow	483
5.5.4.2	Excretion of endogenous compounds	485
5.5.4.3	Excretion of exogenous compounds	486
5.5.5	Future directions	487
5.5.6	Acknowledgements	488
5.5.7	References	488
	B.J. Martin, C. Yiamouyiannis and R.A. Sanders	
5.6	Exercise and hepatobiliary function	497
5.6.1	Introduction	497
5.6.2	The effects of acute and chronic exercise on drug biotransformation	498
5.6.2.1	General considerations	498
5.6.2.1.1	Biotransformation	498
5.6.2.1.2	Clearance	500
5.6.2.2	Alcohol, the liver and exercise	500
5.6.2.2.1	Liver mitochondrial function	500
5.6.2.2.2	Ethanol clearance	501

5.6.3	Exercise and biliary excretion	502
5.6.3.1	Exercise and the digestive function of bile	502
5.6.3.2	Exercise and biliary excretion of xenobiotics	504
5.6.3.3	Exercise and biliary excretion of cholesterol and bile acids	504
5.6.4	Anabolic steroids and liver function	505
5.6.5	Conclusion	506
5.6.6	References	506
	Ch. Fleck and H. Bräunlich	
5.7	Interrelationships between excretion of drugs via urine and bile . . .	511
5.7.1	Introduction	511
5.7.2	Mechanisms involved in renal excretion of drugs	514
5.7.3	Characterization of substances which can be excreted via urine and bile	514
5.7.3.1	Physicochemical factors determining the hepatic excretion of drugs . .	514
5.7.3.2	Physicochemical factors determining the renal excretion of drugs . . .	516
5.7.3.3	Molecular features of substances using bile and urine as complemen- tary excretory pathways – an approach	517
5.7.4	Factors influencing the interrelationships between renal and hepatic excretion of xenobiotics	519
5.7.4.1	Impairment of organ function	519
5.7.4.2	Stimulation of transport processes	520
5.7.4.3	Induction of biotransformation	521
5.7.4.4	Influence of age of life	522
5.7.4.5	Competition phenomena	522
5.7.4.6	Various other factors	523
5.7.5	Concluding remarks	524
5.7.6	References	524
	C.-P. Siegers, Z. Guo and R. Pentz	
5.8	Choleretic properties of herbal drugs	531
5.8.1	Introduction	531
5.8.2	Herbal drugs and their choleretic principles	532
5.8.3	Glucuronidation of menthol as a prerequisite of its choleretic effects .	532
5.8.4	Clinical studies	533
5.8.5	Conclusions and further outlook	534
5.8.6	References	535
	C.-P. Siegers and D. Bumann	
5.9	Clinical significance of the biliary excretion of drugs	537
5.9.1	Introduction	537
5.9.2	Methods of bile sampling in man	537
5.9.3	Drugs with significant biliary excretion	538

XVIII Contents

5.9.3.1	Antibiotics	538
5.9.3.2	Cardiac glycosides	540
5.9.3.3	Steroids	541
5.9.3.4	Anticancer agents	541
5.9.3.5	Other drugs	543
5.9.4	Influence of diseased state	543
5.9.4.1	Liver disease	543
5.9.4.2	Kidney disease	543
5.9.5	Conclusions and future directions	544
5.9.6	References	544
Subject Index		551