

Contents

Preface *xiii*

Acknowledgments *xv*

1 Introduction *1*

- 1.1 Tensile Behavior of CMCs at Elevated Temperature *2*
- 1.2 Fatigue Behavior of CMCs at Elevated Temperature *6*
- 1.3 Stress Rupture Behavior of CMCs at Elevated Temperature *7*
- 1.4 Vibration Behavior of CMCs at Elevated Temperature *9*
- 1.5 Conclusion *10*
- References *10*

2 First Matrix Cracking of Ceramic-Matrix Composites at Elevated Temperature *19*

- 2.1 Introduction *19*
- 2.2 Temperature-Dependent Matrix Cracking Stress of C/SiC Composites *20*
 - 2.2.1 Theoretical Models *20*
 - 2.2.2 Results and Discussion *21*
 - 2.2.2.1 Temperature-Dependent Matrix Cracking Stress of C/SiC Composite for Different Fiber Volumes *23*
 - 2.2.2.2 Temperature-Dependent Matrix Cracking Stress of C/SiC Composite for Different Interface Shear Stress *24*
 - 2.2.2.3 Temperature-Dependent Matrix Cracking Stress of C/SiC Composite for Different Fiber/Matrix Interface Frictional Coefficients *25*
 - 2.2.2.4 Temperature-Dependent Matrix Cracking Stress of C/SiC Composite for Different Interface Debonding Energies *26*
 - 2.2.2.5 Effect of Matrix Fracture Energy on Temperature-Dependent Matrix Cracking Stress of C/SiC Composite *27*
 - 2.2.3 Experimental Comparisons *28*
- 2.3 Temperature-Dependent Matrix Cracking Stress of SiC/SiC Composite *29*

2.3.1	Results and Discussion	30
2.3.1.1	Temperature-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Fiber Volumes	30
2.3.1.2	Temperature-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Interface Shear Stress	30
2.3.1.3	Temperature-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Interface Frictional Coefficients	33
2.3.1.4	Temperature-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Interface Debonding Energies	34
2.3.1.5	Temperature-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Matrix Fracture Energies	34
2.3.2	Experimental Comparisons	36
2.4	Time-Dependent Matrix Cracking Stress of C/SiC Composites	39
2.4.1	Theoretical Models	39
2.4.2	Results and Discussion	41
2.4.2.1	Time-Dependent Matrix Cracking Stress of C/SiC Composite for Different Fiber Volumes	42
2.4.2.2	Time-Dependent Matrix Cracking Stress of C/SiC Composite for Different Interface Shear Stress	42
2.4.2.3	Time-Dependent Matrix Cracking Stress of C/SiC Composite for Different Interface Frictional Coefficients	50
2.4.2.4	Time-Dependent Matrix Cracking Stress of C/SiC Composite for Different Interface Debonding Energies	53
2.4.2.5	Time-Dependent Matrix Cracking Stress of C/SiC Composite for Different Matrix Fracture Energies	56
2.4.3	Experimental Comparisons	59
2.5	Time-Dependent Matrix Cracking Stress of Si/SiC Composites	59
2.5.1	Results and Discussion	59
2.5.1.1	Time-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Fiber Volumes	60
2.5.1.2	Time-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Interface Shear Stress	62
2.5.1.3	Time-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Interface Debonding Energies	66
2.5.1.4	Time-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Matrix Fracture Energies	68
2.5.2	Experimental Comparisons	68
2.6	Conclusion	71
	References	71
3	Matrix Multiple Cracking Evolution of Fiber-Reinforced Ceramic-Matrix Composites at Elevated Temperature	75
3.1	Introduction	75
3.2	Temperature-Dependent Matrix Multiple Cracking Evolution of C/SiC Composites	76

3.2.1	Theoretical Models	77
3.2.1.1	Temperature-Dependent Stress Analysis	77
3.2.1.2	Temperature-Dependent Interface Debonding	78
3.2.1.3	Temperature-Dependent Matrix Multiple Cracking	79
3.2.2	Results and Discussion	80
3.2.2.1	Temperature-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Interface Shear Stress	82
3.2.2.2	Temperature-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Interface Debonding Energies	84
3.2.2.3	Temperature-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Matrix Fracture Energies	85
3.2.3	Experimental Comparisons	88
3.3	Temperature-Dependent Matrix Multiple Cracking Evolution of SiC/SiC Composites	89
3.3.1	Results and Discussion	90
3.3.1.1	Temperature-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Fiber Volumes	90
3.3.1.2	Temperature-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Interface Shear Stress	92
3.3.1.3	Temperature-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Interface Frictional Coefficients	93
3.3.1.4	Temperature-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Interface Debonding Energies	95
3.3.1.5	Temperature-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Matrix Fracture Energies	98
3.3.2	Experimental Comparisons	100
3.4	Time-Dependent Matrix Multiple Cracking Evolution of C/SiC Composites	101
3.4.1	Theoretical Models	102
3.4.1.1	Time-Dependent Stress Analysis	102
3.4.1.2	Time-Dependent Interface Debonding	103
3.4.1.3	Time-Dependent Matrix Multiple Cracking	105
3.4.2	Results and Discussion	106
3.4.2.1	Time-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Interface Shear Stress	106
3.4.2.2	Time-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Interface Frictional Coefficients	108
3.4.2.3	Time-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Interface Debonding Energies	111
3.4.2.4	Time-Dependent Matrix Multiple Cracking of C/SiC Composite for Different Matrix Fracture Energies	113
3.4.3	Experimental Comparisons	114
3.5	Time-Dependent Matrix Multiple Cracking Evolution of SiC/SiC Composites	116
3.5.1	Results and Discussion	117

3.5.1.1	Time-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Fiber Volumes	117
3.5.1.2	Time-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Interface Shear Stress	120
3.5.1.3	Time-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Interface Frictional Coefficients	127
3.5.1.4	Time-Dependent Matrix Multiple Cracking of SiC/SiC Composite for Different Interface Debonding Energies	130
3.5.1.5	Time-Dependent Matrix Cracking Stress of SiC/SiC Composite for Different Matrix Fracture Energies	133
3.5.2	Experimental Comparisons	136
3.5.2.1	Unidirectional SiC/SiC Composite	136
3.5.2.2	SiC/SiC Minicomposite	139
3.6	Conclusion	139
	References	140

4 Time-Dependent Tensile Behavior of Ceramic-Matrix Composites 145

4.1	Introduction	145
4.2	Theoretical Analysis	148
4.3	Results and Discussion	149
4.3.1	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Fiber Volumes	149
4.3.2	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Fiber Radii	149
4.3.3	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Matrix Weibull Moduli	152
4.3.4	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Matrix Cracking Characteristic Strengths	152
4.3.5	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Matrix Cracking Saturation Spacings	155
4.3.6	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Interface Shear Stress	155
4.3.7	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Interface Debonding Energies	155
4.3.8	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Fiber Strengths	159
4.3.9	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Fiber Weibull Moduli	160
4.3.10	Time-Dependent Tensile Behavior of SiC/SiC Composite for Different Oxidation Durations	160
4.4	Experimental Comparisons	161
4.4.1	Time-Dependent Tensile Behavior of SiC/SiC Composite	161
4.4.2	Time-Dependent Tensile Behavior of C/SiC Composite	173

4.5	Conclusion	179
	References	181
5	Fatigue Behavior of Ceramic-Matrix Composites at Elevated Temperature	187
5.1	Introduction	187
5.2	Theoretical Analysis	189
5.3	Experimental Comparisons	191
5.3.1	2.5D Woven Hi-Nicalon™ SiC/[Si-B-C] at 600 °C in Air Atmosphere	191
5.3.2	2.5D Woven Hi-Nicalon™ SiC/[Si-B-C] at 1200 °C in Air Atmosphere	193
5.3.3	2D Woven Self-Healing Hi-Nicalon™ SiC/[SiC-B ₄ C] at 1200 °C in Air and in Steam Atmospheres	199
5.3.4	Discussion	203
5.4	Conclusion	206
	References	206
6	Stress Rupture of Ceramic-Matrix Composites at Elevated Temperature	211
6.1	Introduction	211
6.2	Stress Rupture of Ceramic-Matrix Composites Under Constant Stress at Intermediate Temperature	213
6.2.1	Theoretical Models	214
6.2.2	Results and Discussion	215
6.2.2.1	Stress Rupture of SiC/SiC Composite for Different Fiber Volumes	215
6.2.2.2	Stress Rupture of SiC/SiC Composite for Different Peak Stress Levels	218
6.2.2.3	Stress Rupture of SiC/SiC Composite for Different Saturation Spaces Between Matrix Cracking	221
6.2.2.4	Stress Rupture of SiC/SiC Composite for Different Interface Shear Stress	221
6.2.2.5	Stress Rupture of SiC/SiC Composite for Different Fiber Weibull Modulus	227
6.2.2.6	Stress Rupture of SiC/SiC Composite for Different Environmental Temperatures	229
6.2.3	Experimental Comparisons	230
6.3	Stress Rupture of Ceramic-Matrix Composites Under Stochastic Loading Stress and Time at Intermediate Temperature	234
6.3.1	Results and Discussion	236
6.3.1.1	Stress Rupture of SiC/SiC Composite Under Stochastic Loading for Different Stochastic Stress Levels	236
6.3.1.2	Stress Rupture of SiC/SiC Composite Under Stochastic Loading for Different Stochastic Loading Time Intervals	240

6.3.1.3	Stress Rupture of SiC/SiC Composite Under Stochastic Loading for Different Fiber Volumes	247
6.3.1.4	Stress Rupture of SiC/SiC Composite Under Stochastic Loading for Different Matrix Crack Spacings	251
6.3.1.5	Stress Rupture of SiC/SiC Composite Under Stochastic Loading for Different Interface Shear Stress	253
6.3.1.6	Stress Rupture of SiC/SiC Composite Under Stochastic Loading for Different Environmental Temperatures	261
6.3.2	Experimental Comparisons	264
6.3.2.1	$\sigma = 80$ MPa and $\sigma_s = 90$ MPa with $\Delta t = 7.2, 10.8,$ and 14.4 ks	267
6.3.2.2	$\sigma = 100$ MPa and $\sigma_s = 110$ MPa with $\Delta t = 7.2$ ks	267
6.3.2.3	$\sigma = 120$ MPa and $\sigma_s = 130$ and 140 MPa with $\Delta t = 7.2$ ks	271
6.3.2.4	Discussion	271
6.4	Stress Rupture of Ceramic-Matrix Composites Under Multiple Load Sequence at Intermediate Temperature	274
6.4.1	Results and Discussion	274
6.4.1.1	Stress Rupture of SiC/SiC Composite Under Multiple Loading Sequence for Different Fiber Volumes	275
6.4.1.2	Stress Rupture of SiC/SiC Composite Under Multiple Loading Sequence for Different Matrix Crack Spacings	280
6.4.1.3	Stress Rupture of SiC/SiC Composite Under Multiple Loading Sequence for Different Interface Shear Stress	285
6.4.1.4	Stress Rupture of SiC/SiC Composite Under Multiple Loading Sequence for Different Environment Temperatures	292
6.4.2	Experimental Comparisons	295
6.5	Conclusion	302
	References	302
7	Vibration Damping of Ceramic-Matrix Composites at Elevated Temperature	307
7.1	Introduction	307
7.2	Temperature-Dependent Vibration Damping of CMCs	308
7.2.1	Theoretical Models	308
7.2.2	Results and Discussion	310
7.2.2.1	Effect of Fiber Volume on Temperature-Dependent Vibration Damping of SiC/SiC Composite	310
7.2.2.2	Effect of Matrix Crack Spacing on Temperature-Dependent Vibration Damping of SiC/SiC Composite	314
7.2.2.3	Effect of Interface Debonding Energy on Temperature-Dependent Vibration Damping of SiC/SiC Composite	317
7.2.2.4	Effect of Steady-State Interface Shear Stress on Temperature-Dependent Vibration Damping of SiC/SiC Composite	321
7.2.2.5	Effect of Interface Frictional Coefficient on Temperature-Dependent Vibration Damping of SiC/SiC Composite	325
7.2.3	Experimental Comparisons	329

7.3	Time-Dependent Vibration Damping of CMCs	329
7.3.1	Theoretical Models	329
7.3.2	Results and Discussion	331
7.3.2.1	Effect of Fiber Volume on Time-Dependent Vibration Damping of C/SiC Composite	331
7.3.2.2	Effect of Vibration Stress on Time-Dependent Vibration Damping of C/SiC Composite	334
7.3.2.3	Effect of Matrix Crack Spacing on Time-Dependent Vibration Damping of C/SiC Composite	337
7.3.2.4	Effect of Interface Shear Stress on Time-Dependent Vibration Damping of C/SiC Composite	340
7.3.2.5	Effect of Temperature on Time-Dependent Vibration Damping of C/SiC Composite	343
7.3.3	Experimental Comparisons	343
7.3.3.1	$t = 2$ hours at $T = 700, 1000$, and 1300°C	346
7.3.3.2	$t = 5$ hours at $T = 700, 1000$, and 1300°C	346
7.3.3.3	$t = 10$ hours at $T = 700, 1000$, and 1300°C	351
7.3.3.4	Discussion	354
7.4	Conclusion	356
	References	356
	Index	359