

Table of Contents

Introduction	15
Why Buy this Arduino MEGA Hardware Manual?	15
Difference to the Arduino Uno Hardware Manual	17
Target Audience	18
Prerequisites	18
Hardware Requirements	18
Software Requirements	19
What is Covered and What's Not Covered	19
How to Use this Book	19
Accompanying Resources	20
Disclaimer, Errors and Corrections	20
A Note from the Author	20
Chapter 1 • Arduino MEGA 2560 Overview	23
1.1 Arduino MEGA Description and Functionality	24
1.1.1 Arduino MEGA 2560 Board	24
1.1.2 Arduino MEGA 2560 vs. Arduino Uno	24
1.1.3 Uses of the Arduino MEGA 2560	26
1.1.4 Arduino MEGA 2560 Main Parts	27
1.1.4.1 Main Microcontroller	27
1.1.4.2 USB Connector	27
1.1.4.3 External Power In	27
1.1.4.4 Reset Button	28
1.1.4.5 Header Sockets with Arduino Pins	29
1.1.4.6 ON LED	29
1.1.4.7 L LED	29
1.1.4.8 TX LED (Transmit)	29
1.1.4.9 RX LED (Receive)	29
1.1.4.10 ATmega16U2 Microcontroller	29

1.1.4.11 ICSP Header.....	30
1.1.4.12 ICSP Header for ATmega16U2.....	31
1.1.4.13 Mounting Holes.....	31
1.1.5 Programming.....	31
1.1.6 Extending the Hardware.....	33
1.1.6.1 Add-on Boards: Shields.....	33
Stacking Shields.....	34
Shield Reverse Connection Protection.....	35
1.1.6.2 Prototype Shields.....	35
1.1.6.3 Strip-board.....	36
1.1.6.4 Electronic Breadboard.....	36
1.1.6.5 Custom PCB.....	37
1.1.7 Open-Source and Licensing.....	38
1.1.8 Third Party Compatible Boards.....	38
1.1.9 Build Quality, Warranty and Safety.....	39
1.1.10 Arduino and Genuino.....	40
1.2 Arduino MEGA 2560 Firmware.....	40
1.2.1 USB Bridge Firmware.....	40
1.2.2 Bootloader.....	41
1.3 Precautions During Handling and Usage.....	41
1.3.1 Static Electricity.....	42
1.3.2 Work Surface.....	43
1.3.3 Power.....	44
1.3.4 Voltage.....	44
1.3.5 Handling.....	44
1.3.6 Interfacing Precautions.....	45
1.4 Arduino MEGA 2560 History and Revisions.....	46
1.5 First Time Use and Basic Testing.....	47
1.5.1 New Arduino MEGA 2560 Default Behavior.....	47
1.5.1.1 Computer Drivers.....	47
1.5.1.2 Arduino MEGA 2560 Hardware Behavior.....	48
On LED.....	48
RX LED and L LED on Some Systems.....	49

Factory or User Loaded Sketch Running.....	49
1.5.2 Loading a Sketch to an Arduino MEGA 2560.....	49
1.5.2.1 Select Board, Processor and Port.....	49
1.5.2.2 Loading a Test Sketch.....	51
Open the Test Sketch.....	51
Upload the Sketch.....	51
Modify the Sketch.....	51
1.5.2.3 Serial Port Demonstration.....	52
Serial Port Sketch Example.....	52
Serial Monitor Window.....	52
1.5.3 Basic Testing.....	54
1.5.3.1 Visually Inspect the Board.....	54
1.5.3.2 Power LED and Voltages.....	54
1.5.3.3 Check Expected Default Behavior.....	55
1.5.3.4 Is the Board Recognized by the Host Computer?.....	55
1.5.3.5 Load a Test Sketch.....	55
1.6 Arduino MEGA 2560 References and Help.....	55
1.6.1 Installing Software.....	55
1.6.1.1 Windows.....	55
1.6.1.2 MAC OS X.....	56
1.6.1.3 Linux.....	56
1.6.2 Getting Started, Examples and Reference.....	56
1.6.2.1 Getting Started Guides.....	56
1.6.2.2 Arduino Examples and Tutorials.....	56
1.6.2.3 Building Breadboard Circuits.....	56
1.6.2.4 Arduino Software Reference.....	56
1.6.3 Getting Help.....	56
1.6.4 Related Open-Source Projects.....	57
1.6.4.1 Fritzing.....	57
1.6.4.2 Wiring.....	57
1.6.4.3 Processing.....	58
1.6.5 Arduino MEGA 2560 on the Web.....	58
1.7 Arduino MEGA 2560, DUE and MEGA ADK.....	58

1.7.1 Arduino DUE vs. Arduino MEGA 2560.....	59
1.7.2 Arduino MEGA ADK vs. Arduino MEGA 2560.....	60

Chapter 2 • Hardware Technical Information	61
---	-----------

2.1 Microcontroller.....	62
2.2 Atmel, Microchip and AVR.....	63
2.3 Memory.....	63
2.3.1 Flash Memory.....	64
2.3.1.1 Flash Memory Size.....	64
2.3.1.2 Flash Wear.....	64
2.3.1.3 Data Retention.....	64
2.3.2 SRAM.....	64
2.3.2.1 Volatile Memory.....	64
2.3.2.2 SRAM Size.....	65
2.3.3 EEPROM.....	65
2.3.3.1 EEPROM Programming.....	65
2.3.3.2 EEPROM Size.....	65
2.3.3.3 EEPROM Wear.....	65
2.3.4 Adding External Memory.....	65
2.3.4.1 SD Cards (SPI Interface).....	66
2.3.4.2 Flash and EEPROM Chips (SPI / TWI Interface).....	68
2.3.4.3 SPI Devices.....	68
2.3.4.4 TWI and I ² C Devices.....	69
2.4 Power and USB.....	69
2.4.1 USB Power.....	69
2.4.2 USB Connection and Cable.....	69
2.4.3 External Power.....	70
2.4.4 Battery Power.....	71
2.4.5 Operating Voltage.....	73
2.5 Operating Frequency.....	73
2.6 LED Indicators and Reset Button.....	74
2.6.1 ON LED.....	74
2.6.2 L LED.....	75

2.6.3 TX LED.....	75
2.6.4 RX LED.....	75
2.6.5 Reset Button.....	75
2.7 User Pin Headers.....	76
2.7.1 Power Pins.....	76
2.7.1.1 GND Pins.....	76
2.7.1.2 5V Pins.....	76
2.7.1.3 3.3V Pin.....	77
2.7.1.4 Vin Pin.....	77
2.7.2 IOREF Pin and Unconnected Pin.....	77
2.7.3 RESET Pin.....	78
2.7.4 Digital, PWM and Communication Pins.....	78
2.7.4.1 Output Pins.....	78
2.7.4.2 Pin Current Rating.....	80
2.7.4.3 Input Pins.....	81
2.7.4.4 PWM Pins.....	82
PWM Example Sketch.....	83
Calculating PWM Duty Cycle.....	84
PWM Frequency.....	84
PWM LED Control Example.....	84
2.7.4.5 Communication Pins.....	84
Serial Port / UART Pins to USB.....	85
Serial Port / USART Pins.....	86
TWI or I ² C Pins.....	86
SPI Pins.....	87
2.7.5 Analog In Pins.....	87
2.7.5.1 Analog In Example Sketch.....	87
2.7.5.2 Floating Analog Input Pin.....	88
2.7.5.3 Calculating Analog In Voltage.....	88
2.7.5.4 Analog In Pins Used as Digital I/O.....	88
2.7.6 AREF Pin and Internal ADC Reference Voltages.....	89
2.8 Programming Headers.....	90
2.8.1 MEGA 2560 with External Programmer on ICSP.....	90
2.8.2 Restore Bootloader with IDE and External Programmer.....	91

2.8.3 ATmega16U2 ICSP Header.....	91
2.8.4 ICSP Programming Resources.....	92
2.8.5 Using an Arduino as an In-System Programmer.....	93
2.9 Shared Pins.....	93
2.9.1 Serial Port Pins.....	93
2.9.2 L LED Pin.....	93
2.9.3 TWI or I ² C Pins.....	94
2.9.4 ICSP SPI Pins and Reset.....	94
2.9.5 JTAG Pins.....	95
Chapter 3 • Pin Reference and Interfacing	97
3.1 Pin Default and Alternate Functions.....	98
3.1.1 Shared TWI Pins.....	98
3.1.2 Shared SPI Pins.....	98
3.2 ATmega2560 to Arduino MEGA 2560 Pin Mapping.....	99
3.2.1 ATmega2560 Ports.....	101
3.2.2 ATmega2560 Alternate Pin Functions.....	102
3.3 Pin Types and Interfacing.....	103
3.3.1 Digital Input / Output Pins.....	103
3.3.1.1 Pins as Outputs.....	103
Why an LED Needs a Series Resistor.....	104
How to Calculate a LED Current Limiting Series Resistor.....	106
Current Sourcing and Current Sinking.....	109
Current Sourcing.....	109
Current Sinking.....	110
Current Limitation Per Pin.....	111
I/O Port Current Source and Sink Limits.....	111
Switching Heavier Loads with Transistors and Relays.....	115
3.3.1.2 Pins as Inputs.....	118
Pull-down Resistor.....	119
Pull-up Resistor.....	121
Internal Pull-up Resistors.....	122
3.3.2 PWM Pins.....	123
3.3.3 Analog Pins.....	124

3.3.4 TWI Bus Pins.....	125
3.3.4.1 TWI Interfacing Example.....	125
TWI Pull-up Resistors.....	126
3.3.4.2 Accessing TWI Devices in Software.....	127
3.3.5 SPI Bus Pins.....	128
3.3.5.1 SPI Bus Interfacing Example.....	130
3.3.5.2 Accessing SPI Devices in Software.....	130
3.3.5.3 Accessing SD Cards in Software.....	130
3.3.6 Serial / UART Pins.....	131
3.3.6.1 Hardware Serial Ports.....	131
Using the USB Port / Serial Port 0.....	132
Using Serial Port 1, Serial Port 2 and Serial Port 3.....	132
Serial Port Reference.....	135
3.3.6.2 Software Serial Port.....	135
3.3.7 Power Pins.....	136
3.3.7.1 GND Pins.....	136
3.3.7.2 5V Pins.....	136
USB 5V.....	137
External Power to 5V Regulator.....	137
3.3.7.3 3.3V Pin.....	137
3.3.7.4 Vin Pin.....	137
3.3.8 Reset Pin.....	138
3.3.9 IOREF Pin.....	138
3.3.10 AREF Pin.....	139
3.4 ICSP Header on Main Microcontroller.....	140
3.5 ICSP Header on USB Microcontroller.....	141
3.6 JP5 Header on USB Microcontroller.....	142
3.7 JTAG Pins.....	143
3.8 Finding the Datasheets.....	143
3.8.1 ATmega2560 Datasheet.....	144
3.8.2 ATmega16U2 Datasheet.....	144
3.8.3 Datasheets for Other Components.....	144

4.1 Power Supply Specification.....

146

4.1.1 Operating Voltage.....

146

4.1.2 USB Power Input.....

147

4.1.3 External Power Jack Input.....

147

4.1.4 External Power Jack Pinout.....

147

4.1.5 Vin Pin as Power Input.....

148

4.2 Power Circuit.....

148

4.2.1 External Power In and 5V Regulator.....

148

4.2.2 Power On Indicator LED.....

148

4.2.3 USB Power In.....

148

4.2.4 Automatic Switch.....

149

4.2.5 3.3V Regulator.....

150

4.2.6 Power Header Socket.....

150

4.2.7 Differences Between the MEGA 2560 and Uno Power Circuits.....

150

4.2.7.1 External Power In and 5V Regulator.....

150

4.2.7.2 Power On Indicator LED.....

150

4.2.7.3 USB Power In.....

151

4.2.7.4 Automatic Switch.....

151

4.2.7.5 3.3V Regulator.....

151

4.3 Power Supply Protection.....

151

4.3.1 Reverse Polarity Protection.....

152

4.3.2 5V Regulator Protection Features.....

152

4.3.3 3.3V Regulator Protection Features.....

152

4.3.4 USB Overload Protection.....

152

5.1 Updating the USB to Serial Bridge Firmware using DFU.....

154

5.2 Microchip Studio.....

155

5.3 USB Microcontroller Firmware.....

157

5.3.1 Backing up the ATmega16U2 Firmware with Microchip Studio.....

157

5.3.2 DFU Bootloader Firmware.....

159

5.3.3 USB to Serial Bridge Firmware.....	159
5.3.4 Programming the USB Microcontroller using ICSP.....	160
5.3.5. ATmega16U2 Fuse Settings.....	161
5.4 Main Microcontroller Bootloader.....	162
5.4.1 Backing up the ATmega2560 Firmware with Microchip Studio.....	162
5.4.2 Bootloader Firmware – stk500v2.....	163
5.4.3 Restoring the Bootloader.....	163
5.4.4 ATmega2560 Fuse Settings.....	164
5.5 The RESET-EN Solder Jumper.....	166
5.6 Alternative Firmware Programming Methods.....	168
 Chapter 6 • Circuit Diagram and Components	 169
6.1 Circuit Diagram.....	170
6.1.1 Block Diagram.....	170
6.1.2 Main Microcontroller Circuit.....	171
6.1.3 USB Microcontroller Circuit.....	171
6.1.4 Power Supply Circuit.....	174
6.2 Component List.....	174
6.3 Component Positions on the Board.....	177
6.4 Getting an Electronic Copy of the Circuit Diagram.....	179
 Chapter 7 • Fault Finding and Measurement	 181
7.1 Basic Fault Finding and Repair.....	182
7.2 Replacing the Main Arduino MEGA 2560 Microcontroller.....	182
7.2.1 Replacement Part.....	183
7.2.2 Removing the Old Microcontroller.....	183
7.2.3 Soldering the New Microcontroller.....	184
7.2.4 Loading the Bootloader.....	185
7.3 Voltage Measurements.....	185
7.3.1 Powered from USB.....	186
7.3.1.1 5V Test Points.....	186
7.3.1.2 USB Power and 3.3V Circuit Test Points.....	186
7.3.1.3 Measuring Voltage on the L and ON LEDs.....	188

7.3.2 Powered from External Power Supply.....	188
7.4 Waveform Patterns and Measurement.....	189
7.4.1 Testing for Presence of Microcontroller Clocks.....	190
7.4.2 Testing for PWM Waveforms.....	191
7.4.3 Testing UART Outputs.....	194
7.4.4 TWI Signals.....	196
7.4.5 SPI Signals.....	198
 Chapter 8 • Mechanical Dimensions and Templates	 201
8.1 Measurements, Tolerance and Scale.....	202
8.2 Length, Width and Mass.....	202
8.3 Mounting Hole Spacing and Size.....	204
8.4 Shape Dimensions.....	205
8.5 Header Positions.....	206
8.6 Shield Reverse Connection Protection.....	207
8.7 Using Strip-board as a Shield.....	208
8.8 Drill Template and KiCad Template.....	208
 Chapter 9 • Arduino Shield Compatibility	 209
9.1 Shield Compatibility Considerations.....	210
9.2 Shield Compatibility Between Arduino Models.....	210
9.2.1 Shield Size.....	210
9.2.2 Shield Voltage.....	210
9.2.3 SPI Pin Compatibility.....	211
9.2.4 TWI Pin Compatibility.....	211
9.2.5 Shield Stacking.....	211
9.3 Compatibility Between Four Arduino Models.....	211
9.3.1 Arduino MEGA 2560.....	214
9.3.2 Arduino Due.....	214
9.3.3 Arduino Uno.....	215
9.3.4 Arduino Zero.....	216
9.3.5 5V Pin Current on MEGA and Uno.....	216

9.4 Arduino Shield Pin Compatibility	218
9.4.1 TWI Pins.....	218
9.4.2 SPI Pins.....	219
9.4.3 Digital Pins.....	219
9.4.4 Analog Pins.....	219
9.4.5 Power Pins.....	219
9.5 Example of Shield Compatibility Problems.....	220
9.5.1 Data Logger Shield Example.....	220
9.5.1.1 Shield Power.....	221
9.5.1.2 ICSP Connector.....	221
9.5.1.3 TWI Pins.....	222
9.5.2 Ethernet Shield Example.....	223
9.5.2.1 Shield Power.....	223
9.5.2.2 ICSP Connector and Stacking.....	223
 Appendix A • Specifications Quick Reference	 225
Index	229