

Contents

1	Mechanical Behaviors of Natural Fiber-Reinforced Polymer Hybrid Composites	1
	<i>Adelani A. Oyeniran and Sikiru O. Ismail</i>	
1.1	Introduction	1
1.2	Concept of Natural Fibers and/or Biopolymers: Biocomposites	3
1.2.1	Natural Fiber-Reinforced Polymer Composites or Biocomposites	3
1.2.2	Polymer Matrices	4
1.3	Hybrid Natural Fiber-Reinforced Polymeric Biocomposites	7
1.4	Mechanical Behaviors of Natural Fiber-Reinforced Polymer-Based Hybrid Composites	10
1.4.1	Hybrid Natural FRP Composites	11
1.4.1.1	Bagasse/Jute FRP Hybrid Composites	11
1.4.1.2	Bamboo/MFC FRP Hybrid Composites	12
1.4.1.3	Banana/Kenaf and Banana/Sisal FRP Hybrid Composites	12
1.4.1.4	Coconut/Cork FRP Hybrid Composites	14
1.4.1.5	Coir/Silk FRP Hybrid Composites	15
1.4.1.6	Corn Husk/Kenaf FRP Hybrid Composites	16
1.4.1.7	Cotton/Jute and Cotton/Kapok FRP Hybrid Composites	16
1.4.1.8	Jute/OPEFB FRP Hybrid Composites	18
1.4.1.9	Kenaf/PALF FRP Hybrid Composites	18
1.4.1.10	Sisal/Roselle and Sisal/Silk FRP Hybrid Composites	19
1.5	Other Related Properties that Are Dependent on Mechanical Properties	20
1.5.1	Tribological Behavior	20
1.5.2	Thermal Behavior	21
1.6	Progress and Future Outlooks of Mechanical Behaviors of Natural FRP Hybrid Composites	21
1.7	Conclusions	22
	References	23

2 Mechanical Behavior of Additive Manufactured Porous Biocomposites 27

Ramu Murugan and Mohanraj Thangamuthu

- 2.1 Introduction 27
- 2.2 Human Bone 27
- 2.3 Porous Scaffold 29
- 2.4 Biomaterials for Scaffolds 30
 - 2.4.1 Required Properties of Biomaterials 30
 - 2.4.2 Types of Biomaterials 31
 - 2.4.2.1 Metals 31
 - 2.4.2.2 Polymers 31
 - 2.4.2.3 Ceramics 32
 - 2.4.2.4 Composites 32
- 2.5 Additive Manufacturing of Porous Structures 33
 - 2.5.1 Generic Process of AM 33
 - 2.5.2 Powder Bed Fusion Process 34
 - 2.5.3 Fused Deposition Modeling Process 35
 - 2.5.4 Additive Manufacturing of Porous Biocomposites 35
- 2.6 Design of Porous Scaffold 36
 - 2.6.1 Pore Size 36
 - 2.6.2 Pore Geometry 37
 - 2.6.3 Bioceramics as Reinforcement Material 37
- 2.7 Mechanical Characterization of Additive Manufactured Porous Biocomposites 38
- 2.8 Conclusion 41
- References 41

3 Mechanical and Dynamic Mechanical Analysis of Bio-based Composites 49

R.A. Ilyas, S.M. Sapuan, M.R.M. Asyraf, M.S.N. Atikah, R. Ibrahim, Mohd N.F. Norrrahim, Tengku A.T. Yasim-Anuar, and Liana N. Megashah

- 3.1 Introduction 49
- 3.2 Mechanical Properties of Macro-scale Fiber 50
- 3.3 Mechanical Properties of Nano-scale Fiber 50
 - 3.3.1 Factors Affecting Mechanical Properties of Bionanocomposites 50
 - 3.3.1.1 Fabrication Method 51
 - 3.3.1.2 Nanocellulose Loading 53
 - 3.3.1.3 Nanocellulose Dispersion and Distribution 53
 - 3.3.1.4 Nanocellulose Orientation 53
 - 3.3.2 The Static Mechanical Properties of Bionanocomposites 54
- 3.4 Dynamic Mechanical Analysis (DMA) of Biocomposites 55
 - 3.4.1 Single Fiber 57
 - 3.4.1.1 Sugar Palm 57
 - 3.4.1.2 Bamboo 57

3.4.1.3	Kenaf	59
3.4.1.4	Alfa	59
3.4.1.5	Carnauba	59
3.4.1.6	Pineapple Leaf Fiber (PALF)	60
3.4.1.7	Oil Palm Fiber (OPF)	60
3.4.1.8	Red Algae	60
3.4.1.9	Banana	61
3.4.1.10	Flax	62
3.4.1.11	Jute	62
3.4.1.12	Hemp	63
3.4.1.13	Waste Silk Fiber	63
3.4.1.14	Henequen	64
3.4.2	Hybrid Fiber	64
3.4.2.1	Sisal/Oil Palm	64
3.4.2.2	Coir/PALF	65
3.4.2.3	Kenaf/PALF	65
3.4.2.4	Palmyra Palm Leaf Stalk Fiber (PPLSF)/Jute	66
3.4.2.5	Oil Palm Empty Fruit Bunch (OPEFB)/Cellulose	66
3.5	Dynamic Mechanical Properties of Bionanocomposites	66
3.5.1	The Dynamic Mechanical Properties of Bionano composites	67
3.6	Conclusion	68
	References	68
4	Physical and Mechanical Properties of Biocomposites Based on Lignocellulosic Fibers	77
	<i>Nadir Ayrlimis, Sarawut Rimdusit, Rajini Nagarajan, and M.P. Indira Devi</i>	
4.1	Introduction	77
4.2	Major Factors Influencing Quality of Biocomposites	82
4.2.1	Selection of Natural Fibers	82
4.2.2	Effect of Fiber/Particle Size on the Physical and Mechanical Properties of Biocomposites	85
4.2.3	Effect of Filler Content on the Mechanical Properties of Biocomposites	88
4.2.4	Compatibility Between Natural Fiber/Polymer Matrix and Surface Modification	91
4.2.5	Type of Polymer Matrix	95
4.2.6	Processing Conditions in the Manufacture of Biocomposite	96
4.2.7	Presence of Voids and Porosity	98
4.2.8	Nanocellulose-Reinforced Biocomposites	98
4.2.8.1	Preparation and Properties of Cellulose Nanofibers	101
4.2.8.2	Industrial Applications of Cellulose Nanofibers	101
4.3	Conclusions	103
	References	103

5	Machinability Analysis on Biowaste Bagasse-Fiber-Reinforced Vinyl Ester Composite Using S/N Ratio and ANOVA	109
	Method	109
	<i>Balasubramaniam Stalin, Ayyanar Athijayamani, and Rajini Nagarajan</i>	
5.1	Introduction	109
5.2	Experimental Methodology	111
5.2.1	Materials	111
5.2.2	Specimen Preparation	111
5.2.3	Machining of the Composite Specimen	111
5.2.4	Selection of Orthogonal Array	111
5.2.5	Development of Multivariable Nonlinear Regression Model	113
5.3	Results and Discussion	114
5.3.1	Influence of Machining Parameters on Thrust Force and Torque	114
5.3.2	S/N Ratio	115
5.3.3	ANOVA	115
5.3.4	Correlation of Machining Parameters with Responses	116
5.3.5	Confirmation Test	117
5.4	Conclusions	118
	References	118
6	Mechanical and Dynamic Properties of Kenaf-Fiber-Reinforced Composites	121
	<i>Brijesh Gangil, Lalit Ranakoti, and Pawan K. Rakesh</i>	
6.1	Introduction	121
6.2	Mechanical Properties of Kenaf-Fiber-Reinforced Polymer Composite	122
6.3	Dynamic Mechanical Analysis	124
6.4	Storage Modulus (E') of Kenaf Fiber-Polymer Composite	125
6.5	Loss Modulus (E'') of Kenaf Fiber-Polymer Composite	125
6.6	Damping Factor ($\tan \delta$)	126
6.7	Glass Transition Temperatures (T_g)	127
6.8	Conclusion	130
	References	131
7	Investigation on Mechanical Properties of Surface-Treated Natural Fibers-Reinforced Polymer Composites	135
	<i>Sabarish Radoor, Jasila Karayil, Aswathy Jayakumar, and Suchart Siengchin</i>	
7.1	Introduction	135
7.2	Mechanical Properties of Natural Fibers	135
7.3	Drawbacks of Natural Fibers	136
7.4	Surface Modification of Natural Fibers	137
7.4.1	Chemical Treatment	137
7.4.2	Alkaline Treatment	137
7.4.3	Silane Treatment	140
7.4.4	Acetylation Treatment	143

7.4.5	Benzylation Treatment	145
7.4.6	Peroxide Treatment	146
7.5	Maleated Coupling Agents	147
7.5.1	Isocyanate	148
7.5.2	Permanganate Treatment	150
7.5.3	Stearic Acid Treatment	151
7.5.4	Physical Treatment	152
7.5.5	Plasma Treatment	152
7.5.6	Corona Treatment	154
7.5.7	Ozone Treatment	155
7.6	Summary	156
	References	156

8 Mechanical and Tribological Characteristics of Industrial Waste and Agro Waste Based Hybrid Composites 163

Vigneswaran Shanmugam, Uthayakumar Marimuthu, Veerasimman Arumugaprabu, Sundarakannan Rajendran, and Rajendran Deepak Joel Johnson

8.1	Introduction	163
8.2	Materials and Methods	164
8.2.1	Scanning Electron Microscopy (SEM)	166
8.3	Result and Discussion	166
8.3.1	Effect of Chemical Treatment on Fiber	166
8.3.2	Mechanical Behavior	167
8.3.3	Erosion Behavior	169
8.3.3.1	Effect of Fiber Treatment on Erosion Rate	169
8.3.3.2	Effect of Red Mud Addition on Erosion Rate	170
8.3.3.3	Effect of Impact Angle on Erosion Rate	170
8.4	Conclusion	173
	References	173

9 Dynamic Properties of Kenaf-Fiber-Reinforced Composites 175

Rashed Al Mizan, Nur N. Akter, and Mohammad I. Iqbal

9.1	Introduction	175
9.2	Manufacturing Techniques for Kenaf-Fiber-Reinforced Composites	176
9.3	Characterization	177
9.3.1	Dynamic Mechanical Analysis (DMA)	178
9.3.2	Thermogravimetric Analysis (TGA)	178
9.3.3	Vibration-Damping Testing	178
9.3.4	Acoustic Properties	179
9.4	Overview of the Dynamics Properties of Kenaf-Fiber-Reinforced Composite	179
9.4.1	Dynamic Mechanical Properties (DMA)	180
9.4.2	TGA Analysis of Composites	184

9.4.3	Acoustic Properties	186
9.5	Conclusion	187
	References	187

10 Effect of Micro-Dry-Leaves Filler and Al-SiC Reinforcement on the Thermomechanical Properties of Epoxy Composites 191
Mohit Hemath, Govindrajulu Hemath Kumar, Varadhappan Arul Mozhi Selvan, Mavinkere R. Sanjay, and Suchart Siengchin

10.1	Introduction	191
10.2	Materials and Methods	193
10.2.1	Materials	193
10.2.2	Production of Al-SiC Nanoparticles	193
10.2.3	Fabrication of Epoxy Composites	194
10.2.4	Epoxy Composite Characterization	194
10.2.4.1	Porosity, Density, and Volume Fraction	194
10.2.4.2	Tensile Properties	194
10.2.4.3	Flexural Properties	194
10.2.4.4	Impact Strength	195
10.2.4.5	Dynamic Mechanical Analysis (DMA)	195
10.2.4.6	Morphological Properties	195
10.3	Results and Discussion	195
10.3.1	Quality of Fabrication and Volume Fraction of Epoxy Composites	195
10.3.2	Tensile Characteristics	196
10.3.3	Flexural Characteristics	197
10.3.4	Impact Characteristics	198
10.3.5	Dynamic Mechanical Analysis	199
10.3.5.1	Storage Modulus	199
10.3.5.2	Loss Modulus	200
10.3.5.3	Damping Factor	201
10.3.6	Morphological Characteristics	201
10.4	Conclusion	201
	References	202

11 Effect of Fillers on Natural Fiber–Polymer Composite: An Overview of Physical and Mechanical Properties 207
Annamalai Saravanakumaar, Arunachalam Senthilkumar, and Balasundaram Muthu Chozha Rajan

11.1	Introduction	207
11.2	Influence of Cellulose Micro-filler on the Flax, Pineapple Fiber-Reinforced Epoxy Matrix Composites	208
11.3	Influence of Sugarcane Bagasse Filler on the Cardanol Polymer Matrix Composites	208
11.4	Influence of Sugarcane Bagasse Filler on the Natural Rubber Composites	209
11.5	Influence of Fly Ash on Wood Fiber Geopolymer Composites	210

11.6	Influence of Eggshell Powder/Nanoclay Filler on the Jute Fiber Polyester Composites	211
11.7	Influence of <i>Portunus sanguinolentus</i> Shell Powder on the Jute Fiber-Epoxy Composite	212
11.8	Influence of Nano-SiO ₂ Filler on the <i>Phaseolus vulgaris</i> Fiber-Polyester Composite	214
11.9	Influence of Aluminum Hydroxide (Al(OH) ₃) Filler on the Vulgaris Banana Fiber-Epoxy Composite	215
11.10	Influence of Palm and Coconut Shell Filler on the Hemp-Kevlar Fiber-Epoxy Composite	216
11.11	Influence of Coir Powder Filler on Polyester Composite	217
11.12	Influence of CaCO ₃ (Calcium Carbonate) Filler on the Luffa Fiber-Epoxy Composite	217
11.13	Influence of Pineapple Leaf, Napier, and Hemp Fiber Filler on Epoxy Composite	218
11.14	Influence of Dipotassium Phosphate Filler on Wheat Straw Fiber-Natural Rubber Composite	220
11.15	Influence of Groundnut Shell, Rice Husk, and Wood Powder Fillers on the <i>Luffa cylindrica</i> Fiber-Polyester Composite	220
11.16	Influence of Rice Husk Fillers on the <i>Bauhinia vahlii</i> – Sisal Fiber-Epoxy Composite	221
11.17	Influence of Areca Fine Fiber Fillers on the <i>Calotropis gigantea</i> Fiber Phenol Formaldehyde Composite	221
11.18	Influence of Tamarind Seed Fillers on the Flax Fiber-Liquid Thermoplastic Composite	223
11.19	Influence of Walnut Shell, Hazelnut Shell, and Sunflower Husk Fillers on the Epoxy Composites	223
11.20	Influence of Waste Vegetable Peel Fillers on the Epoxy Composite	224
11.21	Influence of <i>Clusia multiflora</i> Saw Dust Fillers on the Rubber Composite	224
11.22	Influence of Wood Flour Fillers on the Red Banana Peduncle Fiber Polyester Composite	225
11.23	Influence of Wood Dust Fillers (Rosewood and Padauk) on the Jute Fiber-Epoxy Composite	225
11.24	Summary	226
11.25	Conclusions	226
	References	231

12 Temperature-Dependent Dynamic Mechanical Properties and Static Mechanical Properties of *Sansevieria cylindrica* Reinforced Biochar-Tailored Vinyl Ester Composite 235

Rajendran Deepak Joel Johnson, Veerasimman Arumugaprabu, Rajini Nagarajan, Fernando G. Souza, and Vigneswaran Shanmugam

12.1	Introduction	235
12.2	Materials and Method	236

12.2.1	Materials	236
12.2.2	Biochar Characterization	238
12.2.2.1	Particle Size Analyzer	238
12.2.2.2	X-ray Diffraction	238
12.2.2.3	FTIR Spectroscopy	238
12.2.3	Composite Fabrication	239
12.2.4	Dynamic Mechanical Analysis (DMA)	239
12.2.5	Tensile Testing	239
12.2.6	Flexural Testing	240
12.2.7	Impact Testing	240
12.2.8	Scanning Electron Microscopy	240
12.3	Results and Discussion	240
12.3.1	Biochar Characterization	240
12.3.1.1	Particle Analyzer	240
12.3.1.2	Fourier Transform (InfraRed) Spectroscopy	240
12.3.1.3	X-ray Diffraction	242
12.3.2	Dynamic Mechanical Analysis	243
12.3.3	Tensile Tests	247
12.3.4	Flexural Tests	248
12.3.5	Impact Tests	249
12.4	Conclusions	251
	References	251

13	Development and Sustainability of Biochar Derived from Cashew Nutshell-Reinforced Polymer Matrix Composite	255
	<i>Rajendren Sundarakannan, Vigneswaran Shanmugam, Veerasimman Arumugaprabu, Vairavan Manikandan, and Paramasivan Sivaranjana</i>	
13.1	Introduction	255
13.2	Materials and Methods	257
13.2.1	Biochar Preparation	257
13.2.2	Composite Preparation	257
13.2.3	Mechanical Testing	258
13.3	Results and Discussion	258
13.3.1	Tensile Strength	258
13.3.2	Flexural Strength	259
13.3.3	Impact Strength	260
13.3.4	Hardness	260
13.3.5	Failure Analysis of Cashew Nutshell Waste Extracted Biochar-Reinforced Polymer Composites	261
13.3.5.1	Tensile Strength Failure Analysis	261
13.3.5.2	Flexural Strength Failure Analysis	262
13.3.5.3	Impact Strength Failure Analysis	262
13.4	Conclusion	263
	References	263

14	Influence of Fiber Loading on the Mechanical Properties and Moisture Absorption of the Sisal Fiber-Reinforced Epoxy Composites	265
	<i>Banisetti Manoj, Chandrasekar Muthukumar, Chennuri Phani Durga Prasad, Swathi Manickam, and Titus I. Benjamin</i>	
14.1	Introduction	265
14.1.1	Sisal Fibers	265
14.1.2	Fiber Parameters Affecting Mechanical Properties of the Composite	266
14.2	Materials and Methods	266
14.2.1	Materials	266
14.2.2	Fabrication Method	266
14.2.3	Characterization	266
14.2.3.1	Tensile Test	266
14.2.3.2	Flexural Test	267
14.2.3.3	Moisture Diffusion	267
14.3	Results and Discussion	267
14.3.1	Tensile Properties	267
14.3.2	Flexural Properties	269
14.3.3	Water Absorption	271
14.4	Conclusion	272
	References	272
15	Mechanical and Dynamic Properties of Ramie Fiber-Reinforced Composites	275
	<i>Manickam Ramesh, Lakshminarasimhan Rajeshkumar, and Devarajan Balaji</i>	
15.1	Introduction	275
15.2	Mechanical Strength of Ramie Fiber Composites	277
15.3	Dynamic Properties of Ramie Fiber Composites	281
15.3.1	Temperature Influence	283
15.3.2	Storage Modulus	283
15.3.3	Viscous Modulus	284
15.3.4	Damping Factor	284
15.4	Conclusion	288
	References	289
16	Fracture Toughness of the Natural Fiber-Reinforced Composites: A Review	293
	<i>Haasith Chittimenu, Monesh Pasupureddy, Chandrasekar Muthukumar, Senthilkumar Krishnasamy, Senthil Muthu Kumar Thiagamani, and Suchart Siengchin</i>	
16.1	Introduction	293
16.1.1	Fracture Toughness Tests	294
16.1.2	Mode-I Loading	296
16.1.2.1	Double Cantilever Beam Method (DCB)	296

16.1.2.2	Compact Tensile Method (CT)	296
16.1.2.3	Single-Edge Notch Bend Test (SENB)	296
16.1.3	Mode-II Loading	297
16.1.3.1	End-Notched Flexure Test (ENF)	297
16.1.4	Mode-III Loading	297
16.1.4.1	Split Cantilever Beam Method (SCB)	297
16.1.4.2	Edge Crack Torsion Test (ECT)	298
16.1.4.3	Mixed Mode Bend Test (MMB)	298
16.2	Factors Affecting the Fracture Energy of the Biocomposites	298
16.2.1	Fiber Parameters	298
16.2.2	Hybridization	299
16.2.3	Fiber Treatment	299
16.2.4	Aging	301
16.3	Conclusion	302
	Acknowledgments	302
	References	302

17 **Dynamic Mechanical Behavior of Hybrid Flax/Basalt Fiber Polymer Composites** 305

Arun Prasath Kanagaraj, Amuthakkannan Pandian, Veerasimman Arumugaprabu, Rajendran Deepak Joel Johnson, Vigneswaran Shanmugam, and Vairavan Manikandan

17.1	Introduction	305
17.2	Materials and Methods	307
17.2.1	Materials	307
17.2.2	Fabrication of Composites	307
17.2.3	Dynamic Mechanical Analysis	307
17.3	Result and Discussion	308
17.3.1	Damping Factor ($\tan \delta$) Response of Basalt/Flax Fiber Composite	308
17.3.2	Storage Modulus (E') Response of Basalt/Flax Fiber Composite	308
17.3.3	Loss Modulus Performance of Basalt/Flax Fiber Composites	309
17.4	Conclusions	309
	Acknowledgments	310
	References	310

Index 313