

Contents

Abbreviations.....	i
Publications.....	iii
1. Introduction	1
2. Literature Review.....	3
2.1. Paratuberculosis in cattle.....	4
2.2. Paratuberculosis in other ruminants	7
2.3. Crohn's Disease and Paratuberculosis.....	8
2.4. Development of MAP-specific cellular immune responses in cattle	9
2.5. Humoral immune response in MAP-infected cattle	11
2.6. Diagnosis of bovine paratuberculosis.....	12
2.6.1. Antigens used for cell-mediated immune response (CMI) based diagnosis of MAP.....	14
2.6.1.1. Antigen mixtures	14
2.6.1.2. Lipid antigens	15
2.6.1.3. Protein antigens	15
2.6.2. Detection of MAP-specific CMI	18
2.6.2.1. Skin tests	19
2.6.2.2. Lymphocyte transformation test (LTT).....	20
2.6.2.3. IFN- γ release assay (IGRA)	21
2.6.2.4. Flow cytometric analysis (FCA)	24
3. Material and Methods.....	25
3.1. Animals	25
3.1.1. MAP-negative and MAP-positive herds	25
3.1.2. Cows selected for the preliminary study	26
3.1.3. Calves selected for the longitudinal studies	27
3.2. Longitudinal study design	30
3.3. Blood samples	31
3.4. Antigens	32
3.4.1. Preparation of purified protein derivatives (PPD).....	33
3.4.2. Preparation of whole cell sonicates (WCS).....	34
3.5. Interferon gamma release assay (IGRA)	34
3.5.1. Test principle.....	34
3.5.2. Test procedure	35
3.6. IFN- γ flow cytometric assay (IFN- γ FCA)	36
3.6.1. Test principle.....	36
3.6.2. Isolation of bovine peripheral blood mononuclear cells (PBMC).....	36
3.6.3. Antigen stimulation and boosting of PBMC cultures.....	37

Contents

3.6.4.	Detection of IFN- γ production in CD4 ⁺ and CD8 ⁺ PBMC (2-color immunolabeling) ..	38
3.6.5.	Flow cytometric analysis.....	39
3.7.	Data and statistical analysis.....	42
3.7.1.	Analysis of IFN- γ ELISA.....	42
3.7.2.	Analysis of IFN- γ flow cytometric assay	42
3.7.3.	Analysis of the sensitivity and the specificity of CMI tests in the longitudinal studies ..	43
4.	Results	44
4.1.	Cows unexposed or naturally exposed to <i>Mycobacterium avium</i> ssp. <i>paratuberculosis</i> (MAP) (preliminary study).....	44
4.1.1.	IFN- γ production in antigen-stimulated whole blood cell cultures (IGRA).....	44
4.1.2.	Antigen-induced IFN- γ production by T-cell subpopulations in PBMC cultures of MAP-infected cattle (IFN- γ FCA)	45
4.2.	Experimentally infected calves (longitudinal studies).....	61
4.2.1.	IFN- γ release in antigen-stimulated whole blood cell cultures (IGRA).....	61
4.2.2.	IFN- γ production in antigen-stimulated PBMC cultures (IFN- γ FCA).....	62
4.2.3.	Comparison of mycobacterial antigen preparations to stimulate PBMC of experimentally infected calves in vitro	73
4.2.4.	Sensitivity and specificity of CMI tests in the longitudinal studies	75
5.	Discussion	82
5.1.	IFN- γ release assay following antigenic restimulation of whole blood cell cultures	82
5.2.	Rationale for the selection of antigens to detect MAP-specific cellular immune responses by flow cytometric analysis.....	85
5.3.	Amendment of a flow cytometric analysis protocol to detect MAP-specific cellular immune responses	87
5.4.	Choosing a suitable experimental model to quantify MAP-specific cellular immune responses in infected calves	90
5.5.	Assessment of MAP-specific cellular immune responses as early diagnostic marker in experimentally infected calves	91
5.6.	Translational potential of the study results and outlook.....	93
6.	Conclusions	94
7.	Summary	95
8.	Zusammenfassung	96
9.	References	97
10.	Appendix	112
10.1.	Reagents and materials	112
10.2.	Laboratory equipments.....	115

Contents

10.3. Buffers, solutions and culture media	116
10.4. Test kits	119
List of Tables	120
List of Figures	121
Acknowledgment	123