

Contents

Preface — V

List of contributing authors — XXI

Julian Seifert, Karin Koch, Melissa Hess and Annette M. Schmidt

1 Magneto-mechanical coupling of single domain particles in soft matter systems — 1

- 1.1 Introduction — 1
- 1.2 Particle dynamics in fluids: Magnetic particle nanorheology — 2
 - 1.2.1 Methodology — 3
 - 1.2.2 Application to complex fluids — 5
- 1.3 MP as tracers and actuators in nanostructured solids — 14
 - 1.3.1 Conventional ferrogels — 15
 - 1.3.2 Particle-crosslinked ferrogels — 17
 - 1.3.3 Nanostructuring by self-assembly — 19
- 1.4 Summary — 20
- References — 22

Gennady V. Stepanov, Dmitry Yu. Borin, Anton V. Bakhtiarov and Pavel A. Storozhenko

2 Hybrid magnetic elastomers prepared on the basis of a SIEL-grade resin and their magnetic and rheological properties — 27

- 2.1 Introduction — 28
 - 2.1.1 Background — 28
 - 2.1.2 Elastomeric materials — 29
- 2.2 Synthesis and measurements — 31
 - 2.2.1 Synthesis of magnetic elastomers based on SIEL-grade silicone resin — 31
 - 2.2.2 Magnetic properties of HME — 32
 - 2.2.3 Measuring technique of the rheological properties of HME — 36
 - 2.2.4 Electric conductivity improvement by means of electroplating iron powders with nickel — 38
- 2.3 Discussion — 40
 - 2.3.1 Structuring mechanism — 40
 - 2.3.2 Rheological properties of HME — 41
 - 2.3.3 Electrical properties of fillers and magnetic elastomers on their basis — 46
- 2.4 Conclusions — 50
- References — 52

Martin Hähsler, Ingo Appel and Silke Behrens

3	Magnetic hybrid materials in liquid crystals — 55
3.1	Introduction — 55
3.2	Discussion — 59
3.2.1	Size and shape-controlled synthesis of magnetic nanoparticles (MNPs) — 59
3.2.2	LC matrices — 61
3.2.3	Integration of MNPs in LC matrices — 62
3.2.4	Characterization of MNPs in LC hosts — 71
3.3	Conclusion and outlook — 73
	References — 74

Niklas Lucht, Stephan Hinrichs, Larissa Großmann, Catharina Pelz, Elena Felgenhauer, Eike Clasen, Max Schwenk and Birgit Hankiewicz

4	Synthesis of magnetic ferrogels: a tool-box approach for finely tuned magnetic- and temperature-dependent properties — 79
4.1	Introduction — 79
4.2	Preparation of magnetic particles — 80
4.2.1	Anisotropic iron oxide particles — 81
4.2.2	Cobalt ferrite particles — 88
4.3	Magnetic hydrogels — 90
4.3.1	Tuning of the LCST — 92
4.3.2	Core-shell hydrogel as matrix — 92
4.3.3	Macrogel matrix — 93
4.3.4	Magnetic particles fixed within the network—magnetic core-shell macrogels — 93
4.3.5	Magnetic particles mobile within the network — 94
4.3.6	Outlook: particles within network cavities — 96
4.4	Hyperthermia—the step toward application — 98
4.5	Methods — 100
4.5.1	TEM — 100
4.5.2	VSM — 100
4.5.3	XRD — 101
4.5.4	DLS — 101
4.5.5	Hyperthermia — 101
4.5.6	U-SAXS — 101
4.6	Summary and outlook — 102
	References — 103

Robert Müller, Janna Kuchinka and Thomas Heinze

5	Studies about the design of magnetic bionanocomposite — 109
5.1	Introduction — 110
5.2	Materials and methods — 111
5.2.1	Materials — 111
5.2.2	Synthesis of dextran ester — 111
5.2.3	Preparation of magnetic nanoparticles — 112
5.2.4	Spectroscopic-, chromatographic- and thermal measurements — 112
5.2.5	Magnetic measurements — 113
5.2.6	Alternating magnetic field studies — 113
5.3	Results and discussion — 114
5.3.1	Synthesis and characterization of dextran esters — 114
5.3.2	Photo-cross-linking — 116
5.3.3	Preparation and analysis of magnetic bionanocomposite (BNC) — 118
5.3.4	Alternating magnetic field heating experiments — 121
5.3.5	Texturing experiments — 123
5.3.6	Magnetometry and AC susceptometry experiments — 125
5.3.7	Mössbauer spectroscopy — 126
5.3.8	Cell experiments/biocompatibility studies — 127
5.4	Conclusion — 129
	References — 130

Silvio Dutz, Andreas Weidner, Moritz von der Lüche, Christine Gräfe, Philip Biehl, Johanna Demut, Paul Warncke, Sandra Jungmann, Dagmar Fischer, Felix H. Schacher and Joachim H. Clement

6	Hybrid nanomaterials of biomolecule corona coated magnetic nanoparticles and their interaction with biological systems — 133
6.1	Introduction — 134
6.2	Methods — 136
6.2.1	Preparation of nanohybrids — 136
6.2.2	Control of corona formation — 139
6.2.3	Sterilization/preservation — 139
6.2.4	Characterization of the samples — 140
6.2.5	Interaction with biological systems — 141
6.3	Results and discussion — 143
6.3.1	Properties of magnetic cores/shell particles — 143
6.3.2	Formation of the biomolecule corona — 145
6.3.3	Corona formation and manipulation — 147
6.3.4	Sterilization/preservation — 152
6.3.5	Interaction with biological systems — 156
6.4	Conclusion — 160
	References — 162

Stephen Strassburg, Kai Mayer and Thomas Scheibel

7	Functionalization of biopolymer fibers with magnetic nanoparticles — 167
7.1	Introduction — 168
7.2	Biopolymer-based materials — 169
7.2.1	Polysaccharides for material's applications — 169
7.2.2	Proteins for material's applications — 170
7.3	Magnetic nanoparticles — 171
7.4	Nanoparticle-doped biopolymer fibers — 172
7.4.1	Processing techniques — 172
7.4.2	Examples of nanoparticle-doped fibers — 174
7.5	Biopolymer–nanoparticle composite properties — 176
7.5.1	Morphology — 176
7.5.2	Thermal properties — 177
7.5.3	Mechanical properties — 178
7.5.4	Magnetic properties — 179
7.6	Applications — 179
7.6.1	Antimicrobial — 179
7.6.2	Magnetically responsive materials — 182
7.7	Summary and future directions — 186
	References — 187

Alexey Eremin, Hajnalka Nádas and Ralf Stannarius

8	Multifunctionality by dispersion of magnetic nanoparticles in anisotropic matrices — 195
8.1	Aims and concepts — 195
8.2	Colloidal suspensions of anisometric particles — 196
8.2.1	Magneto-optical behaviour — 197
8.2.2	Sterical orientation transfer — 198
8.2.3	Molecular dynamics simulation — 199
8.3	Dispersions of magnetic NPs in a nematic LC — 201
8.4	Mobile magnetic NPs in fibrillous gels — 201
8.5	Magnetic suspensions in rotating fields — 212
8.5.1	Rotational effect — 212
8.5.2	Torsion pendulum setup — 213
8.5.3	Diluted ferrofluids and viscosity effects — 214
8.5.4	Néel and Brownian relaxation in rotating fields — 216
8.6	Summary — 217
	References — 219

Maik Liebl, Dietmar Eberbeck, Annelies Coene, Jonathan Leliaert, Philine Jauch, Margarita Kruteva, Lisa Fruhner, Lester Barnsley, Stefan G. Mayr and Frank Wiekhorst

9 Magnetic measurement methods to probe nanoparticle–matrix interactions — 225

- 9.1 Magnetic measurement methods to support biomedical applications of magnetic nanoparticles — **226**
- 9.2 Magnetic measurement and imaging techniques — **227**
- 9.2.1 Magnetorelaxometry — **227**
- 9.2.2 Magnetorelaxometry imaging — **228**
- 9.2.3 MNP response to alternating magnetic fields — **229**
- 9.3 Interaction of MNPs with matrices — **230**
- 9.3.1 Probing the melting of a matrix by Brownian MNP relaxation — **231**
- 9.3.2 Probing the spatial arrangement of MNPs within a matrix by Néel relaxation — **232**
- 9.3.3 Requirements on MNPs to probe particle–matrix interactions — **234**
- 9.3.4 Translational motion of MNPs with different coatings in matrices — **237**
- 9.4 Multicolor magnetorelaxometry imaging for quantitative visualization of particle–matrix interactions — **240**
- 9.4.1 Classical MRXI and multicolor magnetorelaxometry imaging — **240**
- 9.4.2 Extending MRXI to quantitatively imaging particle–matrix interactions — **241**
- 9.5 Flow induced particle–matrix interactions — **245**
- 9.5.1 Microscale visualization of particle–matrix interactions in flow — **245**
- 9.5.2 Tracking a single magnetic microsphere to monitor the fluid dynamics — **247**
- 9.5.3 Sensing of particle–matrix interactions in flow on the nanoscale — **249**
- 9.6 Summary and conclusion — **250**
- References — **251**

Mia Schliephake, Julia M. Linke and Stefan Odenbach

10 Magnetic characterization of magnetoactive elastomers containing magnetic hard particles using first-order reversal curve analysis — 257

- 10.1 Introduction — **257**
- 10.2 Samples and methods — **258**
- 10.2.1 Sample preparation — **258**
- 10.2.2 FORC method — **259**
- 10.2.3 Microstructure analysis — **260**
- 10.3 Results — **260**
- 10.3.1 Training effects — **260**
- 10.3.2 Matrix influence — **262**
- 10.3.3 Particles influence — **265**
- 10.4 Conclusion and outlook — **268**
- References — **269**

Joachim Landers, Soma Salamon, Samira Webers and Heiko Wende

- 11 Microscopic understanding of particle-matrix interaction in magnetic hybrid materials by element-specific spectroscopy — 271**
 - 11.1 Introduction — 272
 - 11.2 Theoretical background — 274
 - 11.3 Accessing nanoparticle dynamics — 277
 - 11.3.1 Simultaneous determination of Néel and Brownian dynamics in ferrofluids — 277
 - 11.3.2 Dynamics of nanoparticle agglomerates in polymer melts — 281
 - 11.4 Magnetic alignment and dynamics: comparison of individual MNPs and NP-agglomerates — 283
 - 11.5 Influence of matrix nanostructure on Brownian MNP motion — 287
 - 11.6 Conclusion — 290
 - References — 292

Sebastian Draack, Meinhard Schilling and Thilo Viereck

- 12 Magnetic particle imaging of particle dynamics in complex matrix systems — 297**
 - 12.1 Introduction — 297
 - 12.2 Magnetic particle spectroscopy (MPS) — 299
 - 12.2.1 Materials/particle systems — 300
 - 12.2.2 Temperature dependence — 303
 - 12.2.3 Viscosity dependence — 304
 - 12.2.4 Multi-spectral MPS — 307
 - 12.3 Magnetic particle imaging (MPI) — 314
 - 12.3.1 Dual-frequency MPI system — 314
 - 12.3.2 Viscosity dependence — 315
 - 12.4 Conclusion — 318
 - References — 318

Frank Ludwig and Hilke Remmer

- 13 Rotational dynamics of magnetic nanoparticles in different matrix systems — 323**
 - 13.1 Introduction — 324
 - 13.2 Dynamic magnetic measurement techniques — 326
 - 13.3 Models for analysis of dynamic magnetic measurements — 327
 - 13.3.1 AC susceptibility of MNPs in Newtonian fluids — 327
 - 13.3.2 AC susceptibility of MNPs in non-Newtonian media — 329
 - 13.3.3 Magnetorelaxometry of MNPs in Newtonian fluids — 333
 - 13.3.4 Magnetorelaxometry of MNPs in viscoelastic matrices — 333
 - 13.3.5 Magnetic field dependence of Brownian relaxation time — 333

13.4	Experimental results —	334
13.4.1	ACS and MRX measurements on MNPs in Newtonian media —	334
13.4.2	Investigation of gelation dynamic of aqueous gelatin suspensions —	338
13.4.3	Investigation of magnetic field dependence of Brownian relaxation time —	342
13.5	Discussion —	344
13.6	Conclusions —	347
	References —	347

Gareth J. Monkman, Dirk Sindersonberger, Nina Prem, Andreas Diermeier, and Tamara Szecey

14 Dielectric behaviour of magnetic hybrid materials — 351

14.1	Introduction —	352
14.2	Sample fabrication and preparation —	354
14.2.1	Magnetization measurements —	355
14.2.2	Interfacial magnetocapacitance —	356
14.2.3	Internal toroidal structural formation —	357
14.2.4	Capillary doublet formation —	359
14.2.5	Spectral analysis —	361
14.3	Conclusions —	364
	References —	365

Dmitry Borin and Gennady Stepanov

15 Magneto-mechanical properties of elastic hybrid composites — 369

15.1	Introduction —	369
15.2	Material composition and fabrication —	370
15.2.1	Composite manufacturing —	371
15.2.2	Composite pre-magnetization —	372
15.2.3	Additional processing —	373
15.3	Magnetic properties —	373
15.4	Magneto-mechanical response —	379
15.5	Summary and outlook —	385
	References —	387

Kerstin Birster, Rouven Schweitzer, Christoph Schopphoven and Andreas Tschöpe

16 Magnetic torque-driven deformation of Ni-nanorod/hydrogel nanocomposites — 391

16.1	Introduction —	391
16.2	Synthesis and physical properties of Ni nanorods —	393
16.2.1	Synthesis —	393
16.2.2	Structure —	394
16.2.3	Magnetic anisotropy —	394

16.2.4	Optical anisotropy —	396
16.3	Particle-matrix mechanical coupling —	398
16.4	Magnetic torque —	402
16.5	Particle density —	403
16.6	Macroscopic deformation experiments —	404
16.7	Conclusions —	407
	References —	407

Malte Schümann and Stefan Odenbach

17	The microstructure of magnetorheological materials characterized by means of computed X-ray microtomography —	411
17.1	Introduction —	411
17.1.1	Magnetorheological materials —	411
17.1.2	Evolution of evaluation methods —	412
17.2	Computed X-ray microtomography —	413
17.2.1	Application of magnetic fields and mechanical stress —	416
17.2.2	Digital image processing and particle separation —	416
17.3	Data evaluation —	418
17.3.1	Global structure evaluation —	418
17.3.2	Particle positions, homogeneity, and pair correlation function —	419
17.3.3	Particle size distribution, shape, and orientation —	419
17.3.4	Particle tracking —	421
17.3.5	Tomography data as input for calculation and simulation —	423
17.4	Magnetorheological foams —	423
17.5	Magnetorheological elastomers containing carbonyl iron particles —	425
17.6	Magnetorheological elastomers containing neodymium-iron-boron particles —	427
17.7	Summary and outlook —	431
	References —	432

Rudolf Weeber, Patrick Kreissl and Christian Holm

18	Magnetic field controlled behavior of magnetic gels studied using particle-based simulations —	437
18.1	Introduction —	437
18.2	Direct observation of magnetic-field induced deformation in two-dimensional models —	439
18.2.1	Deformation through the change of magnetic interactions —	440
18.2.2	Field-controlled deformation of particle cross-linked gels —	442
18.3	The deformation mechanisms in three dimensions —	444
18.3.1	Particle cross-linked gels —	444

- 18.3.2 Gels deforming through changing magnetic interactions – role of the magnetic particle configuration — 446
- 18.4 Scale-bridging approaches — 449
- 18.5 Obtaining AC-susceptibility spectra in computer simulations — 450
- 18.6 Summary — 454
- References — 454

Oleg V. Stolbov, Pedro A. Sánchez, Sofia S. Kantorovich and Yuriy L. Raikher

19 Magnetostriction in elastomers with mixtures of magnetically hard and soft microparticles: effects of nonlinear magnetization and matrix rigidity — 459

- 19.1 Introduction — 460
- 19.2 System and modeling approaches — 463
 - 19.2.1 System parameters — 463
 - 19.2.2 Qualitative description — 463
 - 19.2.3 Continuum analytical approach — 464
 - 19.2.4 Bead-spring model — 467
- 19.3 Results and discussion — 470
- References — 476

Andrey Zubarev, Anton Musikhin and Dmitry Chirikov

20 Internal structures and mechanical properties of magnetic gels and suspensions — 481

- 20.1 Introduction — 481
- 20.2 Ferrogels with chain structures — 482
- 20.3 Internal structures in dense magnetic suspensions — 486
 - 20.3.1 Weak magnetic field — 488
 - 20.3.2 Strong magnetic field — 491
- 20.4 Conclusions — 493
- References — 494

Harald Pleiner and Helmut R. Brand

21 Symmetry aspects in the macroscopic dynamics of magnetorheological gels and general liquid crystalline magnetic elastomers — 497

- 21.1 General aspects of macroscopic dynamics — 498
 - 21.1.1 Macroscopic variables — 498
 - 21.1.2 Spatial inversion symmetry: statics — 500
 - 21.1.3 Time reversal symmetry — 502
 - 21.1.4 Spatial inversion symmetry: dynamics — 505
- 21.2 Nematic order and magnetism — 506
 - 21.2.1 Isotropic and uniaxial magnetic elastomers and gels — 506
 - 21.2.2 Magnetic nematic elastomers and gels — 506
 - 21.2.3 Ferromagnetic nematics — 507

21.2.4	Ferromagnetic nematics with tetrahedral order —	509
21.3	Elasticity with nonnematic order —	510
21.3.1	Polar and active polar gels —	510
21.3.2	Tetrahedral and ferromagnetic tetrahedral gels —	511
21.4	Magnetorheological fluids —	513
21.4.1	A minimal hydrodynamic model —	513
21.4.2	A two-fluid description —	514
21.5	Summary and perspective —	516
	References —	517

Andreas M. Menzel and Hartmut Löwen

22	Modeling and theoretical description of magnetic hybrid materials—bridging from meso- to macro-scales —	521
22.1	Introduction —	521
22.2	Behavior of particulate inclusions in elastic environments on the meso- scopic scale —	523
22.3	From the mesoscopic particle configuration to overall magnetostrictive and magnetorheological effects —	525
22.4	Statistical particle-scale characterization and overall material properties —	527
22.5	Linking the particle scale to the overall nonlinear stress–strain behavior —	528
22.6	Conclusions —	531
	References —	532

Nima H. Siboni, Gaurav P. Shrivastav, Stavros D. Peroukidis and Sabine H. L. Klapp

23	Structure and rheology of soft hybrid systems of magnetic nanoparticles in liquid-crystalline matrices: results from particle-resolved computer simulations —	537
23.1	Introduction —	538
23.2	Structure of LC-MNP mixtures —	539
23.2.1	Model and simulations details —	539
23.2.2	Mixtures with small MNPs —	540
23.2.3	Mixtures with similar size components —	542
23.2.4	Mixtures with larger MNPs —	544
23.3	Equilibrium dynamics of mixtures of liquid crystals and magnetic nanoparticles —	546
23.3.1	Mixtures with similar size components —	546
23.3.2	Mixtures with small MNPs —	548
23.4	Rheology of LC-MNP mixtures —	549
23.4.1	Spherical MNPs —	549

23.4.2	Elongated MNPs — 553
23.5	Outlook — 558
	References — 559

Karl A. Kalina, Alexander Raßloff, Maximilian Wollner, Philipp Metsch, Jörg Brummund and Markus Kästner

24	Multiscale modeling and simulation of magneto-active elastomers based on experimental data — 565
24.1	Introduction — 566
24.1.1	Modeling approaches — 566
24.1.2	Content — 568
24.2	Theoretical framework — 568
24.2.1	Continuum formulation — 569
24.2.2	Numerical solution — 572
24.3	Characterization of the constituents — 573
24.3.1	Particles — 574
24.3.2	Polymer matrix — 576
24.4	Study on the effective behavior of MAEs — 579
24.4.1	Homogenization of magnetically soft MAEs — 579
24.4.2	Homogenization of magnetically hard MAEs — 582
24.5	Macroscopic modeling approach — 584
24.5.1	Macroscopic models — 584
24.5.2	Simulation of the magnetostrictive effect — 589
24.6	Conclusions — 591
	References — 592

Philipp Gebhart, Abdolhamid Attaran and Thomas Wallmersperger

25	Multiphysics modeling of porous ferrogels at finite strains — 597
25.1	Introduction — 597
25.2	Macroscale modeling of ferrogels — 600
25.2.1	Kinematics — 600
25.2.2	Field equations — 601
25.2.3	Constitutive modeling — 604
25.2.4	Variational formulation — 606
25.2.5	Representative boundary value problems — 607
25.3	Microscale modeling of ferrogels — 610
25.3.1	Kinematics — 611
25.3.2	Field equations — 611
25.3.3	Constitutive modeling — 612
25.3.4	Homogenization framework — 613
25.3.5	Variational formulation — 614
25.3.6	Representative boundary value problems — 615
25.4	Conclusions — 619
	References — 620

Tatiana I. Becker, Yuriy L. Raikher, Oleg V. Stolbov, Valter Böhm and Klaus Zimmermann

26	Magnetoactive elastomers for magnetically tunable vibrating sensor systems — 625
26.1	Introduction — 626
26.2	Magnetic field-dependent vibration characteristics of MAEs — 628
26.2.1	Experimental investigation of free bending vibrations of MAE cantilevers in a uniform magnetic field — 629
26.2.2	Magneto-mechanical modeling for determination of MAE eigenfrequencies — 632
26.2.3	Comparison of experimental and theoretical results of the first eigenfrequency — 636
26.3	Forced vibration response of MAE in a uniform magnetic field — 637
26.3.1	Experimental investigation of forced bending vibrations of the MAE unit — 638
26.3.2	Modeling of nonlinear system behavior under forced vibrations — 641
26.4	Detection of MAE vibrations by magnetic field sensing — 645
26.4.1	Theoretical analysis of MAE magnetostatics — 645
26.4.2	Experimental results of magnetic field sensing — 647
26.5	Conclusions — 648
	References — 649

Jhohan Chavez, Valter Böhm, Tatiana I. Becker, Simon Gast, Igor Zeidis and Klaus Zimmermann

27	Actuators based on a controlled particle-matrix interaction in magnetic hybrid materials for applications in locomotion and manipulation systems — 653
27.1	Introduction — 654
27.2	Experimental results on material characterization — 655
27.3	Non-pedal locomotion systems based on MSE — 660
27.3.1	A basic experiment with locomotive MSE — 661
27.3.2	Vibration driven mobile systems for rectilinear motion — 665
27.3.3	Amoeboid locomotion systems based on MSE — 666
27.4	Form-fit grippers — 670
27.5	Future work and conclusion — 673
27.5.1	Concept of an MSE based tactile sensor — 675
27.5.2	Compact summary of the results — 676
	References — 678

Christine Gräfe, Elena K. Müller, Lennart Gresing, Andreas Weidner, Patricia Radon, Ralf P. Friedrich, Christoph Alexiou, Frank Wiekhorst, Silvio Dutz and Joachim H. Clement

28	Magnetic hybrid materials interact with biological matrices — 681
28.1	Introduction — 682
28.1.1	Cellular barriers — 684
28.1.2	<i>In vitro</i> barrier models — 689
28.1.3	Nanoparticle-barrier interactions — 690
28.2	Materials and methods — 693
28.2.1	Characterization of SPIONs — 693
28.2.2	Cell culture — 694
28.2.3	Transwell-based generation of an <i>in vitro</i> BBB model — 695
28.2.4	Transwell-based generation of an <i>in vitro</i> BPB model — 696
28.2.5	Microfluid-based <i>in vitro</i> blood-placenta model — 696
28.2.6	Cell viability assays — 696
28.2.7	Real-time cell analysis — 697
28.2.8	Analysis of the cell layer integrity — 698
28.2.9	Histological analysis of cross sections — 698
28.2.10	Fluorescent staining for confocal laser scanning microscopy — 699
28.2.11	Flow cytometry — 701
28.2.12	Detection and quantification of SPIONs — 701
28.2.13	Statistical analyses — 703
28.3	Results and discussion — 703
28.3.1	Establishment of a suitable <i>in vitro</i> BBB model for SPION-cell interaction studies — 703
28.3.2	Establishment and optimization of an <i>in vitro</i> BPB model — 716
28.4	Conclusions — 729
	References — 731

Ralf P. Friedrich, Christina Janko, Harald Unterweger, Stefan Lyer and Christoph Alexiou

29	SPIONs and magnetic hybrid materials: Synthesis, toxicology and biomedical applications — 739
29.1	Introduction — 739
29.2	Synthesis, concentration and storage of SPIONs — 741
29.2.1	Lauric acid-coated SPIONs — 741
29.2.2	Lauric acid- and bovine serum albumin (BSA)-coated SPIONs — 741
29.2.3	Lauric acid- and human serum albumin (HSA)-coated SPIONs — 742
29.2.4	Dextran-coated SPIONs — 743
29.2.5	Citrate-coated SPIONs — 744
29.2.6	Poly(acrylic acid-co-maleic acid) (PAM)-coated SPIONs — 745
29.2.7	Concentration and purification of SPIONs — 745
29.2.8	Storage of SPIONs — 746

29.3	Interactions between nanoparticles and cells — 747
29.3.1	Cellular uptake of SPIONs — 747
29.3.2	Biocompatibility of SPIONs — 748
29.3.3	Investigation of cytotoxic SPIONs — 750
29.3.4	Haemocompatibility of SPIONs — 752
29.4	SPION applications — 755
29.4.1	Navigation of particles-cell-hybrids for T cell-based therapy — 755
29.4.2	SPION-based production of biocompatible vascular prostheses — 756
29.4.3	SPION-based thrombolysis — 758
29.5	Conclusion and perspectives — 761
	References — 763

Index — 769
