

Contents

Introduction	1
Part I Fe	15
Exchange energy of μ -pyrazine-tetraaquaquaratoiron(II)	17
Molar magnetic moment of bariumdiceriumiron pentasulfide	19
Magnetic properties of bis[N-(2'-pyridylmethyl)-isopropylamine] dithiocyanatoiron(II)	21
Magnetic properties of iron(II) complex with bipyridine and tcnq	23
Molar magnetic moment of bis(phenylpiperazinedithiocarbamato) iron(II)	25
Molar magnetic moment of bis(4-fluorophenylpiperazine dithiocarbamato)iron(II)]	27
Molar magnetic moment of bis(4-nitrophenylpiperazine dithiocarbamato)iron(II)	29
Molar magnetic moment of iron(II) complex with {N,N'-2,2'- bis(aminoethyl)-methylamine-bis(3-carboxysalicylaldehyde)}	31
Molar magnetic moment of bis(diethyldithiocarbamato)- bis(pyridine)iron(II)	33
Molar magnetic moment of bis(diphenyldithiocarbamato)- bis(pyridine)iron(II)	35
Magnetic properties of bis(isonitroso-5-methyl-2-hexanonato) iron(II) monohydrate	37
Molar magnetic moment of bis(5-methyl-2,3-hexanedione dioximato)iron(II)	39
Molar magnetic moment of bis{[(2-hydroxybenzaldehyde)-3- isatin]-bishydrazonato}iron(II)	41

Molar magnetic moment of iron(II) complex with N,N'-(3,4-diaminobenzophenon)-3,5-Bu^t₂-salicylaldehyde	43
Molar magnetic moment of potassium {tris[(N'-tert-butylureayl)-N-ethyl]aminato}(hydroxo)ferrate(II)	45
Magnetic properties of μ-pyromellitato-tetra[4,7-diphenyl-1,10-phenanthroline]diiron(II)	47
Magnetic properties of μ-pyromellitato-tetra[2,9-dimethyl-1,10-phenanthroline]diiron(II)	50
Molar magnetic moment of μ-pyromellitato-tetra[diaminoethane]diiron(II)	53
Molar magnetic moment of μ-pyromellitato-tetra[1,3-diaminopropane]diiron(II)	55
Magnetic properties of μ-3,5-bis(pyridine-2-yl)pyrazolate bridged dinuclear Fe(II)-Cr(III) complex with nitrotriacetate and N,N'-bis(2-pyridylmethyl)ethylenediamine	57
Weiss constant of bis(azido)pyrimidineiron(II)	60
Molar magnetic moment of chloro-bis(bromoacetato)iron(III)	62
Molar magnetic moment of dichlorobromoacetatoiron(III)	64
Molar magnetic moment of <i>o</i>-fluoroaniline adduct of dichlorobromoacetatoiron(III)	66
Molar magnetic moment of pyridine adduct of dichlorobromoacetatoiron(III)	68
Molar magnetic moment of <i>p</i>-fluoroaniline adduct of dichlorobromoacetatoiron(III)	70
Magnetic properties of diethylamine adduct of dichlorobromoacetatoiron(III)	72
Molar magnetic moment of iron(III) complex with 2-<i>tert</i>-butyl-aminomethylpyridine-6-carboxylic acid methyl ester	74
Molar magnetic moment of iron(III) complex with phosphate Schiff-base base obtained by the condensation of diphenyl chlorophosphate with benzaniline	76
Molar magnetic moment of iron(III) complex with phosphate Schiff-base obtained by the condensation of diphenyl chlorophosphate with <i>p</i>-methoxybenzaniline	78
Molar magnetic moment of iron(III) bis complex with phosphate Schiff-base	80

Molar magnetic moment of iron(III) complex with Schiff-base as perchlorate salt	82
Molar magnetic moment of iron(III) complex with 2-thiophene carboxaldehyde anthranilic acid Schiff-base	84
Molar magnetic moment of iron(III) complex with Schiff-base	86
Molar magnetic moment of tripiroxicamiron(III) chloride tetrahydrate	88
Molar magnetic moment of tripiroxicamiron(II) sulphate monohydrate	90
Molar magnetic moment of alaninatodichloro-(4-hydroxy-2-methyl-N-2-pyridyl-2H-benzothiazine-3-carboxamide)iron(III) monohydrate	92
Magnetic properties of 1-ethyl-3-methylimidazolium tetrachloroferrate(III)	94
Molar magnetic moment of iron(III) complex with 6-(2-pyridylazo)-3-acetamidophenol	96
Molar magnetic moment of 2,9,16,23-tetranitrophthalo cyaninatoiron(III) chloride	98
Molar magnetic moment of 1,8,15,22-tetranitrophthalo cyaninatoiron(III) chloride	100
Molar magnetic moment of 2,9,16,23-tetraaminophthalo cyaninatoiron(III) chloride	102
Molar magnetic moment of 1,8,15,22-tetraaminophthalo cyaninatoiron(III) chloride	104
Molar magnetic moment of 2,9,16,23-tetrahydroxyphthalo cyaninatoiron(III) chloride	106
Molar magnetic moment of 1,8,15,22-tetrahydroxyphthalo cyaninatoiron(III) chloride	108
Molar magnetic moment of 2,9,16,23-tetracyanophthalo cyaninatoiron(III) chloride	110
Molar magnetic moment of 1,8,15, 22-tetracyanophthalo cyaninatoiron(III) chloride	112
Molar magnetic moment of dichloro-(5,7,12,14-tetramethyl-1,4,8,11-tetraazacyclotetradeca-4,7,11,14-tetraene)iron(III) chloride	114
Molar magnetic moment of [1,2-di(imino-4-anitpyriny)ethane] perchloratoiron(III) perchlorate	116

Molar magnetic moment of [1,2-di(imino-4-anitpyriny]ethane] dinitratoiron(III) nitrate	118
Molar magnetic moment of [1,2-di(imino-4-anitpyriny]ethane] dithiocyanatoiron(III) thiocyanate	120
Molar magnetic moment of dichloro-[1,2-Di(imino-4-anitpyriny]ethane]iron(III) chloride	122
Molar magnetic moment of dibromo-[1,2-Di(imino-4-anitpyriny]ethane]iron(III) bromide	124
Molar magnetic moment of iron(III) complex with adrenaline hydrogen tartarate and 4-aminoantipyrine coupled product	126
Molar magnetic moment of iron(III) complex with levodopa and 4-aminoantipyrine coupled product	128
Molar magnetic moment of iron(III) complex with α-methyldopa and 4-aminoantipyrine coupled product	130
Molar magnetic moment of di[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]perchloratoiron(III) perchlorate	132
Molar magnetic moment of di[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]nitratoiron(III) nitrate	134
Molar magnetic moment of di[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]thiocyanatoiron(III) thiocyanate	136
Molar magnetic moment of di[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]chloroiron(III) chloride	138
Molar magnetic moment of di[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]bromoiron(III) bromide	140
Molar magnetic moment of tri(2,4,6-pyridimidinetrione-thiocarbamato)iron(III)]	142
Molar magnetic moment of dichloro-[2-oxo-1-naphthaldehyde-S-(methyl)-N⁴-phenylthiosemicarbazone]iron(III)	144
Molar magnetic moment of dichloro-[2-oxo-1-naphthaldehyde-S-(ethyl)-N⁴-phenylthiosemicarbazone]iron(III)	146
Molar magnetic moment of di-[2-oxo-1-naphthaldehyde-S-(<i>n</i>-propyl)-N⁴-phenylthiosemicarbazone]iron(III) chloride monohydrate	148
Molar magnetic moment of di[2-oxo-1-naphthaldehyde-S-(benzyl)-N⁴-phenylthiosemicarbazone]iron(III) chloride monohydrate	150

Molar magnetic moment of iron(III) acetylacetonato complex with N-nicotinoyl-N'-p-hydroxythiobenzhydrazine	152
Molar magnetic moment of dichloro[5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15, 1(17)-N-pentadienebicyclo[3.11.1]heptadecane] iron(III) chloride	154
Molar magnetic moment of dinitrato[5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15, 1(17)-N-pentadienebicyclo[3.11.1]heptadecane] iron(III) nitrate	156
Molar magnetic moment of diacetato [5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15, 1(17)-N-pentadienebicyclo[3.11.1]heptadecane] iron(III) acetate	158
Molar magnetic moment of di{[5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15,1(17)-N-pentadienebicyclo[3.11.1]heptadecane]iron(III)} sulphate	160
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminoacetic acid-5,7,12,14-tetraene)iron(III) chloride	162
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminophenyl-5,7,12,14-tetraene)iron(III) chloride	164
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminopyridyl-5,7,12,14-tetraene)iron(III) chloride	166
Molar magnetic moment of iron(III) complex with Schiff-base derived from benzyl and triethylenetetraamine	168
Molar magnetic moment of iron(III) chloro complex with {N,N'-2,2'-bis(aminoethyl)-methylamine- bis(3-carboxysalicylaldimine)}	170
Molar magnetic moment of triaquachlorosulfasalazinatoiron(III) dihydrate	172
Molar magnetic moment of aquachloro-bis(hydrogensulfasalazinato) iron(III) monohydrate	174
Molar magnetic moment of cyanide complex of iron(III) corrolate	176
Molar magnetic moment of iron(III) mixed ligand complex with nicotinic acid [1-(3-methyl-5-oxo-1-phenyl-4,5-dihydro-1H-pyrazol-4yl)-methylidene]hydrazide and 1-cyclopropyl-6-fluoro-4-oxo-7-(piperazin-1-yl)-1,4-dihydroquinoline-3-carboxylic acid	178
Molar magnetic moment of iron(III) mixed ligand complex with nicotinic acid [1-(3-methyl-5-oxo-1-phenyl-4,5-dihydro-1H-pyrazol-4yl)-methylidene]hydrazide and 1-cyclopropyl-6-fluoro-4-oxo-7-(piperazin-1-yl)-1,4-dihydroquinoline-3-carboxylic acid	180

Molar magnetic moment of iron(III) mixed ligand complex with nicotinic acid [1-(3-methyl-5-oxo-1-phenyl-4,5-dihydro-1H-pyrazol-4yl)-acylidine]hydrazide and 1-cyclopropyl-6-fluoro-4-oxo-7-(piperazin-1-yl)-1,4-dihydroquinoline-3-carboxylic acid	182
Molar magnetic moment of iron(III) mixed ligand complex with nicotinic acid [1-(3-methyl-5-oxo-1-phenyl-4,5-dihydro-1H-pyrazol-4yl)-butylidene]hydrazide and 1-cyclopropyl-6-fluoro-4-oxo-7-(piperazin-1-yl)-1,4-dihydroquinoline-3-carboxylic acid	184
Molar magnetic moment of iron(III) mixed ligand complex with nicotinic acid [1-(3-methyl-5-oxo-1-phenyl-4,5-dihydro-1H-pyrazol-4yl)-2-phenylethylidene]hydrazide and 1-cyclopropyl-6-fluoro-4-oxo-7-(piperazin-1-yl)-1,4-dihydroquinoline-3-carboxylic acid	186
Molar magnetic moment of di(2-amino-4-benzamidothio semicarbazido)iron(III) chloride	188
Molar magnetic moment of potassium {tris[(N'-tert-butylureayl)-N-ethyl]aminato}(hydroxo)ferrate(III)	190
Molar magnetic moment of di-μ-hydroxo-tetrakis(2-oxo-naphthaldehydeoxime)diiron(III,III)	192
Molar magnetic moment of di-μ-hydroxo-tetrakis(2-oxo-acetophenoneoxime)diiron(III,III)	194
Molar magnetic moment of di-μ-hydroxo-tetrakis(2-oxo-salicylaldoxime)diiron(III,III)	196
Molar magnetic moment of di-μ-hydroxo-tetrakis(2-oxo-hydroxypropionphenoneoxime)diiron(III,III)	198
Magnetic properties of diacetato-bis(N-salicylidene-2,2'-oxo-5-bromobenzylamine)diiron(III, III) bis(trimethylcyanate)	200
Magnetic properties of dibenzoato-bis(N-salicylidene-2,2'-oxo-5-bromobenzylamine)diiron(III, III)	202
Magnetic properties of dipivalato-bis(N-salicylidene-2,2'-oxo-5-bromobenzylamine)diiron(III, III)	204
Magnetic properties of bis(diphenylphosphato-bis(N-salicylidene-2,2'-oxo-5-bromobenzylamine)diiron(III, III) tetrakis(ethane nitrile)	206
Magnetic properties of bis(acetylacetonato)-bis(N-salicylidene-2,2'-oxo-5-bromobenzylamine)diiron(III, III)	208
Magnetic properties of diacetato-bis(N-salicylidene-2,2'-oxo-5-chlorobenzylamine)diiron(III, III) bis(ethane nitrile)	211

Magnetic properties of diacetato-bis(N-salicylidene-2,2'-oxo-benzylamine)diiron(III, III)	213
Molar magnetic moment of binuclear iron(III) complex with Schiff-base	215
Molar magnetic moment of dinuclear Iron(III) complex with benzaldehyde-N(4)-phenylsemicarbazone	217
Molar magnetic moment of homo-dinuclear di-μ_2-alkoxo bridged iron(III) complex with Schiff-base	219
Magnetic properties of μ-iodanilato-tetra(2,9-dimethyl-1,10-phenanthroline)diiron(III) perchlorate	221
Magnetic properties of μ-iodanilato-tetra(4,7-diphenyl-1,10-phenanthroline)diiron(III) perchlorate	224
Molar magnetic moment of μ-iodanilato-tetra(5-phenyl-1,10-phenanthroline)diiron(III) perchlorate	227
Molar magnetic moment of tri(N-picolinoyl-N'-2-furanthiocarbohydrazido)diiron(III, III)	229
Molar magnetic moment of diaqua-hexachloro-{1,3-di[N'-(4-methoxy-1,2,5-thiadiazole-3-yl)sulfanilamide]-2,2,2,4,4,4-hexachlorodiphosphazane}diiron(III)	231
Molar magnetic moment of binuclear iron(III) chloro complex with [N(1)-salicylidene-N(2)-cis-2,6-diphenyltetrahydrothiopyran-4-one azine]	233
Molar magnetic moment of di[(α-oximinoacetoacetanilide-4-phenylthiosemicarboazonato)iron(III)]	235
Magnetic properties of 1-ethyl-3-methylimidazolium tetrachloro-hemiferrate(III)-hemigallate(III)	237
Magnetic properties of μ-acetato-di-μ-phenolato heterobimetallic, Fe-Co complex with dinucleating macrocyclic ligand	239
Molar magnetic moment of iron(III)-nickel(II) complex with 5-nitroindazole and ethylenediamine	242
Molar magnetic moment of iron(III)-copper(II) complex with 5-nitroindazole and ethylenediamine	244
Molar magnetic moment of trinuclear iron(III) complex with Schiff-base	246
Molar magnetic moment of hexachloro-bis(1,4,7,10-tetraazacyclotetradecane-2,3-dione)triiron(III) chloride	248

Magnetic properties of piperazinium arsenatopentafluoro-bis (hydrogenarsenato)triiron(III)	250
Magnetic properties of tetranuclear iron(III) complex with dinucleating ligand	252
Part II Ru	255
Molar magnetic moment of ruthenium(III) chloro complex with o-hydroxyacetophenone ethylenediimine	257
Molar magnetic moment of ruthenium(III) bromo complex with o-hydroxyacetophenone ethylenediimine	259
Molar magnetic moment of ruthenium(III) chloro complex with o-hydroxyacetophenonepropylenediimine	261
Molar magnetic moment of ruthenium(III) bromo complex with o-hydroxyacetophenoneethylenediimine	263
Molar magnetic moment of ruthenium(III) chloro complex with o-hydroxyacetophenonetetramethylenediimine	265
Molar magnetic moment of ruthenium(III) bromo complex with o-hydroxyacetophenonepropylenediimine	267
Molar magnetic moment of ruthenium(III) bromo complex with o-hydroxyacetophenone-o-phenylenediimine	269
Molar magnetic moment of ruthenium(III) bromo complex with o-hydroxyacetophenonetetramethylenediimine	271
Molar magnetic moment of ruthenium(III) complex with 2-(4'-chlorophenylazo)-5-methylphenol	273
Molar magnetic moment of ruthenium(III) complex with 2-(4'-methoxyphenylazo)-5-methylphenol	275
Molar magnetic moment of ruthenium(III) complex with 2-(4'-ethoxyphenylazo)-5-methylphenol	277
Magnetic properties of ion-pair complex having tetraacetatoruthenium(III) cation and tetracyanonickelate(II) anion	279
Molar magnetic moment of ruthenium complex with 2,5-dihydroxy-1,4-benzoquinone and acetylacetone	281
Magnetic properties of hexa- μ -aqua-hexaaquatrilithium(I,I,I) hexachlororuthanate(III)	283
Molar magnetic moment of diruthenium complex with 6-arylacetylide ligand	286

Molar magnetic moment of diruthenium complex with di(6-arylacetylide) ligand	288
Molar magnetic moment of dichloro-tetrakis(N,N'-dimethyl-3,5-dimethoxybenzamidinato)diruthenium(III)	290
Molar magnetic moment of dichloro-tetrakis(N,N'-dimethyl-3-methoxybenzamidinato)diruthenium(III)	292
Molar magnetic moment of dichloro-tetrakis(N,N'-diethylbenzamidinato)diruthenium(III)	294
Molar magnetic moment of dichloro-bis[bis(3,5dimethylpyrazol-1-yl)methane]ruthenium(III) chloride	296
Molar magnetic moment of dichloro-bis[bis(3,5dimethylpyrazol-1-yl)methane]ruthenium(III) phosphorus hexafluoride	298
Molar magnetic moment of ruthenium(III) chloro complex with Schiff-base derived from anthranilic acid and cinnamaldehyde and triphenyl phosphine	300
Molar magnetic moment of ruthenium(III) chloro complex with Schiff-base derived from anthranilic acid and cinnamaldehyde and triphenyl arsine	302
Molar magnetic moment of ruthenium(III) bromo complex with Schiff-base derived from anthranilic acid and cinnamaldehyde and triphenyl phosphine	304
Molar magnetic moment of ruthenium(III) bromo complex with Schiff-base derived from anthranilic acid and cinnamaldehyde and triphenyl arsine	306
Molar magnetic moment of ruthenium(III) chloro complex with Schiff-base derived from anthranilic acid and p-tolualdehyde and triphenyl phosphine	308
Molar magnetic moment of ruthenium(III) chloro complex with Schiff-base derived from anthranilic acid and p-tolualdehyde and triphenyl arsine	310
Molar magnetic moment of ruthenium(III) bromo complex with Schiff-base derived from anthranilic acid and p-tolualdehyde and triphenyl phosphine	312
Molar magnetic moment of ruthenium(III) bromo complex with Schiff-base derived from anthranilic acid and p-tolualdehyde and triphenyl arsine	314

Molar magnetic moment of ruthenium(III) chloro complex with Schiff-base derived from anthranilic acid and p-anisaldehyde and triphenyl phosphine	316
Molar magnetic moment of ruthenium(III) chloro complex with Schiff-base derived from anthranilic acid and p-anisaldehyde and triphenyl arsine	318
Molar magnetic moment of ruthenium(III) bromo complex with Schiff-base derived from anthranilic acid and p-anisaldehyde and triphenyl phosphine	320
Molar magnetic moment of ruthenium(III) bromo complex with Schiff-base derived from anthranilic acid and p-anisaldehyde and triphenyl arsine	322
Molar magnetic moment of ruthenium(III) complex with tripodal Schiff-base ligand	324
Molar magnetic moment of $\{\mu$-malonato-bis[bis(acetylacetonato)ruthenium(III)]}	326
Molar magnetic moment of $\{\mu$-glutano-bis[bis(acetylacetonato)ruthenium(III)]}	328
Molar magnetic moment of di-μ-chloro-tetrachloro-bis[2-(1-indazolyl)benzothiazole)]diruthenium(III)	330
Magnetic properties of bis(2,4,4,5,5-pentamethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide)-tetrapivalatodiruthenium(II, III) tetrafluoroborate bis(dichloromethanate)	332
Magnetic properties of bis(2-ethyl-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide)-tetrapivalatodiruthenium(II, III) tetrafluoroborate bis(dichloromethanate)	335
Magnetic properties of ruthenium(II, III) chain complex with pivalic acid and 2,4,4,5,5-pentamethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide	338
Magnetic properties of ruthenium(II, III) chain complex with pivalic acid and 2-ethyl-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide	341
Magnetic properties of <i>catena</i>-poly-tetrapivalatopyrazine diruthenium(II, III) tetrafluoroborate trihydrate	344
Magnetic properties of <i>catena</i>-poly-tetrapivalato-4,4'-bipyridinediruthenium(II, III) tetrafluoroborate monohydrate	346

Magnetic properties of <i>catena</i> -poly-tetrapivalato-1,4-diazabicyclo[2,2,2]octanediruthenium(II, III) tetrafluoroborate dihydrate	348
Magnetic properties of <i>catena</i> -poly-tetrapivalato phenazinediruthenium(II, III) tetrafluoroborate	350
Exchange energy of {di- μ -tetrakis(pivalato) aquadiruthenium(II, III)]phenazine} tetrafluoroborate	352
Exchange energy of <i>catena</i> -poly-tetrapivalatetetramethyl pyrazinediruthenium(II, III) tetrafluoroborate	354
Part III Co	357
Molar magnetic moment of diaqua-2,2'-bipyridinecobalt(II) tellurite monohydrate	359
Molar magnetic moment of dichloro-bis(<i>cis</i> -3,7-dimethyl-2,6-octadienthiosemicarbazone)cobalt(II)	361
Molar magnetic moment of {[1,6,10,15] tetraazacyclooctadecane[2,5,11,14]tetraone}cobalt(II) chloride	363
Molar magnetic moment of {[1,6,9,14]tetraazacyclo hexadecane[2,5,10,13]tetraone}cobalt(II) chloride	365
Molar magnetic moment of {dibenzo[c, l][1,6,10,15] tetraazacyclooctadecane[2,5,11,14]tetraone}cobalt(II) chloride	367
Molar magnetic moment of disilylated cobalt(II) complex with compartmental Schiff-base	369
Molar magnetic moment of hexa(imidazole)cobalt(II) fluoride tetrahydrate	371
Molar magnetic moment of bis-[N-(morpholinobenzyl)benzamido] cobalt(II)	373
Molar magnetic moment of bis(2-aminopyridine) malonatocobalt(II)	375
Molar magnetic moment of bis(pyridine)malonatocobalt(II)	377
Molar magnetic moment of bis(quinoline)malonatocobalt(II)	379
Molar magnetic moment of bis(isoquinoline)malonatocobalt(II)	381
Molar magnetic moment of potassium 2-aminophenol atomalonatocobaltate(II)	383

Molar magnetic moment of mixed ligand complex of cobalt(II) with malonic acid and 8-hydroxyquinoline	385
Molar magnetic moment of diaqua-bis[8-(2-azobenzothiazolyl)-7-oxo-4-methylcoumarin]cobalt(II) dihydrate	387
Molar magnetic moment of diaqua-bis[8-(2-azothiazolyl)-7-oxo-4-methylcoumarin]cobalt(II) tetrahydrate	389
Molar magnetic moment of N-nicotinoyl-N'-thiobenzoyl hydrazinocobalt(II)	391
Molar magnetic moment of dichloro-bis(N-nicotinoyl-N'-thiobenzoyl hydrazine)cobalt(II)	393
Molar magnetic moment of bis[N-(4-nitrobenzhydrazido)-N'-(picolinylidene)hydrazine]cobalt(II)	395
Molar magnetic moment of bis[N-(4-chlorobenzhydrazido)-N'-(picolinylidene)hydrazine]cobalt(II)	397
Magnetic properties of cobalt(II) complex with polystyrene supported tridentate Schiff-base	400
Molar magnetic moment of triaquacytidine-L-tryptophanatocobalt(II) chloride	402
Molar magnetic moment of triaquacytidine-L-phenylalaninatocobalt(II) chloride	404
Molar magnetic moment of L-alaninatotriaquacytidinecobalt(II) chloride	406
Molar magnetic moment of cobalt(II) complex with 3,4,9,10-tetraphenyl-1,2,5,6,8,11-hexaazacyclododeca-7,12-dithione-2,4,8,10-tetraene	408
Molar magnetic moment of sulphato(3,4,9,10-tetraphenyl-1,2,5,6,8,11-hexaazacyclododeca-7,12-dithione-2,4,8,10-tetraene)cobalt(II)	410
Molar magnetic moment of dinitrato(3,4,9,10-tetraphenyl-1,2,5,6,8,11-hexaazacyclododeca-7,12-dithione-2,4,8,10-tetraene)cobalt(II)	412
Molar magnetic moment of dichloro(3,4,9,10-tetraphenyl-1,2,5,6,8,11-hexaazacyclododeca-7,12-dithione-2,4,8,10-tetraene)cobalt(II)	414
Magnetic properties of cobalt(II) complex with chelating resin containing tridentate Schiff-base	416
Molar magnetic moment of [1-phenyl-2,3-dimethyl-4-(4-iminopentan-2-one)-pyrazol-5-iminothiophenolato]cobalt(II)	418

Molar magnetic moment of [1-phenyl-2,3-dimethyl-4-(4-iminopentan-2-one)-pyrazol-5-iminophenolato]cobalt (II)	420
Molar magnetic moment of bis[6-(N-3,5-dimethylpyrazolyl-1-ylmethyl)-2,2'-bipyridine]cobalt(II) hexafluorophosphate monohydrate	422
Magnetic properties of cobalt(II) azido complex with 2-isopropyl-pyridine carboxylate ester	424
Magnetic properties of cobalt(II) thiocyanato complex with 2-isopropyl-pyridine carboxylate ester	426
Magnetic properties of cobalt(II) aqua complex with 2-isopropyl-pyridine carboxylate ester	428
Magnetic properties of cobalt(II) aqua complex with 2-isopropyl-pyridine carboxylate ester as ligand and solvate	430
Magnetic properties of (1,3,5-benzenedicarboxylatocarboxylic acid)-bis(pyridine)cobalt(II) pyridine claturate	432
Magnetic properties of phthalocyanatocobalt(II) dipyrindinate	434
Magnetic properties of adipato-[<i>trans</i>-1,2-bis(4-pyridyl)ethane]cobalt(II)	436
Magnetic properties of adipato-[1,2-bis(4-pyridyl)ethane]cobalt(II) ...	439
Magnetic properties of bis-μ-(dicyanamido)tetramethylethylene diaminecobalt(II)	442
Molar magnetic moment of triaquachloro(dicluxacillinato)cobalt(II) dihemihydrate	445
Molar magnetic moment of cobalt(II) acetato complex with 5-(2-hydroxy-phenylazo)-2-thiohydantoin	447
Molar magnetic moment of bis(cyanodithioformato)cobalt(II)	449
Magnetic properties of mixed ligand cobalt(II) complex with azide and pyridyl nitronyl nitroxide	451
Molar magnetic moment of 1,10-phenanthroline[2-phenyl-3-(benzylimino)1,2-dihydroquinazolin-4(3H)-one]dithio cyanatocobalt(II)	454
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-methyl-4-amino-5-hydrazino-1,2,4-triazole and salicylaldehyde)	456

Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-ethyl-4-amino-5-hydrazino-1,2,4-triazole and salicylaldehyde)	458
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-propyl-4-amino-5-hydrazino-1,2,4-triazole and salicylaldehyde)	460
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 4-amino-5-hydrazino-1,2,4-triazole and methyl-salicylaldehyde)	462
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-methyl-4-amino-5-hydrazino-1,2,4-triazole and methyl-salicylaldehyde)	464
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-ethyl-4-amino-5-hydrazino-1,2,4-triazole and methyl-salicylaldehyde)	466
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-propyl-4-amino-5-hydrazino-1,2,4-triazole and methyl-salicylaldehyde)	468
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 4-amino-5-hydrazino-1,2,4-triazole and chloro-salicylaldehyde)	470
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-methyl-4-amino-5-hydrazino-1,2,4-triazole and chloro-salicylaldehyde)	472
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-ethyl-4-amino-5-hydrazino-1,2,4-triazole and chloro-salicylaldehyde)	474
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-propyl-4-amino-5-hydrazino-1,2,4-triazole and chloro-salicylaldehyde)	476
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 4-amino-5-hydrazino-1,2,4-triazole and methoxy-salicylaldehyde)	478
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-methyl-4-amino-5-hydrazino-1,2,4-triazole and methoxy-salicylaldehyde)	480
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-ethyl-4-amino-5-hydrazino-1,2,4-triazole and methoxy-salicylaldehyde)	482

Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 3-propyl-4-amino-5-hydrazino-1,2,4-triazole and methoxy-salicylaldehyde)	484
Molar magnetic moment of cobalt(II) complex with Schiff-base (derived from 4-amino-5-hydrazino-1,2,4-triazole and salicylaldehyde)	486
Molar magnetic moment of dichloro[2-(2-pyridyl)imino-kN-N-(2-thiazolin-kN-2-yl)thiazolidine]	488
Molar magnetic moment of ethylenediamine[2-phenyl-3-(benzylimino)1,2-dihydroquinazolin-4(3H)-one] dithiocyanatocobalt(II)	490
Molar magnetic moment of bis(azido)1,10-phenanthroline[2-phenyl-3-(benzylimino)1,2-dihydroquinazolin-4(3H)-one]cobalt(II)	492
Molar magnetic moment of bis(azido)ethylenediamine[2-phenyl-3-(benzylamino)1,2-dihydroquinazolin-4(3H)-one]cobalt(II) . . .	494
Molar magnetic moment of mononuclear cobalt(II) complex containing a O₂N₃-Schiff-base pentadentate ligand	496
Magnetic properties of diaqua-bis(hydrogen-3,5-pyrazoledi carboxylato)cobalt(II) dihydrate	498
Magnetic properties of [tris(2-aminoethyl)amine]-o-iminobenzosemiquinonatocobalt(II) hemimethanolate-hemihydrate . . .	500
Magnetic properties of cobalt(II) complex with imino nitroxide radical	503
Molar magnetic moment of cobalt(II) complex with Schiff-base obtained by the condensation of acetophenone and dithiocarbazate derivatives	506
Molar magnetic moment of cobalt(II) complex with Schiff-base derived from 5'-(2''-thiazolylazo)salicylaldehyde and p-methoxyaniline	508
Molar magnetic moment of di[diaqua(diacetylmonoxi methiosemicarbazonato)cobalt(II)] chloride	510
Molar magnetic moment of di[diaqua(1-phenyl-1,2-propanedione-2-oximethiosemicarbazonato)cobalt(II)] chloride	512
Molar magnetic moment of di{diaqua-2[2'-oxo-benzalidene-5'-(4''-phenyl-2''-thiazolylazo)]phenolatocobalt(II)}	514

Molar magnetic moment of glutathionatosulphatodicobalt(II, II) dihydrate	516
Molar magnetic moment of $\text{di}\{\text{diaqua-2}[2'\text{-oxo-benza-5'-(4''-phenyl-2''-thiazolyazo)]benzoatocobalt(II)}\}$	518
Molar magnetic moment of cobalt(II) complex with hexadecacarboxylic acid and 3-mercaptopropionic acid	520
Molar magnetic moment of cobalt(II) complex with dodecacarboxylic acid and 3-mercaptopropionic acid	522
Molar magnetic moment of cobalt(II) complex with octanoic acid and 3-mercaptopropionic acid	524
Molar magnetic moment of oxo-bridged homo-binuclear, Co(II)-Co(II) complex with compartmental Schiff-base	526
Weiss constant of bis(pentamethylcyclopentadienyl)cobalt(III) tris(dicyanamido)cobaltate(II)	528
Magnetic properties of 4,4'-bipyridine-bis(oxo-phenyl-acetato) dicobalt(II,II)	530
Molar magnetic moment of oxo-bridged hetero-binuclear, Sn(IV)-Co(II) complex with compartmental Schiff-base	533
Molar magnetic moment of hetero-binuclear, Sn(IV)-Co(II) complex with compartmental Schiff-base	535
Molar magnetic moment of bis(diethyldithiocarbamato)cobalt(III)-μ-oxo-μ-isothiocyanato-[bis(diethyldithiocarbamato)cobalt(III)aqua-(diethyldithiocarbamato)oxomolybdenum(V)]	537
Molar magnetic moment of hetero-binuclear cobalt-oxomolybdenum thiocyanate complex with 8-quinolinol	539
Molar magnetic moment of μ-oxo-μ-isothiocyanato-[bis(4-morpholinylthiocarbamato)cobalt(III)aqua-(4-morpholinylthiocarbamato)- oxomolybdenum(V)]	541
Molar magnetic moment of tetraaqua-[bis(2-hydroxy-1-naphthaldehyde)malonoyldihydrazonato]cobalt(II)-copper(II)	543
Molar magnetic moment of glutathionatosulphatocobalt(II)-zinc(II) dihydrate	545
Weiss constant of bis(1,4,7- trithiacyclononane)cobalt(II) di[bis(benzenedithiolato)nickelate(II)]	547
Molar magnetic moment of oxo-bridged hetero-binuclear, Zn(II)-Co(II) complex with compartmental Schiff-base	549

Molar magnetic moment of catena-poly-bis(imidazole)-hexa(imidazolato)tricobalt(II,II,II)	551
Magnetic properties of linear trinuclear cobalt(II) complex with 4-amino-3,5-dimethyl-1,2,4-triazole	554
Molar magnetic moment of trinuclear cobalt(II) complex with asymmetric compartmental proligand	556
Molar magnetic moment of trinuclear cobalt(II) complex with asymmetric compartmental proligand	558
Magnetic properties of dodecaquabis-(1,3,5-benzenetricarboxylato) tricobalt(II)	560
Product of molar magnetic susceptibility with temperature of di{bis [2,6-bis(pyrazol-3-yl)pyridine]cobalt(II)} trioxalatochromate(III) perchlorate hexahydrate	562
Magnetic properties of $\mu_{1,1}$-azido and μ-O bridged tetranuclear cobalt(II) complex with monoanion of the hydrated, gem-diol form of di-2-pyridyl ketone and benzoate (as terminal ligand)	564
Magnetic properties of di[bis(tetrahydrofuran)lithium-di-μ-bromo-di-μ-trimethylsilanolotocobaltate(II)]	566
Magnetic properties of di-μ-aqua-bis(2,2'-bipyridine)-bis(ferrocenedicarboxylato)dicobalt(II,II) monomethanolate dihydrate	568
Magnetic properties of aqua-(4,4'-Bipyridine)-bis(dicyanamido) cobalt(II) hemi-methanolate	571
Magnetic properties of 4,4'-bipyridine-bis(dicyanamido)cobalt(II) ...	573
Magnetic properties of catena-poly-3,5-dinitrosalicylato-(1,10-phenanthroline)cobalt(II)	575
Magnetic properties of 2D polymer of Co(II) with pyridine-2,6-dicarboxylic acid and 4,4'-bipyridine	578
Magnetic properties of tetraaquapyrazinecobalt(II) nitrate dihydrate	581
Magnetic properties of catena-poly-aqua-bis(2-pyrazinecarboxylato) cobalt(II)	584
Molar magnetic susceptibility of catena-poly-tetraaminephthalocyaninatocobalt(II) dihydrate	587
Molar magnetic susceptibility of catena-poly-phthalocyaninatocobalt(II)	589

Molar magnetic moment of <i>catena</i>-poly-bis(imidazolato)cobalt(II)	591
Molar magnetic moment of <i>catena</i>-poly-bis(benzimidazolato)cobalt(II)	593
Magnetic properties of <i>catena</i>-poly[chloroanilato pyrazinecobalt(II)]	595
Molar magnetic moment of cobalt(II) compound with fumarate and hexamethylenetetramine	598
Molar magnetic moment of cobalt(II) compound with fumarate and 4,4'-bipyridine	600
Molar magnetic moment of <i>catena</i>-poly-[<i>trans</i>-tetraaqua fumaratocobalt(II)]	602
Molar magnetic moment of <i>catena</i>-poly-{{<i>cis</i>-tetraaqua fumaratocobalt(II)} monohydrate}	604
Magnetic properties of two dimensional fumarato-bridged cobalt(II) complex with 4-methylpyridine	606
Magnetic properties of bicapped Keggin anion supported cobalt-phenanthroline complex	609
Molar magnetic moment of cobalt(III) complex with 6-aminouracil . . .	611
Magnetic properties of tris(ethylenediamine)cobalt(III) trioxalatochromate(III)	613
Weiss constant of bis(azido)pyrimidinecobalt(II)	616
Molar magnetic moment of bis(thioacetato)cobalt(II)	618
Molar magnetic moment of myristatthioacetatocobalt(II)	620
Molar magnetic moment of palmitatthioacetatocobalt(II)	622
Molar magnetic moment of stearatthioacetatocobalt(II)	624
Molar magnetic moment of myristatthiobenzoatocobalt(II)	626
Molar magnetic moment of palmitatthiobenzoatocobalt(II)	628
Molar magnetic moment of stearatthiobenzoatocobalt(II)	630
Molar magnetic moment of bis(thiobenzoato)cobalt(II)	632
Molar magnetic moment of cobalt(II) complex with N,N'-bis(2-carboxy-1-oxo-phenelenyl)ethylenediamine	634
Molar magnetic moment of cobalt(II) thiocyanato complex with 12-membered macrocyclic ligand	636

Molar magnetic moment of cobalt(II) nitrate complex with 12-membered macrocyclic ligand	638
Molar magnetic moment of 2,12-dithio-5,9,14,18-tetraoxo-7,16-dithia-1,3,4,10,11,13-hexaazacyclooctadecanecobalt(II) chloride	640
Molar magnetic moment of 2,12-dithio-5,9,14,18-tetraoxo-7,16-dithia-1,3,4,10,11,13-hexaazacyclooctadecanecobalt(II) nitrate	642
Molar magnetic moment of 2,12-dithio-5,9,14,18-tetraoxo-7,16-dithia-1,3,4,10,11,13-hexaazacyclooctadecanecobalt(II) thiocyanate	644
Molar magnetic moment of 1,5,11,15-tetraaza-6,10,16,20-tetraoxo-8,18-dithia-cyclocosanecobalt(II) nitrate	646
Molar magnetic moment of cobalt(II) complex with 5-(<i>p</i>-tolylazo)-6-aminouracil	648
Molar magnetic moment of cobalt(II) complex with 5-(<i>p</i>-carboxyphenylazo)-6-aminouracil	650
Molar magnetic moment of cobalt(II) chloro complex with macrocyclic ligand obtained by the condensation of diethyloxalate with 2,6-diaminopyridine	652
Molar magnetic moment of cobalt(II) nitrate complex with macrocyclic ligand obtained by the condensation of diethyloxalate with 2,6-diaminopyridine	654
Molar magnetic moment of cobalt(II) sulphato complex with macrocyclic ligand obtained by the condensation of diethyloxalate with 2,6-diaminopyridine	656
Molar magnetic moment of tripiroxicamcobalt(II) chloride monohydrate	658
Molar magnetic moment of aquachloro(bis-hydrogen-salicylatothiosemicarbazido)cobalt(II)	660
Molar magnetic moment of diaqua(bis-hydrogen-salicylatothiosemicarbazido)cobalt(II) tetrahydrate	662
Molar magnetic moment of cobalt(II) complex with Schiff-base obtained by the condensation of 3-formylsalicylic acid and 1,2-di(<i>o</i>-aminophenylthio)ethane	664
Molar magnetic moment of chloro-(2-aminopyridine)(bis-hydrogen-salicylatothiosemicarbazido)cobalt(II) monohydrate	666

Molar magnetic moment of 2-aminopyridineaqua-(bis-salicylatothiosemicarbazido)cobalt(II) monohydrate	668
Molar magnetic moment of 2-aminopyridinedibromo-[2,6-pyridinedicarboxaldehyde-bis(p-hydroxyphenylimine)]cobalt(II)	670
Molar magnetic moment of 2-aminopyridinedibromo-2,6-pyridinedicarboxylaldehyde-bis(o-hydroxyphenylimine)cobalt(II)	672
Molar magnetic moment of cobalt(II) complex with 2-tert-butyl-aminomethylpyridine-6-carboxylic acid methyl ester	674
Molar magnetic moment of cobalt(II) complex with 2-thiophene carboxaldehyde anthranilic acid Schiff-base	676
Molar magnetic moment of alaninatoaquachloro-(4-hydroxy-2-methyl-N-2-pyridyl-2H-benzothiazine-3-carboxamide)cobalt(II) dihydrate	678
Magnetic properties of chloro-{bis-[2-(3-5-dimethylpyrazol-1-yl)ethyl] (pyrazol-1-yl)methyl}amine}cobalt(II) tetraphenylborate monoethanolate	680
Exchange energy of μ-pyrazine-tetraaquasquaratocobalt(II)	683
Molar magnetic moment of bis[4-(1-phenyl-1-methylcyclobutyl-3-yl)-2-(2-oxo-1-naphthylidene)thiazole]cobalt(II)	685
Molar magnetic moment of triaqua-[6-(2-pyridylazo)-3-acetamidophenol]cobalt(II) chloride tetrahydrate	687
Molar magnetic moment of cobalt(II) complex with Schiff-base obtained by the condensation of 2-methyl-7-formyl-8-hydroxyquinoline with 1,3-diaminopropane	689
Molar magnetic moment of dichloro-bis[2-(1-indazolyl) benzothiazole]cobalt(II)	691
Molar magnetic moment of dichloro-(5,7,12,14-tetramethyl-1,4,8,11-tetraazacyclotetradeca-4,7,11,14-tetraene)cobalt(II)	693
Molar magnetic moment of dichloro-bis(acetophenone oxaloyldihydrazone)cobalt(II)	695
Molar magnetic moment of dichloro(4-hydroxyacetophenone oxaloyldihydrazone)cobalt(II)	697
Molar magnetic moment of diaqua-(phthalohydroxamato) cobalt(II)	699
Molar magnetic moment of bis{di-[3,5-dichlorophenyl] carbazonato}cobalt(II)	701

Molar magnetic moment of bis(α-oximinoacetoacetanilide-4-phenylthiosemicarboazonato)cobalt(II)	703
Molar magnetic moment of 1-salicyloyl-4-benzoyl-3-thiosemicarbazidothiocyanatocobalt(II)	705
Molar magnetic moment of chloro(1-salicyloyl-4-benzoyl-3-thiosemicarbazido)cobalt(II)	707
Molar magnetic moment of cobalt(II) complex with 2-(2-hydroxy)naphthylideneaminobenzothiazole	709
Molar magnetic moment of dichloro[1,2-(diimino-4'-antipyrinyl)-1,2-diphenylethane]cobalt(II)	711
Molar magnetic moment of diacetato[1,2-(diimino-4'-antipyrinyl)-1,2-diphenylethane]cobalt(II)	713
Molar magnetic moment of bis[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]cobalt(II) perchlorate	715
Molar magnetic moment of bis[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]cobalt(II) nitrate	717
Molar magnetic moment of bis[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]cobalt(II) chloride	719
Molar magnetic moment of bis[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]cobalt(II) bromide	721
Molar magnetic moment of bis[N,N'-bis(4-antipyrylmethylidene)ethylenediamine]cobalt(II) iodide	723
Molar magnetic moment of cobalt(II) chloro complex with 12-membered macrocyclic ligand	725
Molar magnetic moment of bis(N,N'-dimethylethylenediamine)-bis(saccharinato)cobalt(II)	727
Molar magnetic moment of bis(N,N'-dimethylethylenediamine)-bis(saccharinato)cobalt(II)	729
Molar magnetic moment of cobalt(II) aqua complex with 4-(2-pyridyl)-1-diacetylmonoxime-3-thiosemicarbazone	731
Molar magnetic moment of cobalt(II) complex with 4-(2-pyridyl)-1-diacetylmonoxime-3-thiosemicarbazone	733
Molar magnetic moment of dichloroquinoxaline-2-carboxaldehydesemicarbazonecobalt(II)	735
Molar magnetic moment of dichloro-bis(quinoxaline-2-carboxaldene-2-furfurylamine)cobalt(II)	737

Molar magnetic moment of di(2,4,6-pyridimidinetriene-thiocarbamato)cobalt(II)]	739
Molar magnetic moment of bis(phenylpiperazinedithiocarbamato)cobalt(II)]	741
Molar magnetic moment of bis(4-fluorophenylpiperazin edithiocarbamato)cobalt(II)] dihydrate	743
Molar magnetic moment of bis(4-nitrophenylpiperazin edithiocarbamato)cobalt(II) dihydrate	745
Molar magnetic moment of cobalt(II) complex with 4-(1-methyl-1-p-xylylcyclobutane-3-yl)-2-(2-hydroxybenzylidenehydrazino)thiazole ...	747
Molar magnetic moment of cobalt(II) complex with 4-(1-methyl-1-p-xylylcyclobutane-3-yl)-2-(2-hydroxy-5-bromobenzylidenehydrazino)-thiazole	749
Molar magnetic moment of cobalt(II) acetato complex with 3,5-dibenzoyloxybenzoyl hydrazone	751
Molar magnetic moment of dichloro(4-hydroxyacetophenone- 4-aminobenzoylhydrazone)cobalt(II)	753
Molar magnetic moment of diacetato-bis[5-benzoyl-1-(phenylmethylenamino)-4-phenyl-1-H-pyrimidine-2-thione]cobalt(II)	755
Molar magnetic moment of cobalt(II) complex with Schiff-base derived from 1-amino-5-benzoyl-4-phenyl-1H-pyrimidine-2-one and 3-hydroxysalicylaldehyde	757
Molar magnetic moment of dichloro[5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15, 1(17)-N-pentadienebicyclo[3.11.1]heptadecane]cobalt(II)	759
Molar magnetic moment of dinitrato[5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15, 1(17)-N-pentadienebicyclo[3.11.1]heptadecane]cobalt(II)	761
Molar magnetic moment of diacetato [5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15, 1(17)-N-pentadienebicyclo[3.11.1]heptadecane]cobalt(II)	763
Molar magnetic moment of [5,9-dioxo-3,4,7,10,11,17-hexaaza-2,11,13,15,1(17)-N-pentadienebicyclo[3.11.1]heptadecane]sulphato-cobalt(II)	765
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminoacetic acid-5,7,12,14-tetraene)cobalt(II)	767

Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminophenyl-5,7,12,14-tetraene)cobalt(II)	769
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminopyridyl-5,7,12,14-tetraene)cobalt(II)	771
Molar magnetic moment of aquahydrazine(pyridine-2,3-dicarboxylato)cobalt(II)	773
Molar magnetic moment of aquahydrazine(pyridine-2,5-dicarboxylato)cobalt(II)	775
Molar magnetic moment of aquahydrazine(pyridine-2,6-dicarboxylato)cobalt(II)	777
Molar magnetic moment of mixed ligand complex of cobalt(II) with 5-chlorosalicylidene-<i>p</i>-anisidine and bis(benzylidene)-ethylenediamine	779
Molar magnetic moment of mixed ligand complex of cobalt(II) with 5-bromosalicylidene-<i>p</i>-anisidine and bis(benzylidene)ethylenediamine .	781
Molar magnetic moment of cobalt(II) complex with heterocyclic Schiff-base	783
Molar magnetic moment of cobalt(II) complex with 5-chlorosalicylidene-<i>p</i>-anisidine and bis(acetophenone)ethylenediamine	785
Molar magnetic moment of cobalt(II) complex with 5-bromosalicylidene-<i>p</i>-anisidine and bis(acetophenone)ethylenediamine	787
Molar magnetic moment of diaqua-bis[2-acetylnaphtho[2,1-<i>b</i>]furan oxime]cobalt(II) chloride	789
Molar magnetic moment of diaqua [2-benzoylnaphtho[2,1-<i>b</i>]furan oxime]cobalt(II) chloride	791
Molar magnetic moment of cobalt(II) chloro complex with 2,5,8,10,13,16-hexaaza[17]-1,16-dieneparacyclophane	793
Molar magnetic moment of cobalt(II) nitrate complex with 2,5,8,10,13,16-hexaaza[17]-1,16-dieneparacyclophane	795
Molar magnetic moment of diaqua-bis[2-(thiomethyl-2'-benzimidazolyl)benzimidazole]cobalt(II) perchlorate monohydrate ...	797
Molar magnetic moment of dibromo[2-(thiomethyl-2'-benzimidazolyl)benzimidazole]cobalt(II)	799
Molar magnetic moment of dichloro- (1,3,7,9-tetraaza-4,10-diketo-6,12-diphenyl-2,8-dithiocyclododecane)cobalt(II)	801

Molar magnetic moment of dinitrato- (1,3,7,9-tetraaza-4,10-diketo-6,12-diphenyl-2,8-dithiocyclododecane)cobalt(II)	803
Molar magnetic moment of diaqua-(N-picolinoyl-N'-2-furanthiocarbohydrazido)cobalt(II)	805
Molar magnetic moment of cobalt(II) chloro complex with 3-[(3-carbethoxy-4,5-dimethylthiophen-2-yl)azo]-pen-2,4-dione	807
Molar magnetic moment of cobalt(II) complex with 5-methylsalicylaldehyde-ethanesulfonylhydrazone	809
Molar magnetic moment of cobalt(II) complex with 5-methyl-2-hydroxyacetatophenoneethane sulfonylhydrazone	811
Molar magnetic moment of cobalt(II) complex with Schiff-base derived from 3-methylthiosemicarbazone and 5-formyl-6-hydroxycoumarin	813
Molar magnetic moment of cobalt(II) complex with Schiff-base derived from 3-methylthiosemicarbazone and 8-formyl-7-hydroxy-4-methylcoumarin	815
Molar magnetic moment of cobalt(II) complex with Schiff-base derived from benzyl and triethylenetetraamine	817
Molar magnetic moment of cobalt(II) chloro complex with trans-N,N'-bis[(3,4-dichlorophenylmethylidene)cyclohexane-1,2-diamine	819
Molar magnetic moment of tetraaquatetrachloro-{1,3-di[N'-(4-methoxy-1,2,5-thiadiazole-3-yl)sulfanilamide]-2,2,2,4,4,4-hexachlorodiphosphazane}}dicobalt(II)	821
Molar magnetic moment of cobalt(II) complex with {N,N'-2,2'-bis(aminoethyl)-methylamine-bis(3-carboxysalicylaldehyde)}	823
Molar magnetic moment of cobalt(II) complex with {N,N'-2,2'-bis(aminoethyl)-methylamine-bis(3-carboxysalicylaldehyde)} and pyridine	825
Molar magnetic moment of cobalt(II) complex with benzoylhydrazone of ω-bromoacetoacetanilide	827
Molar magnetic moment of cobalt(II) complex with salicylhydrazone of ω-bromoacetoacetanilide	829
Molar magnetic moment of cobalt(II) complex with methyliminoisonitroso-2-acetylnaphthalene	831

Molar magnetic moment of cobalt(II) complex with benzyliminoisonitroso- 2-acetylnaphthalene	833
Molar magnetic moment of bis(diethyldithiocarbamato)- bis(pyridine)cobalt(II)	835
Molar magnetic moment of bis(diphenyldithiocarbamato)- bis(pyridine)cobalt(II)	837
Molar magnetic moment of diaquasulfasalazinatocobalt(II) monohydrate	839
Molar magnetic moment of diaqua-bis(hydrogensulfasalazinato) cobalt(II)	841
Molar magnetic moment of dichloro[1,4,7,10-tetraaza-5,6,11,12- tetramethyl-4,6,10,12-tetraene-2,3:8,9-dibenzyleyclododecane] cobalt(II)	843
Molar magnetic moment of dichloro[1,4,8,11-tetraaza-5,7,12,14- tetramethyl-4,7,11,14-tetraene-2,3:9,10-dibenzyleyclotetra-decane] cobalt(II)	845
Molar magnetic moment of dichloro-[2,3,8,9-tetrafuran-1,4,7,10- tetraazacyclododeca-1,3,7,9-tetraene]cobalt(II)	847
Molar magnetic moment of dinitrato-[2,3,8,9-tetrafuran-1,4,7,10- tetraazacyclododeca-1,3,7,9-tetraene]cobalt(II)	849
Molar magnetic moment of [2,3,8,9-tetrafuran-1,4,7,10- tetraazacyclododeca-1,3,7,9-tetraene]dithiocyanatocobalt(II)	851
Molar magnetic moment of bis{[(2-hydroxybenzaldehyde)-3-isatin]- bishydrazonato}cobalt(II)	853
Molar magnetic moment of cobalt(II) complex with N,N'-(3,4- diaminobenzophenon)-3,5-Bu^t₂-salicylaldimine	855
Molar magnetic moment of cobalt(II) aqua complex with 2,5-hexanedione bis(isonicotinylhydrazone)	857
Molar magnetic moment of cobalt(II) complex with benzaldehyde- N(4)-phenylsemicarbazone	859
Molar magnetic moment of cobalt(II) chloro complex with macrocyclic ligand [obtained (in situ) from the reaction of 2,6-diaminopyridine with isatin]	861

Molar magnetic moment of cobalt(II) nitrate complex with macrocyclic ligand [obtained (in situ) from the reaction of 2,6-diaminopyridine with isatin]	863
Molar magnetic moment of cobalt(II) acetate complex with macrocyclic ligand [obtained (in situ) from the reaction of 2,6-diaminopyridine with isatin]	865
Molar magnetic moment of bis[3-(4'-phenylthiazole-2'-yl)-1-(2'-hydroxy-1'-iminomethyl)phenylurea]cobalt(II)	867
Molar magnetic moment of bis[3-(4'-phenylthiazole-2'-yl)-1-(2',4'-dihydroxy-1'-iminomethyl)phenylurea]cobalt(II)	869
Molar magnetic moment of bis[3-(4'-phenylthiazole-2'-yl)-1-(2',-hydroxy-5'-chloro-1'-iminomethyl)phenylurea]cobalt(II)	871
Molar magnetic moment of dichloro[N,N'-(2,2'-bis-thienylmethylidene)diaminotolulene]cobalt(II)	873
Molar magnetic moment of bis[3,5-N,N'-(2,2'-bis-thienylmethylidene)diaminotolulene]cobalt(II) chloride	875
Molar magnetic moment of di(2-amino-4-benzamidothio semicarbazido)cobalt(II)	877
Molar magnetic moment of potassium {tris[(N'-tert-butylureayl)-N-ethyl]aminato}(hydroxo)cobaltate(II)	879
Molar magnetic moment of potassium {tris[(N'-tert-butylureayl)-N-ethyl]aminato}(hydroxo)cobaltate(III)	881
Molar magnetic moment of cobalt(II) complex with 5-(phenylazo)-6-aminouracil	883
Molar magnetic moment of cobalt(II) complex with 5-(p-hydroxyphenylazo)- 6-aminouracil	885
Molar magnetic moment of cobalt(II) complex with 5-(p-anisylazo)-6-aminouracil	887
Molar magnetic moment of dimeric cobalt(II) complex with 2,12-dithio-5,9,14, 18-tetraoxo-7,16-dithia-1,3,4,10,11, 13-hexaazacyclooctadecane	889
Magnetic properties of μ-acetato-di-μ-phenolato homobimetallic, Co-Co complex with dinucleating macrocyclic ligand	891
Molar magnetic moment of dinitrato-(1,5,11,15-tetraaza-6,10,16,20-tetraoxo-8,18-dithia-cyclocosane)dnicobalt(II, II) nitrate	894
Molar magnetic moment of dicobalt(II) complex with a Schiff-base ...	896

Molar magnetic moment of tetraaquachloro-[2,6-diformyl-p-cresol-bis(2-furanthiocarboxyhydrazonato)]dicobalt(II, II)	898
Magnetic properties of dicobalt(II) complex with a Schiff-base	900
Molar magnetic moment of trichloro(12,13:26,27)-dibenzo-1,4,7,10,15,18,21,24-octaazacyclooctacosane-1,10,15,24-tetraenedicobalt(II) chloride	903
Molar magnetic moment of tribromo(12,13:26,27)-dibenzo-1,4,7,10,15,18,21,24-octaazacyclooctacosane-1,10,15,24-tetraenedicobalt(II) bromide	905
Molar magnetic moment of binuclear cobalt(II) complex with Schiff-base	907
Molar magnetic moment of cobalt(II) complex with salicylaldazine . . .	909
Molar magnetic moment of cobalt(II) complex with Schiff-base derived from 5-(2'-thiazolylazo)salicylaldehyde and 2-aminophenol . . .	911
Molar magnetic moment of di[(2,4,6-pyridimidinetrione dithiocarbamato)cobalt(II)]	913
Molar magnetic moment of binculear cobalt(II) nitrate complex with [N(1)-salicylidene- N(2)-cis-2,6-diphenyltetrahydrothiopyran-4-one azine]	915
Molar magnetic moment of dicobalt(II) complex with dithiocarbamate	917
Molar magnetic moment of tetraaqua-bis[N-benzoyl-N'-(2-hydroxyphenyl)-thiocarbamido]dicobalt(II,II)	919
Molar magnetic moment of bis[N-benzoyl-N'-(2-hydroxyphenyl)-thiocarbamido]tetrapyridinedicobalt(II,II)	921
Molar magnetic moment of bis[N-benzoyl-N'-(2-hydroxyphenyl)-thiocarbamido]tetra(β-picoline)dicobalt(II,II)	923
Molar magnetic moment of bis[N-benzoyl-N'-(2-hydroxyphenyl)-thiocarbamido]tetra(γ-picoline)dicobalt(II,II)	925
Molar magnetic moment of bis[N-benzoyl-N'-(2-hydroxyphenyl)-thiocarbamido]tetra(α-picoline)dicobalt(II,II)	927
Molar magnetic moment of cobalt(II)-nickel(II) complex with 5-nitroindazole and ethylenediamine	929
Molar magnetic moment of μ-acetato-di-μ-phenolato heterobimetallic, Zn-Co complex with dinucleating macrocyclic ligand	931

Molar magnetic moment of hexachloro- bis(1,4,7,10-tetraazacyclotetradecane- 2,3-dione)tricobalt(II)	934
Molar magnetic moment of trinuclear mixed-valence $\text{Co}^{\text{III}}\text{-Co}^{\text{II}}\text{-Co}^{\text{III}}$ complex with carboxamido N and sulfinato S donors	936
Magnetic properties of <i>catena</i> -poly-di- μ -hydroxo-bis- μ -terephthalobis(phenanthroline)tricobalt(II, II, II)	938
Molar magnetic moment of <i>catena</i> -poly-diaqua[1,4-Phenylenebis(amino-2-naphthylglyoximato)]cobalt(II)	941
Molar magnetic moment of <i>catena</i> -poly-diaqua[1,5-naphthylene(amino-2-naphthylglyoximato)]cobalt(II)	943
Molar magnetic moment of <i>catena</i> -poly-diaqua-[dimethylene-4,4'-bis(amino-2-naphthylglyoximato)]cobalt(II)	945
Molar magnetic moment of <i>catena</i> -poly-diaqua-[diethylene-4,4'-bis(amino-2-naphthylglyoximato)]cobalt(II)	947
Molar magnetic moment of acetophenone-4-aminobenzoylhydrazone aquadichlorocobalt(II)	949
Molar magnetic moment of <i>catena</i> -poly-di- μ -chloro(benzofuro-2-carboxy-[4'-methylphenyl]thiosemicarbazido)cobalt(II)	951
Molar magnetic moment of <i>catena</i> -poly-di- μ -chloro(benzofuro-2-carboxy-[4'-methoxyphenyl]thiosemicarbazido)cobalt(II)	953
Molar magnetic moment of <i>catena</i> -poly-di- μ -chloro(benzofuro-2-carboxy-[4'-bromophenyl]thiosemicarbazido)cobalt(II) monohydrate	955
Part IV Rh	957
Exchange energy of μ -chloro-tetrakis(acetamidato) dirhodium(II,III)	959
Exchange energy of μ -iodo-tetrakis(acetamidato) dirhodium(II,III)	961
Exchange energy of μ -bromo-tetrakis(acetamidato) dirhodium(II,III)	963
Molar magnetic moment of mononuclear rhodium(II) complex with bis(oxazoline) pincer ligand	965