

Contents

Preface ix

1	Two-Dimensional Supramolecular Chemistry on Surfaces	1
	<i>Neil R. Champness</i>	
	References	6
2	Characterisation and Interpretation of On-Surface Chemical Reactions Studied by Ultra-High-Resolution Scanning Probe Microscopy	9
	<i>Adam Sweetman, Neil R. Champness, and Alex Saywell</i>	
2.1	Introduction	9
2.2	SPM Under UHV Conditions	10
2.2.1	On-Surface Reactions	11
2.2.2	Characterisation of Molecule-Substrate Systems via STM	12
2.2.3	ncAFM	15
2.3	Practical Steps in Accomplishing Sub-Molecular Imaging	16
2.3.1	Sample Preparation	16
2.3.1.1	Deposition of Organic Molecules at Low Temperature	17
2.3.1.2	CO Deposition	17
2.3.1.3	Decoupling Layers	18
2.3.2	Construction of the qPlus Sensor	18
2.3.3	Tip Preparation	19
2.3.3.1	Tip Functionalisation	19
2.3.4	Practical Considerations for Imaging	21
2.3.4.1	Drift and Creep	21
2.3.4.2	Amplitude Calibration	22
2.3.4.3	Apparent Dissipation and Mechanical Coupling of the Sensor	22
2.3.4.4	Crosstalk	22
2.3.4.5	Force Inversion	23
2.4	Interpretation of Sub-Molecular Contrast at the Single Bond Level	23
2.4.1	Forces in the Tip-Sample Junction	24
2.4.1.1	Non-site Specific Interactions – The ‘Background’	24
2.4.1.2	Local Dispersion Interactions – The ‘Halo’	24

2.4.1.3	Pauli Repulsion – The ‘Carbon Backbone’	24
2.4.1.4	Chemical Bonding	25
2.4.1.5	Local Electrostatic Interactions	25
2.4.2	Response of the Probe Particle – Distortions in Imaging	25
2.4.2.1	Flexibility of Adsorbed CO	26
2.4.2.2	Electrostatics	28
2.4.2.3	Chemical Sensitivity	29
2.5	Characterising On-Surface Reactions with ncAFM	29
2.5.1	Practical Considerations for Characterising On-Surface Reactions	31
2.5.2	Synthesis and Characterisation of Graphene Based Nanostructures	32
2.5.3	Studying the Evolution of On-Surface Reaction	34
2.6	Conclusions	38
	Acknowledgements	39
	References	39
3	Complexity in Two-Dimensional Multicomponent Assembly	43
	<i>Kunal S. Mali, Joan Teyssandier, Nerea Bilbao, and Steven De Feyter</i>	
3.1	Introduction	43
3.2	Two-Component Self-Assembled Systems	45
3.2.1	Two-Component Systems: Host–Guest Architectures	46
3.2.1.1	Host Networks from Intrinsically Porous Building Blocks	46
3.2.1.2	Host Networks from Self-Assembly of Building Blocks	49
3.2.1.3	Two-Component Systems: Host–Guest Architectures Based on Surface-Confined Two-Dimensional Covalent Organic Frameworks (2D-sCOFs)	57
3.2.2	Two-Component Systems: Non-Host–Guest Architectures	59
3.3	Three-Component Systems	62
3.3.1	Three-Component Systems: Two-Component Host Network + Guest	62
3.3.2	Three-Component Systems: One-Component Host Network + Two Different Guests	65
3.3.3	Three-Component Systems: Non-host–Guest Systems	69
3.4	Four-Component Systems	71
3.4.1	Four-Component Systems: Host–Guest Architectures	72
3.4.2	Four-Component Systems: Non-host–Guest Architectures	75
3.5	Summary and Perspectives	76
	References	76
4	Complexity in Two-Dimensional Assembly: Using Coordination Bonds	81
	<i>Nian Lin and Jing Liu</i>	
4.1	Introduction	81
4.2	Asymmetric Linkers	82
4.3	Multiple Types of Linkers	86
4.4	Multiple-Level (Hierarchical) Interaction	88

4.5	Multiple Binding Modes	90
4.6	Summary and Outlook	97
	References	97
5	Complexity in Two-Dimensional Assembly: Quasicrystalline Structures	103
	<i>S. Alex Kandel</i>	
	History	103
	Random Tilings	104
	Quasicrystalline Tilings	108
	References	114
6	Using Self-Assembly to Control On-Surface Reactions	117
	<i>Zhantao Peng, Lingbo Xing, and Kai Wu</i>	
6.1	Introduction	117
6.2	Mediating On-Surface Reaction Selectivity	119
6.3	Mediating On-Surface Reaction Pathway	124
6.4	Mediating On-Surface Reaction Site	125
6.5	Brief Summary and Perspective	130
	Acknowledgement	131
	References	131
7	Covalently Bonded Organic Structures via On-Surface Synthesis	135
	<i>Can Wang, Haiming Zhang, and Lifeng Chi</i>	
7.1	Introduction	135
7.2	Dehalogenation	136
7.2.1	Ullmann Coupling	136
7.2.2	Sonogashira Coupling	141
7.2.3	Heck Reaction	141
7.3	Dehydrogenation	143
7.3.1	(SP ³ -C) Alkane Polymerisation	143
7.3.2	(SP ² -C) Aryl and Alkene Cyclodehydrogenation	145
7.3.2.1	Aryl–Aryl Dehydrogenation Coupling	145
7.3.2.2	Bottom-Up Fabrication of Graphene Nanoribbons (GNRs)	148
7.3.2.3	Homo-Coupling of Terminal Alkene	150
7.3.3	(SP ¹ -C) Alkyne – Glaser Coupling	151
7.3.4	Hierarchical Dehydrogenation of X–H Bonds (X = N and C)	152
7.4	Dehydration Reaction	153
7.4.1	Schiff-Base Reaction	153
7.4.2	Imidisation Condensation Reaction	156
7.4.3	Boronic Acid Condensation	156
7.4.4	Decarboxylative Polymerisation	157
7.4.5	Dimerisation and Cyclotrimerisation of Acetyls	159
7.5	Other Reactions	159

- 7.5.1 Click Reaction 159
- 7.5.1.1 Azide–Alkyne Cycloaddition 159
- 7.5.1.2 Diels–Alder Reaction 160
- 7.5.2 Bergman-Like Reaction 161
- 7.5.3 N-Heterocyclic Carbenes Formation and Dimerisation 162
- 7.5.4 σ -Bond Metathesis 163
- 7.5.5 Diacetylene Polymerisation 164
- 7.6 Conclusion and Perspectives 165
- References 166

8 Hybrid Organic-2D TMD Heterointerfaces: Towards Devices Using 2D Materials 171

Yu L. Huang and Andrew T. S. Wee

- 8.1 Introduction 171
- 8.2 Atomic Structures 172
- 8.2.1 Pristine 2D TMDs 172
- 8.2.2 Organic/2D TMD Interfaces 174
- 8.3 Surface Functionalisation of 2D TMDs by Organics 177
- 8.3.1 Defect Engineering 177
- 8.3.2 Phase Engineering 179
- 8.4 Fundamental Electronic Properties 180
- 8.4.1 Energy Level Alignment 181
- 8.4.2 Interfacial Charge Transfer 184
- 8.4.3 Screening Effect 190
- 8.5 Applications in Devices: Organic-2D TMD p–n Heterojunctions 192
- 8.6 Conclusion 193
- Acknowledgements 194
- References 194

9 Surface Self-Assembly of Hydrogen-Bonded Frameworks 199

Nicholas Pearce and Neil R. Champness

- 9.1 Introduction 199
- 9.2 Carboxylic Acid Supramolecular Synthons 200
- 9.3 Imide-Melamine Supramolecular Synthons 205
- 9.4 From Hydrogen-bonding Synthons to Covalently-organic Frameworks 211
- 9.5 Heteromolecular Hydrogen-bonding Synthons 213
- 9.6 Conclusions 215
- References 215

Index 219