

Contents

Volume 1A

Introduction	1
Part I Y	15
Magnetic properties of strontium-ytterium-ruthenium oxide	17
Magnetic properties of barium-ytterium-ruthenium oxide	19
Magnetic properties of barium-ytterium-diruthenium oxide	21
Exchange energy of mixed complex of ytterium and copper with iminodiacetic acid	23
Part II La	25
Magnetic properties of double perovskite, LaCaMnNbO_6	27
Molar magnetic susceptibility of lanthanum(III) <i>trans</i> -2-butenolate polymer	30
Magnetic properties of hexaaquachloronitrilotriacetatocopper(II)- lanthanum(III) perchlorate monohydrate	32
Molar magnetic moment of lanthanum salt of silicomolybdate cobalt heteropoly blues	34
Molar magnetic moment of lanthanum salt of silicomolybdate nickel heteropoly blue	36
Magnetic properties of barium-lanthanum-ruthenium oxide	38
Magnetic properties of double perovskite of lanthanum, gallium and manganese	40

Exchange energy of mixed complex of lanthanum and copper with iminodiacetic acid	42
Part III Ti	45
Molar magnetic moment of oxo-bridged hetero-binuclear, Ti(IV)-Co(II) complex with compartmental Schiff-base	47
Part IV Zr	49
Molar magnetic moment of oxo-bridged hetero-binuclear, Zr(IV)-Co(II) complex with compartmental Schiff-base	51
Part V V	53
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and pyridine ligands	55
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and pyridine ligands	57
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and pyridine ligands	59
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and pyridine ligands	61
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, bromo and pyridine ligands	63
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, bromo and pyridine ligands	65
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, bromo and pyridine ligands	67
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, bromo and pyridine ligands	69
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and tetrahydrofuran ligands	71
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and tetrahydrofuran ligands	73
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and tetrahydrofuran ligands	75
Molar magnetic moment of mixed ligand complex of vanadium(III) with Schiff-base, chloro and tetrahydrofuran ligands	77
Magnetic properties of <i>cis</i>-dichloro-tri(methanol)oxovanadium(IV) ...	79

Magnetic properties of diaquadichlorooxovanadium(IV)	81
Magnetic properties of <i>trans</i>-diaquadichlorooxovanadium(IV) diethrate	83
Molar magnetic moment of polyoxocationic ferromagnetic cluster of iron and vanadium	85
Magnetic properties of hexanuclear bimetallic manganese-vanadium oxide cluster	88
Molar magnetic moment of diaqua-[N,N'-bis(2-oxobenzylidene)benzidine]oxovanadium(IV)	91
Molar magnetic moment of di{[N,N'-bis(2-oxobenzylidene)-p-phenylenediamine]oxovanadium(IV)} monohydrate	93
Molar magnetic moment of bis(cinnamylidene-2-aminophenolato)oxovanadium(IV) dihydrate	95
Molar magnetic moment of oxovanadium(IV) complex with Schiff-base	97
Molar magnetic moment of oxovanadium(IV) derivative with bis(hydrazone) derived from 1,1'-diacetylferrocene and 4-chlorobenzoic acid hydrazide	99
Molar magnetic moment of oxovanadium(IV) derivative with bis(hydrazone) derived from 1,1'-diacetylferrocene and benzoic acid hydrazide	101
Molar magnetic moment of oxovanadium(IV) derivative with bis(hydrazone) derived from 1,1'-diacetylferrocene and 4-nitrobenzoic acid hydrazide	103
Molar magnetic moment of oxovanadium(IV) derivative with bis(hydrazone) derived from 1,1'-diacetylferrocene and nicotinic acid hydrazide	105
Molar magnetic moment of oxovanadium(IV) derivative with bis(hydrazone) derived from 1,1'-diacetylferrocene and isonicotinic acid hydrazide	107
Molar magnetic moment of N-isonicotinoyl-N'-p-hydroxythiohydrazinatooxovanadium(IV)	109
Molar magnetic moment of oxovanadium(IV) complex with N-benzoyl-N'-p-hydroxythiobehzhydrazine	111
Molar magnetic moment of di[(2-oxo-5-chloroacetophenoneisonicotinoyl-hydrazono)oxovanadium(IV)]	113

Molar magnetic moment of [1-phenyl-2,3-dimethyl-4-(4-iminopentan-2-one)-pyrazol-5-iminothiophenolato]oxovanadium(IV)	115
Molar magnetic moment of [1-phenyl-2,3-dimethyl-4-(4-iminopentan-2-one)-pyrazol-5-iminophenolato]oxovanadium(IV)	117
Molar magnetic moment of mononuclear oxovanadium(IV) complex with Schiff-base derived from 4-butyryl-3-methyl-1-phenyl-2-pyrazolin-5-one and <i>p</i>-anisidine	119
Molar magnetic moment of mononuclear oxovanadium(IV) complex with Schiff-base N-(4'-butyrylidene-3'-methyl-1'-phenyl-2'-pyrazolin-5'-one)-<i>m</i>-phenatidine	121
Molar magnetic moment of mononuclear oxovanadium(IV) complex with Schiff-base N-(4'-butyrylidene-3'-methyl-1'-phenyl-2'-pyrazolin-5'-one)-<i>m</i>-toluidine	123
Molar magnetic moment of mononuclear oxovanadium(IV) complex with Schiff-base N-N'-bis(4'-butyrylidene-3'-methyl-1'-phenyl-2'-pyrazolin-5'-one)-<i>o</i>-phenylenediamine	125
Molar magnetic moment of mononuclear oxovanadium(IV) complex with Schiff-base N-N'-bis(4'-butyrylidene-3'-methyl-1'-phenyl-2'-pyrazolin-5'-one)-<i>m</i>-phenylenediamine	127
Molar magnetic moment of dinuclear oxovanadium(IV) complex with Schiff-base N-N'-bis(4'-butyrylidene-3'-methyl-1'-phenyl-2'-pyrazolin-5'-one)-<i>p</i>-phenylenediamine	129
Molar magnetic moment of dinuclear oxovanadium(IV) complex with Schiff-base N-N'-bis(4'-butyrylidene-3'-methyl-1'-phenyl-2'-pyrazolin-5-one)-benzidine	131
Molar magnetic moment of bis(ethyl acetylacetato)oxovanadium(IV)	133
Molar magnetic moment of bis(methyl acetylacetato)oxovanadium(IV)	135
Molar magnetic moment of bis(ethyl benzoylacetato)oxovanadium(IV)	137
Exchange energy of tris-μ-[bis(4-methoxyphenyl)phosphinato]-bis(2,2'-bipyridine)di(oxovanadium(IV)) nitrate monohydrate	139
Exchange energy of tris-μ-diphenylphosphinato-bis(1,10-phenanthroline)dioxovanadium(IV) nitrate monohydrate	141

Exchange energy of tris-μ-diphenylphosphinato-bis(2,2'-bipyridine)di (oxovanadium(IV)) nitrate dihydrate	143
Weiss constant of <i>trans</i>-aquadichloro-bis(tetrahydrofuran) oxovanadium(IV)	145
Molar magnetic moment of oxo-bridged hetero-binuclear, VO(II)-Co(II) complex with compartmental Schiff-base	148
Molar magnetic moment of bis(3-methyl-2,4-pentanedionato) oxovanadium(IV)	150
Molar magnetic moment of bis(3-methyl-2,4-pentanedionato) picolineoxovanadium(IV)	152
Molar magnetic moment of bis(3-ethyl-2,4-pentanedionato) oxovanadium(IV)	154
Molar magnetic moment of bis(3-ethyl-2,4-pentanedionato) picolineoxovanadium(IV)	156
Molar magnetic moment of bis(3-isopropyl-2,4-pentanedionato) oxovanadium(IV)	158
Molar magnetic moment of bis(3-isopropyl-2,4-pentanedionato) picolineoxovanadium(IV)	160
Molar magnetic moment of bis(3-<i>n</i>-butyl-2,4-pentanedionato) oxovanadium(IV)	162
Molar magnetic moment of bis(3-<i>n</i>-butyl-2,4-pentanedionato) picolineoxovanadium(IV)	164
Molar magnetic moment of bis(3-isobutyl-2,4-pentanedionato) oxovanadium(IV)	166
Molar magnetic moment of bis(3-isobutyl-2,4-pentanedionato) picolineoxovanadium(IV)	168
Molar magnetic moment of bis(3-acetyl-2,4-pentanedionato) oxovanadium(IV)	170
Molar magnetic moment of bis(3-acetyl-2,4-pentanedionato) picolineoxovanadium(IV)	172
Molar magnetic moment of bis(3-phenyl-2,4-pentanedionato) oxovanadium(IV)	174
Molar magnetic moment of bis(3-phenyl-2,4-pentanedionato) picolineoxovanadium(IV)	176
Molar magnetic moment of bis(3-benzyl-2,4-pentanedionato) oxovanadium(IV)	178

Molar magnetic moment of bis(3-benzyl-2,4-pentanedionato) picolineoxovanadium(IV)	180
Molar magnetic moment of [1,2-(diimino-4'-antipyrinyl)-1,2-diphenylethane]oxovanadium(IV) sulphate	182
Molar magnetic moment of oxovanadium(IV) complex with N-nicotinoyl-N'-<i>p</i>-hydroxythiobenzhydrazine	184
Molar magnetic moment of oxovanadium(IV) complex with Schiff-base	186
Molar magnetic moment of oxovanadium complex with <i>o</i>-cresolphthalein ligand	188
Molar magnetic moment of oxovanadium(IV) complex with N-picolinoyl-N'-2-furanthiocarbohydride	190
Molar magnetic moment of oxovanadium(IV) complex with 2,5-hexanedione bis(isonicotinylhydrazone)	192
Molar magnetic moment of oxovanadium(IV) complex with thiocarbohydrazone obtained by condensation reaction of 4,6-diacetylresorcinol with thiocarbohydrazide	194
Molar magnetic moment of μ-pyromellitato-bis(5-methyl-1,10-phenanthroline)di[oxovanadium(IV)]	196
Magnetic properties of dinuclear vanadium(III) complex with N-hydroxyethyliminodiacetate	198
Magnetic properties of potassium bis(citrato)oxovanadium(IV) hexahydrate	200
Magnetic properties of potassium citrato(hydrogen citrato) oxovanadium(IV) heptahydrate	203
Molar magnetic moment of oxovanadium(IV) complex with thiosemicarbazone obtained by condensation reaction of 4,6-diacetylresorcinol with thiosemicarbazide	206
Molar magnetic moment of oxovanadium(IV) complex with semicarbazone obtained by condensation reaction of 4,6-diacetylresorcinol with semicarbazide hydrochloride	208
Magnetic properties of μ-pyromellitato-bis(5-nitro-1,10-phenanthroline)di[oxovanadium(IV)]	210
Magnetic properties of μ-pyromellitato-bis(2,9-dimethyl-1,10-phenanthroline)di[oxovanadium(IV)]	213
Molar magnetic moment of oxovanadium(II)-copper(II) complex with <i>o</i>-cresolphthalein ligand	216

Part VI Cr	219
Molar magnetic moment of bis[(1,1',3-tris(trimethylsilyl)allyl)]chromium(II)	221
Molar magnetic moment of chromocene containing pentafluorophenyl ligand	223
Molar susceptibility of an oxalate-bridged heterometallic tetrameric, Cr ₂ Cu ₂ complex with bipyridine	225
Molar magnetic moment of aquachloro-bis(2-oxo-5-chloroacetophenone)sonicotinoylhydrazono)chromium(III) monohydrate	228
Molar magnetic moment of triacetato[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-benzothiazole)-hydrazine]-chromium(III)	230
Molar magnetic moment of trichloro[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-benzothiazole)-hydrazine]-chromium(III)	232
Molar magnetic moment of dichloro{dibenzo[c, k][1,6,9,14]tetraazacyclohexadecane[2,5,10,13]tetraone}chromium(III) chloride	234
Molar magnetic moment of diperchlorato{[1,6,9,14]tetraazacyclohexadecane[2,5,10,13]tetraone}chromium(III) perchlorate	236
Molar magnetic moment of dichloro{[1,6,10,15]tetraazacyclooctadecane[2,5,11,14]tetraone}chromium(III) chloride	238
Molar magnetic moment of dichloro{dibenzo[c, l][1,6,10,15]tetraazacyclooctadecane[2,5,11,14]tetraone}chromium(III) chloride ...	240
Molar magnetic moment of trinitrato[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-benzothiazole)-hydrazine]-chromium(III)	242
Molar susceptibility of tetraphenylphosphonium 2,2'-bipyridinedioxalatochromate(III) monohydrate	244
Magnetic properties of tetraphenylphosphonium 2,2'-bipyrimidine(dioxalato)chromate(III) monohydrate	247
Magnetic properties of tris(ethylenediamine)chromium(III) trioxalatochromate(III)	249

Magnetic properties of hydroxo bridged dinuclear chromium ascorbate complex	251
Magnetic properties of oxalate bridged bimetallic, Cr-Mn complex with (ferrocenylmethyl)triethyl ammonium cation	254
Molar magnetic moment of mixed metal Cr-Mn heterochalcogenic cluster	257
Molar magnetic moment and Weiss constant of oxalate bridged, bimetallic, Cr-Mn complex with 1,2-disubstituted (ferrocenylmethyl) tri(<i>n</i>-butyl) ammonium cation	259
Magnetic properties of oxalate bridged bimetallic, Cr-Mn complex with (ferrocenylmethyl)tri(<i>n</i>-butyl) ammonium cation	261
Magnetic properties of oxalate bridged bimetallic, Cr-Mn complex with (ferrocenylmethyl)tri(<i>n</i>-propyl) ammonium cation	263
Magnetic properties of oxalate bridged bimetallic, Cr-Ni complex with (ferrocenylmethyl)triethyl ammonium cation	265
Magnetic properties of oxalate bridged bimetallic, Cr-Ni complex with (ferrocenylmethyl)tri(<i>n</i>-propyl) ammonium cation	268
Magnetic properties of oxalate bridged bimetallic, Cr-Ni complex with (ferrocenylmethyl)tri(<i>n</i>-butyl) ammonium cation	270
Magnetic properties of oxalate bridged, bimetallic, Cr-Ni complex with 2-methym-1- (ferrocenylmethyl)tri(<i>n</i>-butyl) ammonium cation ...	272
Exchange energy of thiocyanato-bridged dinuclear Cr(III)-Cu(II) complex with oxime	274
Magnetic properties of oxalate bridged heteronuclear Cr(III)-Cu(II) compound with bipyridine and bis(2-pyridylcarbonyl)amide	277
Magnetic properties of oxalato bridged heteronuclear Cr(III)-Cu(II) compound with phenanthroline and bis(2-pyridylcarbonyl)amide	280
Magnetic properties of 2,2'-bipyrimidinesilver(I) diaquadioxalatochromate(III) dihydrate	283
Magnetic properties of oxo bridged trinuclear chromium ascorbate complex	286
Molar magnetic moment and exchange energy of mixed-metal, Cr₂-Mn₂ heterochalcogenic cluster	289
Molar magnetic moment and exchange energy of mixed-metal, Cr₂-Mn₂ heterochalcogenic cluster	291
Magnetic properties of tris(ascorbato)chromium(III) trihydrate	293

Molar magnetic moment and exchange energy of mixed-metal, Cr₂-Fe₃ heterochalcogenic cluster	296
Molar magnetic moment of hexachloro-bis(1,4,7,10-tetraazacyclotetradecane-2,3-dione)trichromium(III) chloride	298
Molar magnetic moment of chromium(III) chloro complex with 12-membered macrocyclic ligand	300
Molar magnetic moment of chromium(III) nitrate complex with 12-membered macrocyclic ligand	302
Molar magnetic moment of dichloro-(5,7,12,14-tetramethyl-1,4,8,11-tetraazacyclotetradeca-4,7,11,14-tetraene)chromium(III) chloride	304
Molar magnetic moment of tris(α-benzoin oximato)chromium(III) ...	306
Molar magnetic moment of [1,2-di(imino-4'-antipyrinyl)ethane] perchloratochromium(III) perchlorate	308
Molar magnetic moment of [1,2-di(imino-4'-antipyrinyl)ethane] nitratochromium(III) nitrate	310
Molar magnetic moment of [1,2-di(imino-4'-antipyrinyl)ethane] chromium(III) chloride	312
Molar magnetic moment of [1,2-di(imino-4'-antipyrinyl)ethane] chromium(III) bromide	314
Molar magnetic moment of chromium(III) complex with 4-(2-pyridyl)-1-diacetylmonoxime-3-thiosemicarbazone	316
Molar magnetic moment of tri(2,4,6-pyridimidinetrione-thiocarbamato)chromium(III)	318
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminoacetic acid-5,7,12,14-tetraene)chromium(III) chloride	320
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminophenyl-5,7,12,14-tetraene)chromium(III) chloride	322
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminopyridyl-5,7,12,14-tetraene)chromium(III) chloride	324
Molar magnetic moment of chromium(III) complex with benzaldehyde-<i>N</i>(4)-phenylsemicarbazone	326
Molar magnetic moment of diμ-hydroxo(α-benzoin oximato)α-benzoin iminato chromium(III)	328

Molar magnetic moment of μ-oxo-di(α-benzoinoximato-α-benzoiniminatotetrahydrofuranchromium(III)]	331
Molar magnetic moment of homo-dinuclear di-μ_2-alkoxo bridged chromium(III) complex with Schiff-base	334
Molar magnetic moment of 1,4,7-trimethyl-1,4,7-triazacyclononane chromium(III)-tris-μ-(pyridinealdoximato)chromium(II) perchlorate	336
Magnetic properties of 1,4,7-trimethyl-1,4,7-triazacyclononane chromium(III)-tris-μ-(pyridinealdoximato)manganese(II) perchlorate	338
Molar magnetic moment of 1,4,7-trimethyl-1,4,7-triazacyclononanechromium(III)-tris-μ-(pyridinealdoximato)iron(II) perchlorate	341
Molar magnetic moment of 1,4,7-trimethyl-1,4,7-triazacyclononanechromium(III)-tris-μ-(pyridinealdoximato)cobalt(III) perchlorate	343
Magnetic properties of 1,4,7-trimethyl-1,4,7-triazacyclononanechromium(III)-tris-μ-(pyridinealdoximato)nickel(II) perchlorate	345
Magnetic properties of chromium(III)-Ni(II) complex containing tris(2-aldoximato)-6-(pyridyl)phosphine nickel(II) complex as ligand	348
Magnetic properties of 1,4,7-trimethyl-1,4,7-triazacyclononanechromium(III)-tris-μ-(pyridinealdoximato)copper(II) perchlorate	351
Molar magnetic moment of 1,4,7-trimethyl-1,4,7-triazacyclononanechromium(III)-tris-μ-(pyridinealdoximato)zinc(II) perchlorate	354
Part VII Mo	357
Molar magnetic moment of tetraaqua-[bis(2-hydroxy-1-naphthaldehyde)malonoyldihydrazonato]oxomolybdenum(VI)-copper(II)	359
Magnetic properties of bis(pentaphenylcyclopentadienyl) molybdenum(III) iodide	361
Molar magnetic moment of bis(pentaphenylcyclopentadienyl) molybdenum(II)	363

Molar magnetic moment of oxomolybdenum(V) complex with {N,N'-2,2'-bis(aminoethyl)-methylamine-bis(3-carboxysalicylaldimine)}	365
Molar magnetic moment of oxomolybdenum(V) thiocyanato complex with {N,N'-2,2'-bis(aminoethyl)-methylamine-bis(3-carboxysalicylaldimine)}	367
Part VIII W	369
Molar magnetic moment of tetrachloro-[1,2-bis(4-methoxyacetophenoneimine)propane]tungsten(IV)	371
Molar magnetic moment of tetrachloro-[1,2-bis(4-methyl-acetophenoneimine)propane]tungsten(IV)	373
Molar magnetic moment of tetrachloro-[1,2-bis(4-N,N-dimethylaminobenzylideneimine)propane]tungsten(IV)	375
Molar magnetic moment of tetrachloro-[1,2-bis(4-methoxybenzylideneimine)propane]tungsten(IV)	377
Molar magnetic moment of tetrachloro-[1,2-bis(4-methyl-benzylideneimine)propane]tungsten(IV)	379
Molar magnetic moment of tetrabromo-[1,2-bis(4-methoxyacetophenoneimine)propane]tungsten(IV)	381
Molar magnetic moment of tetrabromo-[1,2-bis(4-methyl-acetophenoneimine)propane]tungsten(IV)	383
Molar magnetic moment of tetrabromo-[1,2-bis(4-N,N-dimethylaminobenzylideneimine)propane]tungsten(IV)	385
Molar magnetic moment of tetrabromo-[1,2-bis(4-methoxybenzylideneimine)propane]tungsten(IV)	387
Molar magnetic moment of tetrabromo-[1,2-bis(4-methyl-benzylideneimine)propane]tungsten(IV)	389
Molar magnetic moment of bis(pentaphenylcyclopentadienyl) tungsten(II)	391
Magnetic properties of bis(pentaphenylcyclopentadienyl) tungsten(III) iodide	393
Exchange energy of dinuclear tris(pyrazolyl)borato-oxo-tungsten(V) complex with 1,4-dihydroxybenzene	395
Exchange energy of dinuclear tris(pyrazolyl)borato-oxo-tungsten(V) complex with 4,4-biphenol	397

Exchange energy of dinuclear tris(pyrazolyl)borato-oxo-tungsten(V) complex with 4,4-azophenol	399
Part IX Mn	401
Exchange energy of sodium fluoromanganate(III)	403
Magnetic properties of manganese selenogermanates	405
Paramagnetic Curie constant of diacetatomanganese(II)	408
Molar magnetic moment of [N,N'-bis(3-carboxy-1-oxoprop-2-enyl)-1,2-phenylenediamino]manganese(II)	410
Molar magnetic moment of diaqua-bis[8-(2-azothiazolyl)-7-oxo-4-methylcoumarin]manganese(II) tetrahydrate	412
Molar magnetic moment of diaqua-bis[8-(2-azobenzothiazolyl)-7-oxo-4-methylcoumarin]manganese(II) monohydrate	414
Magnetic properties of aqua-(4,4'-bipyridine)-bis(dicyananmido)manganese(II) hemi-methanolate	416
Molar magnetic moment of aquaacetonitrile-[N-benzyl-N-{{(6-pivaloyamido-2-pyridyl)methyl}-N-(2-pyridylmethyl)aminemanganese(II) perchlorate	418
Molar magnetic moment of 1,10-phenanthroline[2-phenyl-3-(benzylimino)1,2-dihydroquinazolin-4(3H)-one]dithiocyanatomanganese(II)	420
Molar magnetic moment of ethylenediamine[2-phenyl-3-(benzylimino)1,2-dihydroquinazolin-4(3H)-one]dithiocyanatomanganese(II)	422
Molar magnetic moment of bis(azido)1,10-phenanthroline[2-phenyl-3-(benzylamino)1,2-dihydroquinazolin-4(3H)-one]Manganese(II)	424
Molar magnetic moment of bis(azido)ethylenediamine[2-phenyl-3-(benzylamino)1,2-dihydroquinazolin-4(3H)-one]manganese(II)	426
Molar magnetic moment of bis(cyanodithioformato)manganese(II) ...	428
Magnetic properties of mixed ligand manganese(II) complex with azide and pyridyl nitronyl nitroxide	430
Magnetic properties of tetraaquabis-(hydrogenoxamato)manganese(II)	433
Magnetic properties of manganese(II) complex with the dicyanoacetic acid methyl ester anion	436
Magnetic properties of dipyridinated manganese phthalocyanine	439

Molar magnetic moment of [N,N'-bis(3-carboxy-1-oxopropyl)-1,2-phenylenediamino]manganese(II)	442
Molar magnetic moment of [N,N'-bis(3-carboxy-1-oxopropyl)-1,2-ethylenediamino]manganese(II)	444
Magnetic properties of manganese(II) complex with polystyrene supported tridentate Schiff-base	446
Magnetic properties of manganese(II) complex with chelating resin to containing tridentate Schiff-base	448
Molar magnetic moment of diaqua[1-phenyl-2,3-dimethyl-4-(4-iminopentan-2-one)-pyrazol-5-iminothiophenolato]manganese(II)	450
Molar magnetic moment of diaqua[1-phenyl-2,3-dimethyl-4-(4-iminopentan-2-one)-pyrazol-5-iminophenolato]manganese(II)	452
Exchange energy of bis(4,4'-bipyridine)-bis(tricyanomethanido)manganese(II)	454
Magnetic properties of adipato-[<i>trans</i>-1,2-bis(4-pyridyl)ethene]manganese(II)	457
Magnetic properties of adipato-1,2-bis(4-pyridyl)ethanemanganese(II)	459
Magnetic properties of dinuclear manganese(II) complex with malonic acid and phenanthroline	461
Magnetic properties of dinuclear manganese(II) azido complex with 2,2'-dipicolylamine	464
Molar magnetic moment of di{diaqua-2[2'-oxo-benzalidene-5'-(4''-phenyl, 2''-thiazolylazo)]benzoatomanganese(II)}	467
Molar magnetic moment of di{diaqua-2[2'-oxo-benzalidene-5'-(4''-phenyl-2''-thiazolylazo)]phenolatomanganese(II)}	469
Molar magnetic moment of manganese(II) complex with Schiff-base	471
Molar magnetic moment of dichloro-bis{4-[2'-oxo-salicylidene-5'-(2''-thiazolylazo)]methoxybenzene}diamanganese(II)	473
Magnetic properties of μ-dichloro-diaquadichloro-bis[2-(2'-thiazole)-4,4,5,5-tetramethylimidazoline-1-oxyl-3-oxide]dimanganese(II,II)	475
Exchange energy of binuclear manganese(II) complex with pivalate and 2,6-diaminopyridine	478

Paramagnetic Curie constant and exchange energy of tetraaqua-bis(2,2'- dithiobisnicotinicato)dimanganese(II,II) tetrahydrate	480
Magnetic properties of μ-oxalato-di{[N-benzyl-N-(6-pivaloylamido-2-pyridyl)methyl]-N-(2-pyridylmethyl)amine}manganese(II) perchlorate	483
Molar magnetic moment and exchange energy of dicarboxylate-bridged dimeric manganese(II) complex with [bis(methylthio)methylene] melonate	486
Magnetic properties of (μ_2-aqua)-bis(μ_2-carboxylate)-bridged manganese polymer	488
Exchange energy of primary amido bridged magnocene dimer	490
Exchange energy of secondary amido bridged magnocene dimer	492
Exchange energy of secondary amido bridged magnocene dimer	494
Exchange energy of alkyne bridged magnocene dimer	496
Magnetic properties of bis(pentamethylcyclopentadienyl)cobalt(III) tris (dicyanaamido)manganate(II)	498
Molar magnetic moment of tetraaqua-[bis(2-hydroxy-1-naphthaldehyde) malonoyldihydrazonato]manganese(II)-copper(II)	501
Molar magnetic moment of trinuclear manganese(II) complex with asymmetric compartmental proligand	503
Magnetic properties of octaaquabis(1,3,5-benzenetricarboxylato) trimanganese(II)	505
Magnetic properties of trinuclear manganese cluster having imidazole and Schiff-base ligand	508
Magnetic properties of hexa-μ-isobutyriccarboxylato-bis(1,10-phenanthroline)trimanganese(II,II,II)	510
Magnetic properties of hexa-μ-isobutyriccarboxylato-bis(2,2'-bipyridine)trimanganese(II,II,II)	513
Molar magnetic moment and exchange energy of oxo-centered mixed-valent trinuclear manganese complex	515
Molar magnetic moment and exchange energy of dicyanatodimethoxo-tetra(2,2'-dipyridylketonoximato)trimanganese(II,IV,II)	518
Exchange energy of dimethoxodithiocyanato-tetra(2,2'-dipyridylketonoximato)trimanganese(II,IV,II)	520
Molar magnetic moment and exchange energy of dichlorodimethoxo-tetra(2,2'-dipyridylketonoximato)trimanganese(II,IV,II)	522

Magnetic properties of ion-pair complex of manganese Schiff-base complex cation and nitroprusside anion	524
Magnetic properties of ion-pair complex of manganese Schiff-base complex cation and tetracyanonickalate anion	526
Magnetic properties of Mn₄ dicubane bromo cluster containing 2,6-bis(hydroxymethyl)-4-methylphenol	528
Molar susceptibility of Mn₄ dicubane chloro cluster containing 2,6-bis(hydroxymethyl)-4-methylphenol	530
Paramagnetic Curie constant and exchange energy of di-μ_3-hydroxo-tetra(2,2'-dithiobisbenzoato)pentamanganese(II)	532
Magnetic properties of heterometallic hexanuclear, Cu₄-Mn₂ complex bridged by azido and macrocyclic oxamido groups	535
Magnetic properties of hexanuclear mixed-valence manganese (Mn^{II}₄Mn^{III}₂) complex with Schiff-base	538
Molar magnetic moment and exchange energy of decanuclear Mn(II) compound with a variety of phthalate binding modes	540
Magnetic properties of tetraphenylphosphonium salt of Mn₁₂ single-molecule magnet with thiophenecarboxylate bridges	542
Magnetic properties of dodecanuclear manganese cluster containing <i>p</i>-carboxylate-phenyl-nitronyl nitroxide radical	544
Magnetic properties of Mn₁₂ single-molecule magnet with thiophenecarboxylate bridges	546
Magnetic properties of Mn₁₂ complex with difluorochloroacetic acid	548
Magnetic properties of Mn₁₂ complex with difluorochloroacetic acid as tetraphenylphosphonium salt	550
Magnetic properties of μ-dicyamido bridged polymeric manganese(II) complex with 2,4'-bipyridine	552

Volume 1B

Magnetic properties of polymeric manganese(II) complex with N-(3-methoxypropyl)-N-(pyridin-2-ylmethyl)amine	555
Magnetic properties of <i>catena</i>-poly-phenanthroline-(2,5-pyridine-dicarboxylato)manganese(II)	558
Magnetic properties of <i>catena</i>-poly-pentaaqua-bis-(2,5-pyridine-dicarboxylato)dipotassium(I,I)-manganese(II)	560

Magnetic properties of dicarboxylate-bridged manganese(II) complex with [bis(methylthio)methylene]melonate	562
Magnetic properties of one dimensional manganese polymer containing 4,5-dicarboxyimidazole	564
Exchange energy of <i>catena</i>-poly[chloroanilato pyrazinemanganese(II)]	566
Molar magnetic moment of manganese(II) pivalate polymer	568
Magnetic properties of <i>catena</i>-poly-Bis(2-pyrazinecarboxylato) manganese(II)	570
Magnetic properties of 4,4'-azopyridine-bridged manganese polymer	572
Magnetic properties of mixed-ligand manganese(II) complex with 4,4'-azopyridine and dicyanamide	574
Magnetic properties of <i>catena</i>-poly-bis-μ-chloro-(2,2'-bipyridine) manganese(II)	577
Magnetic properties of <i>catena</i>-poly-diaqua-bis(dicyanamido) manganese(II) di(tetramethylpyrazinate)	579
Magnetic properties of <i>catena</i>-poly-diaqua-bis(iminodiacetato)manganese(II)	581
Molar magnetic moment of coordination polymer manganese(II) pyrazinecarboxylate	584
Magnetic properties of manganese(II)-pyridine-3,4-dicarboxylate polymer	586
Magnetic properties of manganese(II)-pyridine-3,4-dicarboxylate polymer	588
Magnetic properties of <i>catena</i>-poly-$\{[\text{tetraaquamanganese(II)}][\text{diaqua-bis(hydrogen-3,5-pyrazoledicarboxylato)manganate(II)}]\text{tetrahydrate}\}$	590
Magnetic properties of manganese(III) chain complex with cyclam ...	592
Magnetic properties of manganese(III) chain complex with cyclam ...	595
Molar magnetic moment of aquaacetato-(2-oxo-5-chloroacetophenone)sonicotinoylhydrazono)manganese(III) monohydrate	597
Magnetic properties of <i>catena</i>-poly-μ-acetato-[N,N'-O-phenylenebis(salicylideneaminato)]manganese(III)	599
Molar magnetic moment of manganese(III) complex with Schiff-base and heterocyclic β-diketone	601

Molar magnetic moment of manganese(III) complex with Schiff-base and salicylaldehyde	603
Molar magnetic moment of manganese(III) complex with Schiff-base and 2,2'-bipyridine	605
Molar magnetic moment of manganese(III) complex with Schiff-base and 1,10-phenanthroline	607
Molar magnetic moment of triacetato[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-antipyrine)-hydrazine]-manganese(III)	609
Molar magnetic moment of trinitrato[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-antipyrine)-hydrazine]-manganese(III)	611
Molar magnetic moment of trichloro[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-antipyrine)-hydrazine]-manganese(III)	613
Magnetic properties of heterobimetallic, Mn(III)-W(V) complex containing Schiff base and cyanate ligands	615
Magnetic properties of tetranuclear manganese(III) complex with Schiff-base	617
Magnetic properties of hexanuclear manganese(III) complex with Schiff-base	620
Exchange energy of <i>catena</i>-poly{(dicyanamido)-[N,N'-(±)-trans-cyclohexanebis(salicylaldiminato)]manganese(III)}	622
Exchange energy of <i>catena</i>-poly{(dicyanamido)-[N,N'-o-phenylenebis(salicylaldiminato)]manganese(III)}	624
Exchange energy of <i>catena</i>-poly{(dicyanamido)-[N,N'-ethylenebis(salicylaldiminato)]manganese(III)}	626
Molar magnetic moment of manganese(II) complex with phosphate Schiff-base	628
Molar magnetic moment of manganese(II) complex with phosphate Schiff-base	630
Molar magnetic moment of manganese(II) bis complex with phosphate Schiff-base	632
Molar magnetic moment of manganese(II) bis complex with phosphate Schiff-base	634
Molar magnetic moment of dichloro-bis[isopropyl methyl ketone semicarbazone]manganese(II)	636

Molar magnetic moment of bis[isopropyl methyl ketone semicarbazone)manganese(II) sulphate	638
Molar magnetic moment of dichloro-bis[isopropyl methyl ketone thiosemicarbazone)manganese(II)	640
Molar magnetic moment of bis[isopropyl methyl ketone thiosemicarbazone)manganese(II) sulphate	642
Molar magnetic moment of dichloro-bis(4-aminoacetophenone semicarbazone)manganese(II)	644
Molar magnetic moment of bis(4-aminoacetophenone semicarbazone) manganese(II) sulphate	646
Molar magnetic moment of dichloro-bis(4-aminoacetophenone thiosemicarbazone)manganese(II)	648
Molar magnetic moment of bis(4-aminoacetophenone thiosemicarbazone)manganese(II) sulphate	650
Paramagnetic Curie constant of bis(azido)pyrimidinemanganese(II)	652
Molar magnetic moment of dichloro-bis[N,N'-bis(3-pyridylmethyl)-1,4-benzenedimethyleneimine]manganese(II)	654
Molar magnetic moment of manganese(II) complex with Schiff-base ...	656
Molar magnetic moment of dichloro-bis[2-(1-indazolyl)benzothiazole)] manganese(II)	658
Molar magnetic moment of dichloro-(5,7,12,14-tetramethyl-1,4,8,11-tetraazacyclotetradeca-4,7,11,14-tetraene)manganese(II)	660
Molar magnetic moment of manganese(II) complex with N,N'-bis(salicylidene)-1,4-diaminobutane	662
Molar magnetic moment of aquaphthalohydroxamatomanganese(II)	664
Molar magnetic moment of dichloro-bis(<i>p</i>-methylacetophenonesemicarboazone)manganese(II)	666
Molar magnetic moment of dibromo-bis(<i>p</i>-methylacetophenonesemicarboazone)manganese(II)	668
Molar magnetic moment of bis(<i>p</i>-methylacetophenonesemicarboazone) sulphatomanganese(II)	670
Molar magnetic moment of dichloro-bis(<i>p</i>-methylacetophenonethiosemicarboazone)manganese(II)	672
Molar magnetic moment of dibromo-bis(<i>p</i>-methylacetophenonethiosemicarboazone)manganese(II)	674

Molar magnetic moment of 1-salicyloyl-4-benzoyl-3-thiosemicarbazidothiocyanatomanganese(II)	676
Molar magnetic moment of chloro(1-salicyloyl-4-benzoyl-3-thiosemicarbazido)manganese(II)	678
Molar magnetic moment of aquachloro[2/2''-(2,6-pyridindiyldiethylidene)dioxamohydrazide]manganese(II) chloride monohydrate	680
Molar magnetic moment of dichloro[1,2-(diimino-4'-antipyrinyl)-1,2-diphenylethane]manganese(II)	682
Molar magnetic moment of diacetato[1,2-(diimino-4'-antipyrinyl)-1,2-diphenylethane]manganese(II)	684
Paramagnetic Curie constant of α-hepta-[bis(ethylenedithio)tetrathiafulvalenium] bis(tetrachloromanganate(II) trichloroethanate	686
Molar magnetic moment of manganese(II) complex with Schiff-base obtained from cinnamaldehyde and 1,2-bis(p-aminophenoxy)ethane ...	688
Molar magnetic moment of manganese(II) complex with 4-(2-pyridyl)-1-diacetylmonoxime-3-thiosemicarbazone	690
Molar magnetic moment of dichloroquinoxaline-2-carboxaldehydesemicarbazonemanganese(II)	692
Molar magnetic moment of dichloro-bis(quinoxaline-2-carboxaldene-2-furfurylamine)manganese(II)	694
Molar magnetic moment of di(2,4,6-pyridimidinetrione-thiocarbamato)manganese(II)]	696
Molar magnetic moment of bis(phenylpiperazinedithiocarbamato)manganese(II)]	698
Molar magnetic moment of bis(4-fluorophenylpiperazinedithiocarbamato)manganese(II)]	700
Molar magnetic moment of bis(4-nitrophenylpiperazinedithiocarbamato)manganese(II) monohydrate	702
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminoacetic acid-5,7,12,14-tetraene)manganese(II)	704
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminophenyl-5,7,12,14-tetraene)manganese(II)	706
Molar magnetic moment of dichloro(1,5,8,12-tetraazacyclotetradeca-6,7,13,14-tetraaminopyridyl-5,7,12,14-tetraene)manganese(II)	708

Molar magnetic moment of mixed ligand complex of manganese(II) with 5-chlorosalicylidene-<i>p</i>-anisidine and bis(benzylidene)-ethylenediamine	710
Molar magnetic moment of mixed ligand complex of manganese(II) with 5-bromosalicylidene-<i>p</i>-anisidine and bis(benzylidene)-ethylenediamine	712
Molar magnetic moment of manganese(II) complex with 5- chlorosalicylidene-<i>p</i>-anisidine and bis(acetophenone) ethylenediamine	714
Molar magnetic moment of manganese(II) complex with 5-bromosalicylidene-<i>p</i>-anisidine and bis(acetophenone) ethylenediamine	716
Molar magnetic moment of dichloro-(1,3,7,9-tetraaza-4,10-diketo-6,12-diphenyl-2,8-dithiocyclododecane)manganese(II)	718
Molar magnetic moment of dinitrato-(1,3,7,9-tetraaza-4,10-diketo-6,12-diphenyl-2,8-dithiocyclododecane)manganese(II)	720
Molar magnetic moment of manganese(II) acetato complex with 3-[(3-carbethoxy-4,5-dimethylthiophen-2-yl)azo]-pen-2,4-dione	722
Molar magnetic moment of manganese(II) chloro complex with 2,6-diacetylpyridine bis(N4-phenylthiosemicarbazone)	724
Molar magnetic moment of manganese(II) aqua complex with 2,6-diacetylpyridine bis(N4-phenylthiosemicarbazone)	726
Molar magnetic moment of manganese(II) chloro complex with 2,6-diacetylpyridine bis(N4-ethylthiosemicarbazone)	728
Molar magnetic moment of manganese(II) acetato complex with 2,6-diacetylpyridine bis(N4-ethylthiosemicarbazone)	730
Molar magnetic moment of manganese(II) chloro complex with 2,6-diacetylpyridine bis(N4-cyclohexylthiosemicarbazone)	732
Molar magnetic moment of manganese(II) complex with Schiff-base derived from benzyl and triethylenetetraamine	734
Molar magnetic moment of manganese(II) complex with benzoylhydrazone of ω-bromoacetoacetanilide	736
Molar magnetic moment of manganese(II) complex with salicylhydrazone of ω-bromoacetoacetanilide	738
Molar magnetic moment of bis(diethyldithiocarbamato)-bis(pyridine) manganese(II)	740

Molar magnetic moment of bis(diphenyldithiocarbamato)-bis(pyridine) manganese(II)	742
Molar magnetic moment of dichloro-[2,3,8,9-tetrafuran-1,4,7,10-tetraazacyclododeca-1,3,7,9-tetraene]manganese(II)	744
Molar magnetic moment of dinitrato-[2,3,8,9-tetrafuran-1,4,7,10-tetraazacyclododeca-1,3,7,9-tetraene]manganese(II)	746
Molar magnetic moment of [2,3,8,9-tetrafuran-1,4,7,10-tetraazacyclododeca-1,3,7,9-tetraene] dithiocyanatomanganese(II)	748
Molar magnetic moment of bis{[(2-hydroxybenzaldehyde)-3-isatin]-bishydrazonato}manganese(II)	750
Molar magnetic moment of manganese(II) complex with N,N'-(3,4-diaminobenzophenon)-3,5-Bu^t₂-salicylaldimine	752
Molar magnetic moment of manganese(II) complex with benzaldehyde-N(4)-phenylsemicarbazone	754
Molar magnetic moment of di(2-amino-4-benzamidothiosemicarbazido) manganese(II)	756
Molar magnetic moment of calcium manganese ruthenium oxide	758
Molar magnetic moment of binuclear manganese(II) complex with <i>p</i>-phenylenediacetate	760
Magnetic properties of dinuclear manganese(II) complex with two bis(<i>p</i>-nitrophenyl)phosphate and 2,6-bis[N,N-di(2-pyridylmethyl)aminomethyl]-4-methylphenol	762
Molar magnetic moment of binuclear manganese(II) complex with Schiff-base	764
Molar magnetic moment of manganese(II) complex with Schiff-base derived from 5-(2'-thiazolylazo)salicylaldehyde and 2-aminophenol ...	766
Molar magnetic moment of homo-dinuclear di-μ_2-alkoxo bridged manganese(III) complex with Schiff-base	768
Molar magnetic moment of dinuclear manganese(II) complex with 2,5-hexanedione bis(isonicotinylhydrazone)	770
Molar magnetic moment of di[(2,4,6-pyridimidinetrione dithiocarbamato)manganese(II)]	772
Molar magnetic moment of manganese(II)-nickel(II) complex with 5-nitroindazole and ethylenediamine	774

Molar magnetic moment of manganese(II)-copper(II) complex with 5-nitroindazole and ethylenediamine	776
Molar magnetic moment of hexachloro-bis(1,4,7,10-tetraazacyclotetradecane-2,3-dione)trimanganese(II)	778
Paramagnetic Curie constant of tetra-μ-squatatoocta-aquapyrazinetetramanganese(II)	780
Magnetic properties of <i>catena</i>-poly-phthalato-bis(pyridine) manganese(II)	783
Magnetic properties of <i>catena</i>-poly-bis(3-pyridinecarboxylato) manganese(II)	785
Exchange energy of polymeric manganese-potassium complex with 2,6-pyridinedicarboxylic acid	787
Molar magnetic moment of manganese(III) complex with Schiff-base as acetate salt	789
Molar magnetic moment of manganese(III) complex with Schiff-base as chloride salt	791
Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and glycine	793
Molar magnetic moment of manganese(III) complex of Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-analine	795
Molar magnetic moment of manganese(III) complex of Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-phenylalanine	797
Molar magnetic moment of manganese(III) complex of Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-histidine	799
Molar magnetic moment of manganese(III) complex of Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-tryptophane	801
Molar magnetic moment of manganese(III) complex of Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-threonine	803
Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-serine	805
Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-methionine	807
Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and cystein	809

Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-serine	811
Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and L-methionine	813
Molar magnetic moment of manganese(III) complex with Schiff-base derived from 2-hydroxy-1-naphthaldehyde and cystein	815
Molar magnetic moment of manganese(III) complex with N,N-bis-(3,5-dimethyl-1-p-tolyl-1H-pyrazol-4-ylmethylene)ethane-1,2-diamine	817
Molar magnetic moment of manganese(III) complex with N,N-bis-(3,5-dimethyl-1-p-sulfonyl-1H-pyrazol-4-ylmethylene)ethane-1,2-diamine	819
Molar magnetic moment of manganese(III) complex with N,N-bis-(3,5-dimethyl-1-p-tolyl-1H-pyrazol-4-ylmethylene)-o-phenylenediamine ...	821
Molar magnetic moment of manganese(III) complex with N,N-bis-(3,5-dimethyl-1-p-sulfonyl-1H-pyrazol-4-ylmethylene)-o-phenylenediamine	823
Molar magnetic moment of tri(N-picolinoyl-N'-2-furanthiocarbohydrazido)dimanganese(III, III)	825
Magnetic properties of cyano-bridged manganese(III) complex containing Schiff-base and octacyanotungstate(V) building blocks	827
Part X Re	829
Magnetic properties of 2-(4-N-methylpyridinium)-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide hexachlororhenate(IV)	831
Magnetic properties of 2-(3-N-methylpyridinium)-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl-3-N-oxide hexachlororhenate(IV)	833
Part XI Fe	835
Molar magnetic moment of dichloro{dibenzo[c, k]1,6,9,14]tetraazacyclohexadecane[2,5,10,13]tetraone}iron(II)	837
Molar magnetic moment of bis[6-(N-3,5-dimethylpyrazolyl-1-ylmethyl)-2,2'-bipyridine]iron(II) hexafluorophosphate	839
Magnetic properties of iron(II) complex with chelating resin containing tridentate Schiff-base	841
Magnetic properties of iron(II) complex with polystyrene supported tridentate Schiff-base	843

Molar magnetic moment of dichloro{dibenzo[c, l][1,6,10,15]tetraazacyclooctadecane[2,5,11,14]tetraone}iron(II)	845
Molar magnetic moment of diperchlorato{[1,6,9,14]tetraazacyclohexadecane[2,5,10,13]tetraone}iron(II)	847
Molar magnetic moment of iron(II) complex with Schiff-base	849
Molar magnetic moment of dichloro{[1,6,10,15]tetraazacyclooctadecane[2,5,11,14]tetraone}iron(II)	851
Magnetic properties of diaqua-tetra[<i>trans</i>-1,2-bis(4-pyridyl)ethane]iron(II) tetracycanoquinodimethanate)	853
Molar magnetic moment of bis(cyanodithioformato)iron(II)	855
Molar magnetic moment of triaquachloro(dicluxacillinato)iron(II) dihydrate	857
Magnetic properties of N,N-dicyano-2,5-dimethyl-1,4-benzquinonediimine salt of decamethylferrocene	859
Magnetic properties of aqua-(4,4'-bipyridine)-bis(dicyananmido)iron(II) hemi-methanolate	861
Magnetic properties of 4,4'-bipyridine-bis(dicyananmido)iron(II)	863
Molar magnetic moment of di[diaqua (diacetylmonoximethiosemicarbazonato)iron(II)] sulphate	865
Molar magnetic moment of di[diaqua(1-phenyl-1,2-propanedione-2-oximethiosemicarbazonato)iron(II)] sulphate	867
Magnetic properties of dinuclear dicyananido bridged iron(II) complex with tris(pyrazolyl)methane	869
Exchange energy of dinuclear tricyanomethanido-bridged iron(II) complex with di(2-pyridylethyl)(2-pyridylmethyl)amine	871
Magnetic properties of squarato-bridged iron(II) complex with 1,2-bis(4-pyridyl)ethylene	873
Magnetic properties of squarato-bridged iron(II) complex with 1,3-bis(4-pyridyl)propane	875
Magnetic properties of <i>catena</i>-poly[μ-tris(1,2-bis(tetrazol-1-yl)ethane-N₄-N₄')iron(II)] tetrafluoroborate	877
Magnetic properties of dinuclear copper(II)-iron(II) complex based on nitroprusside	879
Magnetic properties of tricyano-[tris(pyrazolyl)methanesulfonato]iron(II) diaqua-bis(dimethylformamido) manganate(II)	881

Magnetic properties of di{bis[2,6-bis(pyrazol-3-yl)pyridine]iron(II)} trioxalatochromate(III) perchlorate pentahydrate	883
Magnetic properties of heterometallic iron(II)-chromium(III) complex with bis(2-pyridylcarbonyl)amine	885
Magnetic properties of homometallic iron(II)-iron(III) complex with bis(2-pyridylcarbonyl)amine	887
Magnetic properties of heterometallic iron(II)-cobalt(III) complex with bis(2-pyridylcarbonyl)amine	890
Molar magnetic moment of bis[1,2-dihydro-1,5-dimethyl-2-phenyl-4-formyl(benzhydrazide)-3H-pyrazol-3-one]iron(III) perchlorate	892
Molar magnetic moment of triacetato[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-benzothiazole)-hydrazine]iron(III)	894
Molar magnetic moment of iron(III) bromo complex with 1,2-dihydro-1-phenyl-2,3-dimethyl-4-[2',4'-pentanedione-3'-hydrazono]-pyrazol-5-one	896
Molar magnetic moment of iron(III) chloro complex with 1,2-dihydro-1-phenyl-2,3-dimethyl-4-[2',4'-pentanedione-3'-hydrazono]-pyrazol-5-one	898
Molar magnetic moment of aquachloro-bis(2-oxo-5-chloroacetophenoneisonicotinoyl-hydrazono)iron(III) monohydrate ...	900
Molar magnetic moment of iron(III) complex with 6-aminouracil	902
Molar magnetic moment of dichloro{dibenzo[c, l][1,6,10,15]tetraazacyclooctadecane[2,5,11,14]tetraone}iron(III) chloride	904
Molar magnetic moment of dichloro{[1,6,10,15]tetraazacyclooctadecane[2,5,11,14]tetraone}iron(III) chloride	906
Molar magnetic moment of dichloro{dibenzo[c, k][1,6,9,14]tetraazacyclohexadecane[2,5,10,13]tetraone}iron(III) chloride	908
Magnetic properties of chloro-dodecaphenylporphyrinatoiron(III) ...	910
Molar magnetic moment of trichloro[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-benzothiazole)-hydrazine]iron(III)	912
Molar magnetic moment of diperchlorato{[1,6,9,14]tetraazacyclohexadecane[2,5,10,13]tetraone}iron(III) perchlorate	914
Molar magnetic moment of trinitrato[N-(3-methyl-1-thiocarbamyl-5-oxo-2-pyrazolin-4-ylene)-N'-(4'-benzothiazole)-hydrazine]iron(III) ...	916

Molar magnetic moment of iron(III) nitrate complex with 1,2-dihydro-1-phenyl-2,3-dimethyl-4-[2',4'-pentanedione-3'-hydrazono]-pyrazol-5-one	918
Molar magnetic moment of iron(III) acetylacetonate complex with N-benzoyl-N'-p-hydroxythiobehzhydrazine	920
Molar magnetic moment of acetylacetonato-(N-isonicotinoyl-N'-p-hydroxybenzhydrazinato)iron(III)	922
Molar magnetic moment of iron(III) perchlorato complex with 1,2-dihydro-1-phenyl-2,3-dimethyl-4-[2',4'-pentanedione-3'-hydrazono]-pyrazol-5-one	924
Magnetic properties of potassium tetracyano-2,2'-bipyridineferrate(III) monohydrate	926
Magnetic properties of tris(o-iminobenzosemiquinonato)iron(III)	928
Molar magnetic moment of chloro-bis(o-iminobenzosemiquinonato)iron(III)	930
Molar magnetic moment of tris(N,N'-dimethyldithiocarbamato)iron(III)	932
Molar magnetic moment of mononuclear iron(III) complex with macrocyclic ligand	934
Molar magnetic moment of mononuclear iron(III) complex with macrocyclic ligand	936
Molar magnetic moment of mononuclear iron(III) complex with macrocyclic ligand	938
Molar magnetic moment of mononuclear iron(III) complex with macrocyclic ligand	940
Molar magnetic moment of mononuclear iron(III) complex with macrocyclic ligand	942
Molar magnetic moment of mononuclear iron(III) complex with macrocyclic ligand	944
Molar magnetic moment of triaquachloro(dicluxacillinato)iron(III) dihydrate	946
Molar magnetic moment of hexaureairon(III) nitrate	948
Molar magnetic moment of bis[4-N-(4'-antipyrylmethylidene)aminoantipyrine]perchloratoiron(III) perchlorate	950
Molar magnetic moment of bis[4-N-(4'-antipyrylmethylidene)aminoantipyrine]dinitratoiron(III) nitrate	952

Molar magnetic moment of [4-N-(4'-antipyrylmethylidene) aminoantipyrine]-tris(thiocyanato)iron(III)	954
Molar magnetic moment of [4-N-(4'-antipyrylmethylidene) aminoantipyrine]trichloroiron(III)	956
Molar magnetic moment of bis[4-N-(4'-antipyrylmethylidene) aminoantipyrine]dibromoiron(III) bromide	958
Molar magnetic susceptibility of 1-(4'-nitrobenzyl)pyridinium bis(maleonitriledithiolato)iron(III)	960
Molar magnetic susceptibility of 1-(4'-chlorobenzyl)pyridinium bis(maleonitriledithiolato)iron(III)	962
Molar magnetic moment of tris(N,N'-diethyldithiocarbamato)iron(III)	964
Molar magnetic moment of tris(N,N'-di-<i>n</i>-propyldithiocarbamato)iron(III)	966
Molar magnetic moment of tris(N,N'-di-<i>n</i>-butyldithiocarbamato)iron(III)	968
Molar magnetic moment of tris(N,N'-di-<i>i</i>-propyldithiocarbamato)iron(III)	970
Molar magnetic moment of tris(N,N'-di-<i>i</i>-butyldithiocarbamato)iron(III)	972
Molar magnetic moment of 4-piperidinylpyridinium tetrachloroferrate(III)	974
Molar magnetic moment of potassium bis(isoquinoline)-bis(malonato)ferrate(III)	976
Molar magnetic moment of potassium bis(quinoline)-bis(malonato)ferrate(III)	978
Magnetic properties of μ-ethanedithiolato-di[cyclopentadienyl (1, 2-diphenylphosphinoethane)iron(III)] hexafluorophosphate	980
Molar magnetic moment of oxo-bridged homo-binuclear, Fe(III)-Fe(III) complex with compartmental Schiff-base	983
Magnetic properties of μ-oxo diiron(III) complex with 1,2-bis(3-methoxysalicylidene)aminoethane	985
Magnetic properties of quinolium diaquadicitratodiferrate(III) tetrahydrate	987
Magnetic properties of carboxylate bridged dinuclear iron(III) complex with Schiff-base derived L-valine and salicylaldehyde	989

Magnetic properties of carboxylate bridged dinuclear iron(III) complex with Schiff-base derived from L-leucine and salicylaldehyde . . .	991
Magnetic properties of carboxylate bridged dinuclear iron(III) complex with Schiff-base derived from L-phenylalanine and salicylaldehyde	993
Magnetic properties of carboxylate bridged dinuclear iron(III) complex with Schiff-base L-alanine and salicylaldehyde	995
Magnetic properties of carboxylate bridged dinuclear iron(III) complex with Schiff-base derived from L-isoleucine and salicylaldehyde	997
Magnetic properties of carboxylate bridged dinuclear iron(III) complex with Schiff-base derived from L-glycine and salicylaldehyde	999
Magnetic properties of ion-pair complex consisting of hydrotris (pyrazolyl)boratoiron(III) cation and thiocyanato-iron(III) anion	1001
Exchange energy of dinuclear μ-oxo bridged ferric complex with o-iminobenzosemiquinonate π radical anion	1004
Magnetic properties of iron containing heteropolytungstate	1007
Magnetic properties of bis(pentamethylcyclopentadienyl)iron(III) tris(dicyanoamido)manganate(II)	1010
Paramagnetic Curie constant of bis(pentamethylcyclopentadienyl) iron(III) tris(dicyanamido)cobaltate(II)	1013
Magnetic properties of di[N,N'-ethylenebis(salicylaldeneiminato) ironI(III)] pentacyanonitrosylferrate(II)	1015
Magnetic properties of honeycomb layered bimetallic, Ni(II)-Fe(III) assemblies with cyclam ligand	1018
Magnetic properties of bis(pentamethylcyclopentadienyl)iron(III) tris (dicyanamido)nickelate(II)	1020
Magnetic properties of honeycomb layered bimetallic, Ni(II)-Fe(II) assemblies with cyclam ligand	1023
Magnetic properties of bis(pentamethylcyclopentadienyl)iron(III) tris (dicyanamido)cadmate(II)	1025
Magnetic properties of three dimensional mixed valent iron phosphite	1027

Molar magnetic moment of iron complex with octanoic acid and 3-mercaptopropionic acid	1030
Molar magnetic moment of iron complex with dodecacarboxylic acid and 3-mercaptopropionic acid	1032
Molar magnetic moment of iron complex with hexadecacarboxylic acid and 3-mercaptopropionic acid	1034
Magnetic properties of solvated mixed-valence trinuclear iron formate	1036
Magnetic properties of iron containing heteropolytungstate	1038
Magnetic properties of μ-oxalato-bridged $\text{Cu}_2^{\text{II}}\text{Fe}^{\text{III}}$ heterotrinuclear complex with 2,9-dimethyl-1,10-phenanthroline	1041
Magnetic properties of μ-oxalato-bridged $\text{Cu}_2^{\text{II}}\text{Fe}^{\text{III}}$ heterotrinuclear complex with 2,2'-bipyridine	1043
Magnetic properties of μ-oxalato-bridged $\text{Cu}_2^{\text{II}}\text{Fe}^{\text{III}}$ heterotrinuclear complex with 5-nitro-1,10-phenanthroline	1045
Magnetic properties of cyanide-bridged bimetallic $\text{Fe}_2^{\text{III}}\text{Cu}^{\text{II}}$ ladder like chains	1047
Magnetic properties of cyanide-bridged bimetallic bipyridyl containing $\text{Fe}_2^{\text{III}}\text{Cu}^{\text{II}}$ zig-zag chains	1049
Magnetic properties of cyanide-bridged bimetallic $\text{Fe}_2^{\text{III}}\text{Cu}^{\text{II}}$ zig-zag chains	1051
Molar magnetic moment of trinuclear iron(III) complex with di-hemiketal	1054
Magnetic properties of Fe_3S_3 six-membered ring compound	1057
Magnetic properties of tetranuclear iron(III) cluster incorporating phosphonate ligand	1059
Magnetic properties of tetranuclear iron complex having $(\text{Fe}_4\text{O}_6)^{6+}$ core with 2,6-bis(hydroxymethyl)-4-tert-butylphenol	1061
Molar magnetic moment of iron containing heteropolytungstate	1063
Magnetic properties of μ-bipyrimidine and μ-cyano bridged heterobimetallic $\text{Fe}_2^{\text{III}}\text{-Mn}_2^{\text{III}}$ complex with bipyridine	1065
Magnetic properties of iron(III) 18-azametallacrown-6 complex	1068
Molar magnetic moment of hexanuclear iron(III) cluster containing pivalic acid, diisopropanolamine and amino-alcohol ligands	1070

Magnetic properties of hexanuclear iron(III) cluster containing benzoic acid and amino-alcohol ligand, diisopropanolamine	1072
Magnetic properties of heptanuclear iron(III) cluster incorporating phosphonate ligand	1074
Exchange energy of <i>catena</i>-poly{(dicyanamido)-[N,N'-(±)-trans-cyclohexanebis(salicylaldiminato)]iron(III)}	1076
Exchange energy of <i>catena</i>-poly{(dicyanamido)-[N,N'-o-phenylenebis(salicylaldiminato)]iron(III)}	1078
Exchange energy of <i>catena</i>-poly{(dicyanamido)-[N,N'-ethylenebis(salicylaldiminato)]iron(III)}	1080