

Contents

Preface — V

Chapter 1

Laser autocollimator — 1

- 1.1 Introduction — 1
- 1.2 Nanoradian laser autocollimator — 3
- 1.3 Rangefinder autocollimator — 22
- 1.4 PD-edge method associated with laser autocollimation — 32
- 1.5 Summary — 42
- References — 43

Chapter 2

Three-axis angle sensor — 47

- 2.1 Introduction — 47
- 2.2 Three-axis angle sensor — 50
- 2.3 Three-axis inclination sensor — 72
- 2.4 Summary — 98
- References — 99

Chapter 3

Surface encoder — 103

- 3.1 Introduction — 103
- 3.2 Three-axis surface encoder — 105
- 3.3 Six-degree-of-freedom surface encoder — 112
- 3.4 Reduction of cross-talk error in surface encoder — 128
- 3.5 Linear-rotary surface encoder — 145
- 3.6 Summary — 159
- References — 160

Chapter 4

Mosaic encoder — 165

- 4.1 Introduction — 165
- 4.2 Mosaic linear encoder — 165
- 4.3 Mosaic surface encoder — 169
- 4.4 Four-probe three-axis mosaic surface encoder — 174
- 4.5 Summary — 198
- References — 199

Chapter 5

In-line and on-machine surface profiler — 201

- 5.1 Introduction — 201
- 5.2 Flexspline gear profiler — 202
- 5.3 Rotary die cutter profiler — 210
- 5.4 Microstructure slope profiler — 219
- 5.5 Diamond tool profiler — 228
- 5.6 Microdrill bit profiler — 237
- 5.7 Mixed-probe profiler — 247
- 5.8 Summary — 256
- References — 257

Chapter 6

Fabrication and calibration of scale grating — 261

- 6.1 Introduction — 261
- 6.2 Orthogonal two-axis Lloyd's mirror interferometer — 262
- 6.3 Non-orthogonal two-axis Lloyd's mirror interferometer — 277
- 6.4 High-resolution calibration of linear grating scale — 313
- 6.5 Fast calibration of planar scale grating — 322
- 6.6 Summary — 331
- References — 332

Chapter 7

Ultrashort-pulse angle sensor — 335

- 7.1 Introduction — 335
- 7.2 Ultrashort-pulse laser angle sensor — 340
- 7.3 Chromatic dispersion angle sensor — 348
- 7.4 Second harmonic wave angle sensor — 356
- 7.5 Summary — 375
- References — 376

Chapter 8

Optical frequency comb — 379

- 8.1 Introduction — 379
- 8.2 Mathematical model of optical frequency comb — 380
- 8.3 Effects of dispersion on optical frequency comb — 389
 - 8.3.1 Effect of phase velocity dispersion — 389
 - 8.3.2 Effect of group velocity dispersion — 399
- 8.4 Stabilization of optical frequency comb — 406
 - 8.4.1 Stabilization of repetition frequency — 406

- 8.4.2 Stabilization of carrier-envelope frequency — **408**
- 8.4.3 Compensation of group velocity dispersion — **416**
- 8.5 Summary — **422**
- References — **422**

Chapter 9

Angle comb — 425

- 9.1 Introduction — **425**
- 9.2 Intensity-domain angle comb — **426**
- 9.3 Optical frequency-domain angle comb — **451**
- 9.4 Summary — **477**
- References — **478**

Chapter 10

Chromatic confocal comb — 481

- 10.1 Introduction — **481**
- 10.2 Optical comb chromatic confocal probe — **483**
- 10.3 Range-expanded chromatic confocal comb — **494**
- 10.4 Stabilized chromatic confocal comb — **505**
- 10.5 Improved chromatic confocal comb — **522**
- 10.6 Summary — **537**
- References — **537**

Chapter 11

Position comb — 541

- 11.1 Introduction — **541**
- 11.2 Real-time monitoring of repetition frequency — **543**
- 11.3 Fiber frequency comb — **554**
- 11.4 Position comb — **581**
- 11.5 Summary — **596**
- References — **597**

Chapter 12

Optical comb applied metrology — 601

- 12.1 Introduction — **601**
- 12.2 Multi-beam form measurement — **602**
- 12.3 Micro-prism angle measurement — **607**
- 12.4 Diffraction grating calibration — **628**
- 12.5 Summary — **636**
- References — **638**

Index — 641