

Contents

Introduction	1
1 Theoretical background	3
1.1 Single-photon sources	3
1.1.1 Photon statistics	3
1.1.2 Types of single-photon sources	7
1.2 Semiconductor quantum dots	8
1.2.1 Fabrication method	9
1.2.2 Light extraction	10
1.2.3 Excitonic states	13
1.2.4 Optical properties	18
1.3 Single-photon detectors	22
1.3.1 Characteristic properties	23
1.3.2 Detection efficiency	26
1.4 Quantum radiometry	29
1.5 Allan deviation	32
2 Experimental methods and setups	37
2.1 Self-made cryogenic confocal setup	37
2.1.1 Cooling system	37
2.1.2 Widefield microscopy	38
2.1.3 Confocal setup	39
2.1.4 Micro-photoluminescence scans	45
2.1.5 Spectral filtering and spectrometry	45
2.1.6 Measurement of the second-order correlation	48
2.1.7 Time resolved photoluminescence measurements	49
2.1.8 Saturation curves of excitonic states in a quantum dot	50

2.2	Single-photon detection	50
2.2.1	Single-photon avalanche diode	51
2.2.2	Modeling of dead time and dark counts effects	55
2.2.3	Calibration methods and traceability	58
3	Results	67
3.1	Semiconductor quantum dots embedded in microlenses	67
3.2	Semiconductor quantum dots embedded in cylindrical mesas	73
3.3	Improvements of the experimental setup	78
3.4	Temporal stability	80
3.5	Relative calibration of fibre-coupled SPAD detectors	84
3.6	Absolute calibration of a fibre-coupled SPAD detector	88
4	Summary and outlook	93
A	Dark count statistics	i
B	Derivation of equation 2.14	iii
C	Emission spectra - pump power dependence	v
	List of figures	vii
	List of tables	xiv
	Bibliography	xv