

Contents

Preface — V

- 1 High-performance liquid chromatography (HPLC): theoretical principles — 1**
 - 1.1 Introduction — 1
 - 1.2 What is HPLC in relation to other chromatographic techniques? — 2
 - 1.3 Components of an HPLC system — 2
 - 1.3.1 Mobile phase pumping system (mobile phase supply unit) — 2
 - 1.3.2 Injection system (injector) — 4
 - 1.3.3 Separating system (HPLC column) — 4
 - 1.3.4 Detection system (detector) — 5
 - 1.3.5 Data acquisition and analysis (computer) — 6
 - 1.3.6 Fraction Collector — 6
 - 1.3.7 Connection tubing — 6
 - 1.4 History of HPLC — 6
 - 1.5 Types of separation in HPLC — 8
 - 1.6 Mechanism of separation in HPLC — 9
 - 1.7 Where HPLC can be used as an analytical tool? — 11
 - 1.8 Advantages of modern HPLC — 14
References — 15

- 2 HPLC columns for pharmaceutical analysis — 17**
 - 2.1 Normal- and reversed-phase columns — 17
 - 2.1.1 Introduction — 17
 - 2.1.2 Packing materials or stationary phase for HPLC columns — 17
 - 2.1.3 Silica as a packing material for NP-HPLC columns — 20
 - 2.1.4 Silica as a base material for other HPLC packing materials — 22
 - 2.1.4.1 Silica gel structure — 22
 - 2.1.4.2 Important properties of silica — 25
 - 2.1.5 Silica-based RP-HPLC (bonded silica) as a packing material for HPLC columns — 27
 - 2.1.6 Modern packing materials for HPLC columns — 33
 - 2.1.6.1 Symmetry packing — 34
 - 2.1.6.2 Symmetry shield reversed-phase (SSRP) packing materials for HPLC columns (embedded polar group technology) — 37
 - 2.1.6.3 XTerra packing (hybrid particle technology) — 40
 - 2.1.7 HPLC column hardware (container) — 43
 - 2.1.8 HPLC column efficiency — 47
 - 2.1.9 HPLC column back pressure — 49

2.1.10	HPLC column storage —	51
2.1.11	Column temperature —	52
2.1.12	Column protection —	53
2.1.13	HPLC column, cleaning and regeneration —	56
2.1.14	Specification of HPLC packings —	59
2.1.14.1	Physicochemical properties —	59
2.1.14.2	Chromatographic characteristics —	63
2.1.15	HPLC column troubleshooting —	63
2.2	Ion-exchange (IC, IEC or IEX) and size-exclusion (SEC) columns for HPLC —	64
2.2.1	Introduction —	64
2.2.2	Ion Chromatography (IC, IEC and IEX) —	65
2.2.2.1	Principles of ion chromatography —	67
2.2.2.2	Packing materials (stationary phase) for IC columns —	71
2.2.2.3	Mobile phase for IC —	73
2.2.2.4	IC instrumentation —	73
2.2.2.5	Principles of ion suppressors —	75
2.2.2.6	IC applications for ion analysis —	76
2.2.2.6.1	IC applications for anion analysis —	76
2.2.2.6.2	IC applications for cation analysis —	77
2.2.3	Ion-pair chromatography (IPC) —	78
2.2.4	Ion-exclusion chromatography (IEXC) —	79
2.2.4.1	Introduction —	79
2.2.4.2	Principles of ion-exclusion chromatography (IEXC) —	80
2.2.4.3	Application of IEXC for analysis of pharmaceutical products —	81
2.2.5	Size-exclusion chromatography (SEC) —	84
2.2.5.1	Introduction —	84
2.2.5.2	Principles of SEC —	85
2.2.5.3	Packing materials for SEC columns —	86
2.2.5.4	Application of SEC for analysis of pharmaceutical products in drug quality control laboratories —	87
	References —	89
3	HPLC mobile phase and HPLC pumping system —	95
3.1	Introduction —	95
3.2	Solvent selection for mobile phase preparation —	95
3.2.1	Polarity —	96
3.2.2	Viscosity —	97
3.2.3	UV transparency —	97
3.2.4	Refractive index —	97
3.2.5	Boiling point —	98
3.2.6	Inertness to the sample —	98

- 3.2.7 Corrosion resistant — 99
- 3.2.8 Toxicity — 99
- 3.3 Mobile phase preparation and handling — 100
 - 3.3.1 Mobile phase preparation — 100
 - 3.3.2 Buffered mobile phase — 100
 - 3.3.2.1 Acidic mobile phases — 102
 - 3.3.2.2 Ion-paired mobile phase — 103
 - 3.3.2.3 Basic mobile phase — 103
 - 3.3.3 Mobile phase filtration — 103
 - 3.3.3.1 Off-line filtration (vacuum filtration) — 104
 - 3.3.3.1.1 Filtration procedures — 106
 - 3.3.3.1.2 Use the filtered mobile phase — 107
 - 3.3.3.1.3 Maintenance and storage of the Millisolve system — 109
 - 3.3.3.2 In-line mobile phase filtration — 109
 - 3.3.4 Mobile phase degassing — 110
 - 3.3.4.1 Sparging — 113
 - 3.3.4.2 Heat — 113
 - 3.3.4.3 Vacuum — 113
 - 3.3.4.4 Sonication — 113
 - 3.3.4.5 Mobile phase degasser (in-line degassing of mobile phase) — 116
 - 3.3.5 Water for mobile phase (water HPLC grade; ultra pure water) — 117
 - 3.3.5.1 *Directions for use of Norganic cartridge* (trace organic removal cartridge) — 118
 - 3.3.6 Important notices about mobile phase selection and preparation — 119
- 3.4 HPLC mobile phase pumping system — 121
 - 3.4.1 HPLC mobile phase pumping system components and operating guides — 121
 - 3.4.2 Mobile phase pressure and flow relationships — 123
 - 3.4.3 HPLC mobile phase flow control and programming systems — 125
 - 3.4.3.1 Gradient elution — 125
 - 3.4.3.2 Isocratic elution — 128
 - 3.5 Solvent miscibility — 128
 - 3.6 Optimization of the mobile phase — 128
- References — 130
- 4 HPLC injection system (injector) — 133
 - 4.1 Introduction — 133
 - 4.2 Loop injector for HPLC — 133
 - 4.3 Manual injection — 135
 - 4.4 Automation of HPLC injection valve (autosamplers) — 138
 - 4.5 Operating principles the HPLC autosampler works on — 139

- 4.5.1 Advantages of using HPLC autosamplers — **139**
- 4.5.2 Practical guidelines for operation of HPLC autosampler — **140**
References — **141**

- 5 HPLC detectors — 143**
 - 5.1 Introduction — **143**
 - 5.2 Types of HPLC detectors — **143**
 - 5.2.1 UV absorbance detectors (spectrophotometric detectors) — **144**
 - 5.2.1.1 Principles of UV and UV/VIS absorbance detection — **147**
 - 5.2.1.2 UV/UV–VIS detector flow cell — **147**
 - 5.2.1.3 Characteristics of a UV/UV–VIS detectors — **149**
 - 5.2.2 Diode array detector (DAD) or photodiode array detector (PDA) — **151**
 - 5.2.3 Conductivity detectors — **152**
 - 5.2.3.1 Characteristics of conductivity detectors — **155**
 - 5.2.4 Electrochemical detector (ED) — **155**
 - 5.2.5 Fluorescence detector — **157**
 - 5.2.5.1 Major application for FL detectors — **160**
 - 5.2.5.2 Characteristics of fluorescence detector — **163**
 - 5.2.6 Refractive index detector — **163**
 - 5.2.6.1 Characteristic of RI detectors — **165**
 - 5.2.7 Mass Spectrometric Detectors — **165**
 - 5.3 HPLC detector performance — **166**
References — **167**

- 6 HPLC as analytical tool in drug quality control laboratories: getting started — 169**
 - 6.1 Introduction — **169**
 - 6.2 HPLC hardware component selection — **170**
 - 6.2.1 HPLC pumping system for mobile phase (pumps) — **170**
 - 6.2.1.1 Isocratic and gradient HPLC system — **171**
 - 6.2.1.2 Types of HPLC pumping systems — **172**
 - 6.2.2 HPLC – sample introduction system (HPLC injectors/ autosamplers) — **173**
 - 6.2.3 Columns — **174**
 - 6.2.4 Detectors — **174**
 - 6.2.4.1 HPLC detector performance — **175**
 - 6.2.4.2 HPLC-UV/Vis/PDA detector operating guides — **178**
 - 6.2.5 Miscellaneous items — **178**
 - 6.3 HPLC manufacturers and equipment selection — **179**

- 6.4 HPLC – components (units) connection (tubing, fittings and instillation of an HPLC system) without internal dead volume and leak free — **180**
- 6.4.1 HPLC tubing — **180**
- 6.4.2 HPLC fittings — **182**
- 6.4.2.1 Compression fittings — **182**
- 6.4.2.2 HPLC tubing connectors — **183**
- 6.4.2.3 Teflon fittings — **183**
- 6.4.2.4 Finger-tightened fittings (polyether ether ketone) — **186**
- 6.5 HPLC column installation (column connection) — **187**
- 6.5.1 Use the following procedure to install your column — **189**
- 6.6 Running of an HPLC system — **191**
- 6.7 HPLC – instillation quality — **191**
- 6.7.1 Measurement of HPLC instrument band spreading (IBW) — **192**
- References — **193**

7 Preparation of pharmaceutical samples for HPLC analysis in drug quality control laboratories — 197

- 7.1 Introduction — **197**
- 7.2 Methods for preparations of pharmaceutical dosage forms for analysis using HPLC — **200**
- 7.2.1 Extraction — **200**
- 7.2.1.1 Liquid–liquid extraction — **200**
- 7.2.1.2 Solid–liquid extraction — **201**
- 7.2.1.3 Soxhlet extraction — **202**
- 7.2.1.4 Ultrasound-assisted extraction (sonication) — **204**
- 7.2.1.5 Solid-phase extraction (SPE) — **205**
- 7.2.2 Distillation — **207**
- 7.2.3 Dissolution — **207**
- 7.2.4 HPLC column switching (online SPE) as a sample preparation for pharmaceutical products for HPLC analysis — **207**
- 7.2.5 Sample size reduction — **208**
- 7.2.6 Clean up of sample extracts — **211**
- 7.2.6.1 Freezing and centrifugation — **211**
- 7.2.6.2 Filtration or centrifugation — **211**
- 7.2.7 Preconcentration of sample extract before HPLC analysis — **212**
- 7.3 Extraction efficiency (API recovery) — **214**
- 7.4 Sample stability — **214**
- 7.5 Choice of sample solvent — **214**
- References — **215**

- 8 HPLC as analytical tool in drug quality control laboratories: qualitative and quantitative analysis — 217**
- 8.1 Introduction — **217**
- 8.2 HPLC safety in drug quality control laboratories — **217**
- 8.3 What analytical methods can be used by analysts in drug quality control laboratories — **218**
- 8.4 Qualitative and quantitative analysis of pharmaceutical products (drug products) and drug substances in drug quality control laboratories — **220**
- 8.4.1 Stationary phase (packing materials) and their selection for HPLC columns to be used in drug quality control laboratories for analysis of DP and DS — **221**
- 8.4.1.1 Conventional stationary phase (packing materials) for HPLC columns to be used in drug quality control laboratories for analysis of DP and DS — **221**
- 8.4.1.2 Modern packing materials for HPLC columns — **222**
- 8.4.1.2.1 Symmetry packing — **223**
- 8.4.1.2.2 Symmetry shield reversed-phase packing materials for HPLC columns (embedded polar group technology) — **224**
- 8.4.1.2.3 XTerra packing (hybrid particle technology) — **225**
- 8.4.1.2.4 Sterically hindered group and polyfunctional silane chemistry — **226**
- 8.4.1.2.5 Modern HPLC columns trends — **226**
- 8.4.2 HPLC column hardware — **227**
- 8.4.3 HPLC columns selection for analysis of pharmaceutical products and drug substances in drug quality control laboratories — **229**
- 8.4.3.1 HPLC columns selection for United States Pharmacopeia analytical methods — **229**
- 8.4.4 Column installation (column connection) to an HPLC instrument — **231**
- 8.4.5 Recommended operating guides for RP-HPLC and NP-HPLC columns — **231**
- 8.4.6 Mobile phase preparation and connection to HPLC instrument — **233**
- 8.4.7 Set up parameters for HPLC instruments — **233**
- 8.4.8 HPLC column equilibration — **234**
- 8.4.9 Checking for HPLC system qualifications and calibration — **237**
- 8.4.9.1 Checking for HPLC system qualifications — **237**
- 8.4.9.2 Design qualification (DQ) — **237**
- 8.4.9.3 Installation qualification (IQ) — **237**
- 8.4.9.4 Operational qualification (OQ) — **237**
- 8.4.9.5 Performance qualification (PQ) — **238**

- 8.4.9.6 HPLC system calibration — 238
 - 8.4.9.6.1 Wave length accuracy testing of UV-Vis detector in HPLC — 238
 - 8.4.9.6.2 HPLC injector (autosampler) accuracy — 239
 - 8.4.9.6.3 HPLC injector (autosampler) precision (sampling precision) — 240
 - 8.4.9.6.4 Mobile phase flow rate accuracy and precision — 241
 - 8.4.9.6.5 Column oven temperature accuracy — 241
 - 8.4.9.6.6 Injector or autosampler carryover — 241
 - 8.4.9.6.7 Detector linearity (linearity response of the HPLC UV-Vis detector) — 242
 - 8.4.9.6.8 Injector linearity — 243
- 8.4.9.7 Documentation — 244
- 8.4.10 Preparation of reference standard solution — 244
- 8.4.11 Checking for suitability of HPLC system (system suitability test) (SST) — 245
 - 8.4.11.1 SST acceptance limit (acceptance criteria) — 249
 - 8.4.11.2 Reproducibility injection of the HPLC system (injection precision) — 250
 - 8.4.11.3 Column efficiency and plate number (theoretical plates number), height equivalent to a theoretical plate, plates per meter (N/m) and reduced plate height (h) = $H/dp = L (\mu\text{m})/N \times dp (\mu\text{m})$ — 250
 - 8.4.11.3.1 Height equivalent to a theoretical plate or plate height — 252
 - 8.4.11.3.2 Plates per meter (N/m) — 252
 - 8.4.11.3.3 Reduced plate height — 253
 - 8.4.11.4 Peak asymmetry factor — 254
 - 8.4.11.5 Tailing factor (T_f) — 254
 - 8.4.11.6 Capacity factor (k') or retention factor — 256
 - 8.4.11.7 Separation factor (selectivity) — 256
 - 8.4.11.8 Resolution — 258
 - 8.4.11.9 Resolution and peak separation — 258
- 8.4.12 Sampling and sample preparation — 260
 - 8.4.12.1 Sampling — 260
 - 8.4.12.2 Sample preparation — 262
 - 8.4.12.3 Sample analysis — 264
 - 8.4.12.3.1 Sample solution injection — 264
 - 8.4.12.3.2 Qualitative analysis (identification) — 267
 - 8.4.12.3.3 Quantitative analysis — 269
- 8.4.13 Application for HPLC as analytical tool for analysis of pharmaceutical substances and pharmaceutical products in drug quality control laboratories — 277
 - 8.4.13.1 Assay for potency — 280
 - 8.4.13.1.1 Assay potency for risperdal tablets (LC = 2 mg/tablet) — 281

- 8.4.13.1.2 Assay potency based on a portion of the composite ground powder taken from tablet or capsules equal to the average tablet weight or average capsule weight — **282**
- 8.4.13.1.3 Assay potency for APIs in liquid form of pharmaceutical products — **284**
- 8.4.13.2 Assay of preservatives — **289**
- 8.4.13.3 Content uniformity test — **291**
- 8.4.13.4 Dissolution testing — **294**
- 8.4.13.4a Choice of the dissolution apparatus — **295**
- 8.4.13.4b Dissolution medium — **299**
- 8.4.13.4c Dissolution procedures — **299**
- 8.4.13.4d Sampling and sample analysis — **299**
- 8.4.13.4e Dissolution Criteria — **303**
References — **304**

9 HPLC–Mass Spectrometry (HPLC–MS) and its applications in drug quality control laboratories — 309

- 9.1 Introduction — **309**
- 9.2 Principles of mass spectrometry — **309**
- 9.3 High Performance Liquid Chromatography – Mass Spectrometry (HPLC–MS) — **312**
- 9.3.1 Principles of High Performance Liquid Chromatography – Mass Spectrometry (HPLC–MS) — **312**
- 9.3.2 Interfacing MS and HPLC — **314**
- 9.3.2.1 Atmospheric pressure chemical ionization (HPLC–MS–APCI) interface for MS — **314**
- 9.3.2.1a Operating conditions for atmospheric pressure chemical ionization (HPLC–MS–APCI) interface for MS — **315**
- 9.3.2.2 Electrospray ionization — **316**
- 9.3.2.2a Operating conditions for electrospray ionization interface of HPLC–MS — **318**
- 9.4 Mobile phase selection for HPLC–MS — **319**
- 9.5 Design of API interface for HPLC–MS (ion source design) — **320**
- 9.6 The analyzer — **321**
- 9.6.1 The quadrupole mass analyzer — **321**
- 9.6.2 The triple quadrupole analyzer (HPLC–MS–MS technique) — **324**
- 9.7 The detector — **325**
- 9.7.1 Electron multiplier — **326**
- 9.7.2 Dynolyte photomultiplier — **326**
- 9.8 Performance criteria for HPLC–MS system — **327**
- 9.9 Combination between HPLC–MS and PDA detectors (HPLC–PDA–MS) — **328**

- 9.9.1 HPLC–PDA–ESI(+)-MS as analytical tool in drug quality control laboratories (screening for presence of some approved synthetic drugs–PDE5 inhibitors, such as Sildenafil, Tadalafil and Vardenafil—as illegal adulterants for natural hebbal products–herbal medicines and dietary supplementary food — **328**
References — **339**

- 10 Safety in HPLC laboratories — 343**
 - 10.1 Introduction — **343**
 - 10.2 Safety handling for solvents, mobile phase preparation and its supply for HPLC equipment during analysis — **344**
 - 10.2.1 Safety handling for solvent and mobile phase preparation — **344**
 - 10.2.2 Safety caps for safe handling of mobile phase supply to HPLC equipment during analysis — **345**
 - 10.3 Safety waste caps for safe disposal of HPLC wastes (safety handling for waste in HPLC laboratories) — **348**
 - 10.4 Safety funnels for filling the liquid waste safely in waste container — **352**
 - 10.4.1 Safety funnel with ball valve — **352**
 - 10.4.2 Safety funnels with hinged lid — **352**
 - 10.4.3 Safety waste caps with included funnel — **353**
 - 10.5 Waste container with filling level control and monitoring devices to avoid any risk of overflow — **356**
 - 10.6 Waste container with filling level control and safety funnel for waste collection in HPLC laboratories (disposal unit) — **357**
 - 10.7 Complete safety set for HPLC — **358**
 - 10.8 Pressured liquids safety in HPLC laboratories — **359**
 - 10.9 Electrical safety in HPLC laboratories — **360**
 - 10.9.1 Electrical fire precautions — **362**
 - 10.10 Physical injuries and safety in HPLC laboratories — **362**
 - 10.11 HPLC detectors handling and safety in HPLC laboratories — **364**
 - 10.11.1 UV precautions — **364**
 - 10.12 General safety rules in HPLC laboratories — **364**
References — **366**

- 11 Glossary — 369**

- Index — 377**