

Contents

The Author	V
Preface	VII
1 Plastic Parts	1
1.1 General Information	1
1.1.1 Comparison of Designs (Conventional vs. Plastic)	2
1.1.2 Special Features of Plastics	4
1.1.2.1 Comparison of the Properties of Plastics and Metals	5
1.1.2.2 Special Mechanical Behavior	6
1.1.3 Reasons for Using Plastics	11
1.2 Design Rules	14
1.2.1 Special Design Features of Injection Molded Parts	16
1.2.1.1 Demoldability	16
1.2.1.2 Flow Path to Wall Thickness Ratio	22
1.2.1.3 Sprue Position	23
1.2.1.4 Avoiding Material Accumulation, Thin Wall Thickness ..	24
1.2.1.5 Stiffeners	25
1.2.1.6 Dimensional Change due to Temperature Fluctuations ..	28
1.3 Dimensional Deviations between CAD and Injection Molded Part	28
1.3.1 Shrinkage	28
1.3.2 Warpage	32
1.3.3 Corrective Measures for Dimensional Deviations	33
1.4 Design of Connections	37
1.4.1 Screw Fasteners	38

1.4.2	Snap-Fit Connections	40
1.4.3	Bonding and Welding of Seams	42
1.4.3.1	Adhesive-Bonded Joints	42
1.4.3.2	Welded Joints	44
1.4.3.3	Film Hinges	47
1.5	Tolerances and Dimensions	49
1.6	Sizing	54
2	The Injection Molding Manufacturing Process	57
2.1	The Process and What the Designer Should Know	57
2.1.1	Flow Path Lengths Are Limited	58
2.1.2	Molded Part Area Determines Machine Size	60
2.1.3	Wall Thicknesses Determine the Cooling Time	61
2.1.4	Plastic Shrinks as It Cools	62
2.2	Influence of the Process on Component Properties	63
2.2.1	Weld Lines, Meld Lines	64
2.2.2	Surface Quality	65
2.3	Fiber Orientations Influence the Component Dimensions	67
2.4	Forward-Looking Quality Assurance	69
2.4.1	Sink Marks	69
2.4.2	Jetting	70
2.4.3	Diesel Effect	71
2.4.4	Incomplete Filling, Burr Formation, and Deformation during Demolding	72
2.5	Special Injection Molding Techniques	73
2.5.1	Multi-Component Technology	74
2.5.1.1	General Procedure	75
2.5.1.2	Molding Techniques	76
2.5.1.3	Component Design	79
2.5.2	Fluid Injection Technology (FIT)	85
2.5.2.1	Processes	87
2.5.2.2	Component Design	91

3	Molds	97
3.1	General Tasks and Functions	98
3.2	Manufacture and Costs	100
3.2.1	General Machining	101
3.2.2	Surfaces	103
3.2.2.1	EDM – Electrical Discharge Machining	104
3.2.2.2	Etching	105
3.2.2.3	Laser Texturing	106
3.2.2.4	Ceramic Surfaces	107
3.2.3	Steels	108
3.3	Standard Elements	112
3.4	Melt Feed	116
3.4.1	Cold Runners	118
3.4.1.1	Cavity Layout	119
3.4.1.2	Gating to Cavities	121
3.4.1.3	Demolding of the Runner System	124
3.4.2	Mold with Pre-Chamber Nozzle	126
3.4.3	Insulating Channels	127
3.4.4	Hot Runners	129
3.4.4.1	Internally Heated Systems	131
3.4.4.2	Externally Heated Systems	131
3.4.4.3	Hot Runner Nozzles	132
3.4.4.4	Cascade Technology	135
3.5	Temperature Control	136
3.5.1	Concepts for Temperature Control	141
3.5.1.1	Continuous Flow Temperature Control	141
3.5.1.2	Pulse Cooling/Discontinuous Temperature Control	143
3.5.1.3	Variothermal or Intermittent Temperature Control	143
3.5.2	Implementation	145
3.6	Demolding	149
3.6.1	Straight-Line Demolding in the Axial Direction of the Opening Movement	150

3.6.2	Demolding of Contour Areas That Are Not Parallel with the Opening Movement	154
3.6.3	Demolding of Internal Undercuts	156
3.6.4	Demolding of Internal Threads	158
3.7	Increasing Efficiency with Two Parting Planes	159
3.7.1	Stack Molds	160
3.7.2	Tandem Molds	161
3.7.3	Design Features of Stack and Tandem Molds	165
3.7.4	Hot Runner Technology for Stack and Tandem Molds	168
4	Simulation	171
4.1	Goals of Simulation	173
4.1.1	Filling Simulation (Rheological Simulation) for Good Surfaces ..	173
4.1.2	Warpage Prediction	175
4.1.3	Heat-Flux Analysis	177
4.1.4	Calculation of Mechanical Stability (Structural Mechanics)	178
4.2	Base Models for the Rheological Simulation	178
4.2.1	Shape Models	179
4.2.2	Calculation Models	183
4.2.3	Material Models	185
4.3	Examples and Calculation Results	186
4.3.1	Filling Behavior	186
4.3.2	Holding Pressure Phase	189
4.3.3	Warpage	191
5	Material Selection	193
5.1	Usual Procedure for Selecting Materials	193
5.1.1	Selection Criterion: Temperature	194
5.1.2	Selection Criterion: Chemical Load	195
5.1.3	Selection Criterion: Mechanical Load	195
5.1.4	Selection Criterion: Special Requirement	197
5.1.5	Databases	198

5.2	Important Characteristic Values	202
5.2.1	Characteristic Temperatures	202
5.2.1.1	Glass Transition Temperature	202
5.2.1.2	Melting Temperature	203
5.2.1.3	Degradation Temperature	203
5.2.2	Heat Deflection Temperature	204
5.2.3	Continuous Service Temperature	206
5.2.4	Young's Modulus and Creep Modulus	208
5.2.5	Temperature Function of Young's Modulus	212
5.3	Limits on Mechanical Design	214
5.3.1	Short-Term Loads	214
5.3.2	Long-Term Loads	215
5.3.3	Estimation of Design Limits Using Reduction Factors	216
Index		219