

# Contents

List of Figures — XX

Primary notations — XXI

<b>1</b>	<b>Conservation laws in theoretical physics: A brief introduction — 1</b>
1.1	Conserved quantities in classical mechanics — 1
1.1.1	Some basic notions of non-relativistic classical mechanics — 1
1.1.2	The least action principle — 2
1.1.3	Noether's theorem in classical mechanics — 5
1.1.4	Conserved quantities for a system of non-relativistic particles — 12
1.1.5	The Minkowski space and the Poincaré group — 15
1.1.6	A point-like particle in special relativity — 17
1.1.7	Conserved quantities for a system of relativistic particles — 20
1.2	Field theory in the Minkowski space — 22
1.2.1	The action — 22
1.2.2	Variational field equations — 26
1.2.3	The Noether theorems — 29
1.2.4	Conserved quantities in field theories — 38
1.2.5	Examples of field theories in the Minkowski space — 48
1.3	General relativity: fundamental mathematical relations — 52
1.3.1	Lagrangians for the gravitational sector of general relativity — 52
1.3.2	The Einstein equations — 55
1.4	Classical conserved quantities in general relativity — 60
1.4.1	The third Noether's theorem — 60
1.4.2	Pseudotensors and superpotentials — 64
1.5	Applications — 76
1.5.1	Linearized general relativity — 76
1.5.2	Weak gravitational waves in general relativity — 80
1.5.3	The energy of an isolated gravitating system in general relativity — 84
<b>2</b>	<b>Field-theoretical formulation of general relativity: The theory — 89</b>
2.1	Development of the field-theoretical formulation — 89
2.1.1	Geometrical formalism and field theories — 89
2.1.2	Earlier perturbative formulations of general relativity — 89
2.1.3	Deser's field-theoretical model — 92
2.1.4	Various methods of the construction — 95
2.2	The field-theoretical formulation of general relativity — 97
2.2.1	A dynamical Lagrangian — 98
2.2.2	The Einstein equations in the field-theoretical formulation — 102
2.2.3	Functional expansions — 105
2.2.4	Gauge transformations and their properties — 107
2.2.5	Differential conservation laws — 113

2.2.6	Different variants of the field-theoretical formulation in general relativity —	<b>118</b>
2.2.7	The background as an auxiliary structure —	<b>121</b>
2.3	Metric perturbations as compensating fields —	<b>123</b>
2.3.1	“Localization” of background Killing vectors —	<b>123</b>
2.3.2	The total action —	<b>128</b>
2.3.3	Discussion of the results —	<b>129</b>
2.4	The Babak-Grishchuk gravity with a non-zero graviton mass —	<b>132</b>
2.4.1	Second derivatives in the energy-momentum tensor —	<b>132</b>
2.4.2	Modified Lagrangian and equations —	<b>133</b>
2.4.3	Non-zero masses of gravitons —	<b>135</b>
2.4.4	Black holes and cosmology in massive gravity —	<b>138</b>
2.4.5	Gauge invariance in the Babak-Grishchuk modifications —	<b>141</b>
<b>3</b>	<b>Asymptotically flat spacetime in the field-theoretical formulation —</b>	<b>143</b>
3.1	The Arnowitt-Deser-Misner formulation of general relativity —	<b>143</b>
3.1.1	The ADM action principle —	<b>143</b>
3.1.2	Asymptotically flat spacetime at spatial infinity in general relativity —	<b>154</b>
3.1.3	The ADM definition of conserved quantities —	<b>156</b>
3.1.4	The Regge-Teitelboim modification —	<b>163</b>
3.2	An isolated system in the Lagrangian description —	<b>165</b>
3.2.1	Asymptotically flat spacetime as a field configuration —	<b>166</b>
3.2.2	Global conserved quantities —	<b>169</b>
3.2.3	The parity conditions —	<b>171</b>
3.2.4	Gauge invariance of the motion integrals —	<b>173</b>
3.2.5	Concluding remarks —	<b>177</b>
3.3	An isolated system in the Hamiltonian description —	<b>177</b>
3.3.1	The difference between the canonical and symmetric currents —	<b>178</b>
3.3.2	Phase variables and their asymptotic behaviour —	<b>180</b>
3.3.3	Global conserved integrals —	<b>182</b>
3.3.4	Gauge invariance of global integrals —	<b>185</b>
<b>4</b>	<b>Exact solutions of general relativity in the field-theoretical formalism —</b>	<b>189</b>
4.1	The Schwarzschild solution —	<b>189</b>
4.1.1	The total energy —	<b>189</b>
4.1.2	The energy distribution for the Schwarzschild black hole —	<b>191</b>
4.1.3	The Schwarzschild black hole as a point particle —	<b>198</b>
4.1.4	The Schwarzschild solution and the harmonic gauge fixing —	<b>203</b>
4.2	Other exact solutions of general relativity —	<b>207</b>
4.2.1	The Friedmann solution for a closed universe —	<b>207</b>
4.2.2	The Abbott-Deser superpotential and its generalizations —	<b>210</b>
4.2.3	The total mass of the Schwarzschild-AdS black hole —	<b>214</b>

<b>5</b>	<b>Field-theoretical derivation of cosmological perturbations — 217</b>
5.1	Introduction: Post-Newtonian, post-Minkowskian and post-Friedmannian approximations in cosmology — 217
5.2	Lagrangian and field variables — 226
5.2.1	Action functional — 227
5.2.2	Lagrangian of the ideal fluid — 227
5.2.3	Lagrangian of scalar field — 230
5.2.4	Lagrangian of a localized astronomical system — 231
5.3	Background manifold — 232
5.3.1	Hubble flow — 232
5.3.2	Friedmann-Lemître-Robertson-Walker metric — 233
5.3.3	Christoffel symbols and covariant derivatives — 236
5.3.4	Riemann tensor — 238
5.3.5	The Friedmann equations — 239
5.3.6	Hydrodynamic equations of the ideal fluid — 241
5.3.7	Scalar field equations — 242
5.3.8	Equations of motion of matter of the localized astronomical system — 243
5.4	Lagrangian perturbations of FLRW manifold — 244
5.4.1	The concept of perturbations — 244
5.4.2	The background field equations — 248
5.4.3	The dynamic Lagrangian for perturbations — 248
5.4.4	The Lagrangian equations for gravitational field perturbations — 250
5.4.5	The Lagrangian equations for dark matter perturbations — 254
5.4.6	The Lagrangian equations for dark energy perturbations — 255
5.4.7	Linearized post-Newtonian equations for field variables — 256
5.5	Gauge-invariant scalars and field equations in 1+3 threading formalism — 260
5.5.1	Threading decomposition of the metric perturbations — 260
5.5.2	Gauge transformation of the field variables — 262
5.5.3	Gauge-invariant scalars — 264
5.5.4	Field equations for the gauge-invariant scalar perturbations — 267
5.5.5	Field equations for vector perturbations — 270
5.5.6	Field equations for tensor perturbations — 271
5.5.7	Residual gauge freedom — 272
5.6	Post-Newtonian field equations in a spatially-flat universe — 273
5.6.1	Cosmological parameters and scalar field potential — 273
5.6.2	Conformal cosmological perturbations — 276
5.6.3	Post-Newtonian field equations in conformal spacetime — 279
5.6.4	Residual gauge freedom in the conformal spacetime — 284
5.7	Decoupled system of the post-Newtonian field equations — 285

5.7.1	The universe governed by dark matter and cosmological constant —	<b>285</b>
5.7.2	The universe governed by dark energy —	<b>290</b>
5.7.3	Post-Newtonian potentials in the linearized Hubble approximation —	<b>291</b>
<b>6</b>	<b>Currents and superpotentials on arbitrary backgrounds: Three approaches —</b>	<b>299</b>
6.1	The Katz, Bičák and Lynden-Bell conservation laws —	<b>300</b>
6.1.1	A bi-metric KBL Lagrangian —	<b>300</b>
6.1.2	KBL conserved quantities —	<b>302</b>
6.2	The Belinfante procedure —	<b>306</b>
6.2.1	The Belinfante symmetrization in general relativity —	<b>306</b>
6.2.2	The Belinfante method applied to the KBL model —	<b>307</b>
6.3	Currents and superpotentials in the field-theoretical formulation —	<b>311</b>
6.3.1	Noether's procedure applied to the field-theoretical model —	<b>311</b>
6.3.2	A family of conserved quantities and the Boulware-Deser ambiguity —	<b>316</b>
6.3.3	Comments on conserved quantities of three types —	<b>318</b>
6.4	Criteria for the choice of conserved quantities —	<b>321</b>
6.4.1	Tests of consistency —	<b>321</b>
6.4.2	The Reissner-Nordström solution —	<b>323</b>
6.4.3	The Kerr solution —	<b>325</b>
6.4.4	The total KBL energy for the S-AdS solution —	<b>327</b>
6.5	The FLRW solution as a perturbation on the de Sitter background —	<b>327</b>
6.5.1	Spatially conformal mappings of FLRW spacetime onto de Sitter space —	<b>328</b>
6.5.2	Superpotentials and conserved currents —	<b>330</b>
6.6	Integral constraints for linear perturbations on FLRW backgrounds —	<b>332</b>
6.6.1	A FLRW background and its conformal Killing vectors —	<b>334</b>
6.6.2	Integral relations for linear perturbations —	<b>337</b>
6.6.3	Possible applications —	<b>341</b>
<b>7</b>	<b>Conservation laws in an arbitrary multi-dimensional metric theory —</b>	<b>343</b>
7.1	Covariant Noether's procedure in an arbitrary field theory —	<b>343</b>
7.1.1	Covariant identities and identically conserved quantities —	<b>344</b>
7.1.2	Another variant of covariantization —	<b>349</b>
7.1.3	A new family of the identically conserved covariant Noether quantities —	<b>352</b>
7.1.4	A Belinfante corrected family of identically conserved quantities —	<b>354</b>
7.2	Conservation laws for perturbations: Three approaches —	<b>356</b>
7.2.1	An arbitrary metric theory in $n$ dimensions —	<b>356</b>

7.2.2	Canonical conserved quantities for perturbations —	358
7.2.3	The Belinfante corrected conserved quantities —	362
7.2.4	The field-theoretical formulation for perturbations —	363
7.2.5	Currents and superpotentials in the field-theoretical formulation —	367
<b>8</b>	<b>Conserved quantities in the Einstein-Gauss-Bonnet gravity —</b>	<b>371</b>
8.1	Superpotentials and currents in the EGB gravity —	371
8.1.1	Action and field equations in the EGB gravity —	371
8.1.2	Three types of superpotentials —	372
8.1.3	Three types of currents —	377
8.2	Conserved charges in the EGB gravity —	381
8.2.1	Charges for isolated systems —	381
8.2.2	Superpotentials for static spherically symmetric solutions —	382
8.2.3	Mass of the Schwarzschild-AdS black hole —	387
8.3	Interpretation of the Maeda-Dadhich exotic solutions —	394
8.3.1	Kaluza-Klein type 3D black holes —	395
8.3.2	Mass for the static Maeda-Dadhich objects —	400
8.3.3	Mass and mass flux for the radiative Maeda-Dadhich objects —	404
<b>9</b>	<b>Generic gravity: Particle content, weak field limits, conserved charges —</b>	<b>408</b>
9.1	Introduction: Raisons d'être of modified gravity theory —	408
9.1.1	Conventions —	411
9.2	Particle spectrum and stability of vacuum in quadratic gravity —	411
9.2.1	Curvature tensors at second order in perturbation theory —	412
9.2.2	Field equations and the vacuum structure —	414
9.2.3	Linearization of quadratic gravity —	416
9.2.4	Explicit check of linearized Bianchi identity —	418
9.2.5	Degrees of freedom of quadratic gravity in AdS —	419
9.3	Particle spectrum of $f(R_{\mu\nu\rho\sigma})$ gravity in (A)dS —	426
9.3.1	Linearization of the field equations —	427
9.3.2	Lovelock gravity —	433
9.3.3	Propagator structure of the Lovelock theory —	434
9.4	Weak field limits: Potential energy from tree-level gravitons —	439
9.4.1	Potential energy from the scattering amplitude —	442
9.4.2	Decomposition of the graviton field and tree-level scattering amplitude —	444
9.4.3	van Dam-Veltman-Zakharov discontinuity —	447
9.4.4	New massive gravity redux —	449
9.4.5	Spin-spin, spin-orbit, orbit-orbit interactions —	452
9.4.6	Gravitomagnetic effects in general relativity —	454
9.4.7	Gravitomagnetic effects in massive gravity —	455

9.4.8	Gravitomagnetic effects in quadratic gravity —	456
9.4.9	Photon-photon scattering in massless and massive gravity —	457
9.5	Conserved charges in generic gravity —	458
9.5.1	Mass and angular momenta of Kerr-AdS black holes in $n$ dimensions —	465
9.5.2	Conserved charges in quadratic gravity in AdS —	469
9.6	Miscellaneous issues about conserved charges —	473
9.6.1	Conserved charges of $f$ (Riemann) theories —	474
9.6.2	Conserved charges of topologically massive gravity —	477
9.6.3	Conserved charges from the symplectic structure for generic backgrounds —	479
9.6.4	Generic scalar-tensor theory in $n$ dimensions —	487
10	<b>Conservation laws in covariant field theories with gauge symmetries —</b>	<b>489</b>
10.1	Conserved quantities in generally-covariant Yang–Mills theories —	489
10.1.1	The Yang–Mills theories —	489
10.1.2	Field equations and the Noether current —	492
10.1.3	Conserved quantities corresponding to the gauge invariance —	495
10.1.4	Conserved quantities corresponding to the diffeomorphism invariance —	497
10.1.5	Modified Lie derivative —	500
10.1.6	Commutator of the modified variations $\Delta_\xi$ in $\partial$ - $t$ basis —	503
10.1.7	Commutator of the modified variations $\Delta_\xi$ in $\mathcal{D}$ - $t$ basis —	506
10.1.8	The functoriality condition —	508
10.2	Conservation laws in the tetrad formalism of general relativity —	510
10.2.1	Tetrads and gravitational field —	510
10.2.2	Connections and derivatives —	512
10.2.3	Variation of the Hilbert action —	514
10.2.4	The Noether current —	517
10.2.5	Conserved quantities corresponding to the local Lorentz invariance —	519
10.2.6	Conserved quantities corresponding to the diffeomorphism invariance —	519
10.2.7	The Kosmann lift and the Komar superpotential —	521
10.3	Fiber bundles and the Noether theorem —	525
10.3.1	Diffeomorphisms, automorphisms and functorial lift —	525
10.3.2	Field theories without intrinsic gauge symmetry as natural field theories —	527
10.3.3	Field theories with intrinsic gauge symmetry as gauge-natural field theories —	528
10.3.4	Fixing the horizontal lift —	531

**Appendix A: Tensor quantities and tensor operations — 533**

- A.1 Tensors and tensor densities — 533
- A.2 Derivatives — 538
  - A.2.1 Covariant derivatives and the Christoffel symbols — 538
  - A.2.2 The curvature tensor — 540
  - A.2.3 Lie derivative — 540
  - A.2.4 Variational and Lagrangian derivatives — 542
- A.3 Introduction to economic tensor operations — 546
  - A.3.1 Economic index notations — 546
  - A.3.2 Algebra of economic index notations — 548
  - A.3.3 Covariant expressions — 549

**Appendix B: Retarded functions — 553**

- B.1 Lorentz invariance of retarded potentials — 553
- B.2 Retarded solution of the sound-wave equation — 556

**Appendix C: Auxiliary expressions in EGB gravity — 561****Bibliography — 567****Index — 589**