

Contents

List of notations	iv
List of abbreviations	iv
1. Introduction	1
1.1. Literature on grid-connected energy systems	1
1.2. State of the art of relevant optimal control theory	5
1.3. Motivation and objectives	6
1.4. Outline of the thesis	7
2. Theoretical preliminary	8
2.1. State-space representation and Kalman Filter	8
2.1.1. Kalman filter	9
2.1.2. Kalman filter based smoothing	9
2.2. Electrical load	11
2.2.1. Electrical load in households	11
2.2.2. A basic load model	12
2.3. Thermal load in households	14
2.4. Distributed energy supply	14
2.4.1. Small-scale combined heat and power	14
2.4.2. Photovoltaic power supply	15
2.4.3. Electrical energy storage	18
2.5. Subspace identification method	19
2.6. Solving optimisation problems	23
2.6.1. Linear programming	23
2.6.2. Mixed integer linear programming	24
3. Modelling of the energy system	26
3.1. Data acquisition	26
3.2. Performance measures of the models	27
3.3. Thermal load in households	28
3.4. Electrical load in households	29
3.4.1. Normal load regression	29
3.4.2. Electrical load residual model	32
3.4.3. Model validation	35
3.5. Photovoltaic power	36
3.5.1. Persistent power model	37
3.5.2. Persistent weather model	38
3.5.3. PV residual model	39
3.5.4. Numerical weather prediction model	42
3.5.5. Model validation	43
3.6. Combined heat and power	48
3.6.1. Electrical energy generation model	48
3.6.2. Thermal energy generation model	51
3.6.3. Efficiency	52
3.6.4. Gas consumption model	56

3.6.5. Model validation	57
3.7. Battery system	61
3.7.1. Energy conservation model	61
3.7.2. Zero-power control	64
3.7.3. Model validation	65
3.8. Summary	65
4. Predictive optimisation based energy flow control	67
4.1. Model predictive control	67
4.2. Control model	70
4.3. Control objective	73
4.4. Scenarios to reduce the complexity of the problem	74
4.4.1. Predetermining the generator switching state	74
4.4.2. Argumentation for predetermination	75
4.5. Optimisation problem	76
5. Implementation of the energy flow control	81
5.1. Simulation details	81
5.1.1. Model integration and control concept	81
5.1.2. The selected measurement days	83
5.1.3. The objective function	83
5.2. The benchmark systems	85
5.3. Implementation of the optimisation	86
5.3.1. Model-based prediction	87
5.3.2. Control objective function	87
5.3.3. Difficulties of the battery control	88
6. Simulation results	90
6.1. Presentation of the simulation results	90
6.1.1. Influence of the prediction horizon and premature termination of the optimisation process	90
6.1.2. Share of energy sources in local energy supply and grid exchange	91
6.1.3. Simulations with different prediction scenarios	91
6.1.4. Heat-led benchmark systems	95
6.1.5. Improving the net profit by placing costs on the battery setpoint change	98
6.2. Analysis of the simulation results	99
6.2.1. Good results for a short prediction horizon and the presented prediction	99
6.2.2. Heat-led benchmark systems are less profitable	99
7. Conclusion and future work	101
7.1. Conclusion	101
7.2. Future work	102
A. Appendix	104
A.1. Data acquisition of the electrical load	104
A.2. Data acquisition of the CHP system	104

A.3. Photovoltaic prediction error	104
A.4. Mismatch in zero power control	106
List of Figures	108
Bibliography	110