

Contents

Preface — VII

List of contributing authors — XV

Bimal Krishna Banik, Biswa Mohan Sahoo, Abhishek Tiwari, Varsha Tiwari, Adya Jain and Preetismita Borah

1 Synthetic drives for useful drug molecules through organocatalytic methods — 1

- 1.1 Introduction — 1
- 1.2 Organocatalytic methods in chemical reactions — 4
 - 1.2.1 Organocatalysts in Michael reactions — 4
 - 1.2.2 Organocatalysts in Diels–Alder reactions — 7
 - 1.2.3 Organocatalysts in Knoevenagel condensation — 7
 - 1.2.4 Organocatalysts in Mannich reactions — 9
 - 1.2.5 Organocatalysts in Aldol condensation — 10
 - 1.2.6 Organocatalysts in halogenations — 10
 - 1.2.7 Organocatalysts in Paal–Knorr pyrrole synthesis — 11
- 1.3 Organocatalytic methods in drug synthesis — 13
- 1.4 Conclusions — 34
- Abbreviations — 34
- References — 35

Hélène Pellissier

2 Organocatalytic total synthesis of bioactive compounds based on one-pot methodologies — 39

- 2.1 Introduction — 39
- 2.2 Proline-derived catalysts — 40
- 2.3 Other organocatalysts — 48
- 2.4 Conclusion — 53
- References — 53

Aparna Das and Bimal Krishna Banik

3 Microwave-induced biocatalytic reactions toward medicinally important compounds — 57

- 3.1 Introduction — 57
- 3.2 Lipase catalysed reactions — 59
- 3.3 Cellulase catalysed reactions — 73
- 3.4 Glycosidases catalysed reactions — 74
- 3.5 Yeast catalysed reactions — 77
- 3.6 Conclusions — 80
- References — 81

Kantharaju Kamanna

4 Organocatalysts based on natural and modified amino acids for asymmetric reactions — 89

- 4.1 Introduction — 89
- 4.1.1 Organocatalysts based on natural and modified amino acids — 92
- 4.1.2 Natural primary amino acids catalyzed organic transformations — 108
- 4.1.3 OC-1 modified organocatalysts in organic transformations — 110
- 4.1.4 *trans*-4-Hydroxyproline derived organocatalyst reactions — 114
- 4.2 Conclusions — 117
- Abbreviations — 118
- References — 118

Nagaraju Kerru, Naresh Kumar Katari and Sreekantha B. Jonnalagadda

5 Critical trends in synthetic organic chemistry in terms of organocatalysis — 129

- 5.1 Introduction — 129
- 5.2 Organocatalysis and mode of activation — 130
- 5.2.1 Enamine catalysis — 132
- 5.2.2 Iminium catalysis — 138
- 5.2.3 Hydrogen-bonding catalysis — 139
- 5.2.4 Phase transfer catalysis — 141
- 5.3 Conclusions — 144
- References — 144

Nagaraju Kerru, Suresh Maddila and Sreekantha B. Jonnalagadda

6 Organo-catalysis as emerging tools in organic synthesis: aldol and Michael reactions — 149

- 6.1 Introduction — 149
- 6.2 Enantioselective organocatalytic aldol reactions — 150
- 6.2.1 Primary amines catalyzed aldol reaction — 151
- 6.2.2 Secondary amines catalyzed aldol reaction — 155
- 6.2.3 Miscellaneous catalysts aldol reaction — 159
- 6.3 Michael addition reaction — 163
- 6.4 Conclusions — 170
- References — 171

Gyan Chandra Pariyar and Pranab Ghosh

7 Enzyme-catalyzed synthesis of bioactive heterocycles — 177

- 7.1 Introduction — 177
- 7.2 Protease-catalyzed synthesis of heterocyclic compounds — 179
- 7.3 Lipase-catalyzed synthesis of heterocyclic compounds — 180

7.4	Pepsin-catalyzed synthesis of heterocyclic compounds —	185
7.5	Amylase-catalyzed synthesis of heterocyclic compounds —	185
7.6	Bakers' yeast catalyzed synthesis of heterocyclic compounds —	186
7.7	Acylase-catalyzed synthesis of heterocyclic compounds —	187
7.8	Trypsin-catalyzed synthesis of heterocyclic compounds —	188
7.9	Laccase-catalyzed synthesis of heterocyclic compounds —	188
7.10	Chymotrypsin-catalyzed synthesis of heterocyclic compounds —	193
7.11	Papain-catalyzed synthesis of heterocyclic compounds —	194
7.12	Conclusions —	194
	References —	195

Bubun Banerjee, Anu Priya, Aditi Sharma, Gurpreet Kaur, and Manmeet Kaur

8 Sulfonated β -cyclodextrins: efficient supramolecular organocatalysts for diverse organic transformations — 199

8.1	Introduction —	199
8.2	Preparation of sulfonated β -CD —	200
8.3	β -CD-SO ₃ H catalyzed synthesis of heterocyclic scaffolds —	201
8.3.1	β -CD-SO ₃ H catalyzed synthesis of <i>N</i> -heterocycles —	201
8.3.2	β -CD-SO ₃ H catalyzed synthesis of <i>O</i> -heterocycles —	209
8.3.3	β -CD-SO ₃ H catalyzed synthesis of <i>N,O</i> -heterocycles —	210
8.3.4	β -CD-SO ₃ H catalyzed synthesis of <i>N,S</i> -heterocycles —	211
8.3.5	β -CD-SO ₃ H catalyzed other miscellaneous reactions —	212
8.4	β -CD-SO ₃ H catalyzed organic transformations —	214
8.4.1	Synthesis of 3,4-dihydropyrimidones —	214
8.4.2	Synthesis of 1,2,4,5-tetrasubstituted imidazoles —	215
8.4.3	Synthesis of indeno[2',1':5,6]pyrido[2,3- <i>d</i>]pyrimidine-triones —	215
8.5	β -CD-butyl-SO ₃ H catalyzed organic transformations —	216
8.5.1	Synthesis of 1-amidoalkyl-2-naphthols —	216
8.6	Conclusions —	218
	References —	218

Bubun Banerjee, Arvind Singh and Gurpreet Kaur

9 Baker's yeast (*Saccharomyces cerevisiae*) catalyzed synthesis of bioactive heterocycles and some stereoselective reactions — 227

9.1	Introduction —	227
9.2	Baker's yeast catalyzed synthesis of heterocyclic scaffolds —	228
9.2.1	Baker's yeast catalyzed synthesis of <i>N</i> -heterocycles —	228
9.2.2	Baker's yeast catalyzed synthesis of <i>O</i> -heterocycles —	235
9.2.3	Baker's yeast catalyzed synthesis of <i>N,O</i> -heterocycles —	237
9.2.4	Baker's yeast catalyzed synthesis of <i>N,S</i> -heterocycles —	238
9.3	Baker's yeast catalyzed miscellaneous reactions —	242

- 9.3.1 Reduction of carbonyl compounds — **242**
- 9.3.2 Synthesis of α -aminophosphonates — **242**
- 9.3.3 Synthesis of 5-arylidene-2,4-thiazolidinediones — **243**
- 9.3.4 Synthesis of 3,3'-(arylmethylene)bis(4-hydroxy-2H-chromen-2-one) derivatives — **243**
- 9.3.5 Synthesis of bis(indolyl)methanes — **244**
- 9.4 Conclusions — **244**
- References — **245**

Abhijeet Singh, Pargat Singh and Mahendra Nath

- 10 Bronsted acidic surfactants: efficient organocatalysts for diverse organic transformations — 251**
 - 10.1 Introduction — **251**
 - 10.2 Bronsted acidic surfactant-catalyzed organic reactions — **253**
 - 10.2.1 Acetylation of alcohols — **253**
 - 10.2.2 Aldol reaction — **254**
 - 10.2.3 Biginelli reaction — **255**
 - 10.2.4 Condensation-cyclization reactions — **255**
 - 10.2.5 Cycloaddition reactions — **266**
 - 10.2.6 Cyclotrimerization of acetophenones — **267**
 - 10.2.7 Dimerization of 2-amino-*meso*-tetraphenylporphyrins — **267**
 - 10.2.8 Esterification reactions — **268**
 - 10.2.9 Formylation of alcohols — **269**
 - 10.2.10 Fridel-Crafts alkylation — **269**
 - 10.2.11 Kabachnik-Fields reaction — **270**
 - 10.2.12 Knoevenagel-Michael addition reaction — **271**
 - 10.2.13 Mannich reaction — **272**
 - 10.2.14 Pictet-Spengler reaction — **274**
 - 10.2.15 Prins cyclization reaction — **276**
 - 10.2.16 Strecker reaction — **277**
 - 10.2.17 Thioacetalization reaction — **278**
 - 10.3 Miscellaneous organic transformations — **279**
 - 10.3.1 Synthesis of bis(indolyl)methanes — **279**
 - 10.3.2 Synthesis of hydrazones — **279**
 - 10.3.3 Synthesis of β -ketothioesters — **280**
 - 10.3.4 Synthesis of thioethers — **280**
 - 10.3.5 Synthesis of urea, carbamates and S-thiocarbamates — **281**
 - 10.4 Conclusions — **282**
 - References — **282**

Xuemin Li, Guangchen Li, Yifu Cheng and Yunfei Du

11 The aryl iodine-catalyzed organic transformation via hypervalent iodine species generated *in situ* — 289

- 11.1 Introduction — 289
- 11.2 Formation of C–C bonds — 290
 - 11.2.1 Construction of C(*sp*²)–C(*sp*) bonds — 290
 - 11.2.2 Construction of C(*sp*²)–C(*sp*²) bonds — 291
 - 11.2.3 Construction of C(*sp*²)–C(*sp*³) bonds — 295
- 11.3 Formation of C–O bonds — 299
 - 11.3.1 Lactonization — 299
 - 11.3.2 Dearomatization — 304
 - 11.3.3 Alkoxylation — 306
 - 11.3.4 Heterocyclization — 309
 - 11.3.5 Epoxidation of alkenes — 317
 - 11.3.6 Acetoxylation — 317
 - 11.3.7 *Syn* diacetoxylation of alkenes — 318
 - 11.3.8 α -tosyloxylation — 320
 - 11.3.9 Hydroxylation — 323
- 11.4 Formation of carbon–nitrogen bond — 325
 - 11.4.1 Aza-spirocyclization — 325
 - 11.4.2 *N*-heterocyclization — 326
 - 11.4.3 Intermolecular oxidative coupling — 329
 - 11.4.4 Decarboxylative sulfonamidation — 331
 - 11.4.5 Alkylation of imines — 332
 - 11.4.6 Diamination — 332
 - 11.4.7 Aminolactonization — 334
- 11.5 Formation of carbon–halogen bonds — 335
 - 11.5.1 Formation of C–F bonds — 335
 - 11.5.2 Formation of C–Cl bonds — 341
 - 11.5.3 Formation of C–Br bonds — 342
- 11.6 Rearrangement reaction — 343
- 11.7 Conclusions — 345
- References — 345

Sumit Ghosh, Debashis Ghosh and Alakananda Hajra

12 Zwitterionic imidazolium salt: an effective green organocatalyst in synthetic chemistry — 353

- 12.1 Introduction — 353
- 12.2 Zwitterionic type molten salt-catalyzed *syn*-selective aza-Henry reaction — 355
- 12.3 Synthesis of 2-amidoalkyl and 2-carbamatoalkyl naphthol — 355

- 12.4 Synthesis of 3-aminoalkylated indoles — **357**
- 12.5 Zwitterionic type molten salt-catalyzed synthesis of multiple substituted imidazoles — **359**
- 12.6 Zwitterionic type imidazolium molten salt-catalyzed synthesis of 5-substituted 1*H*-tetrazoles — **360**
- 12.7 Synthesis of 4-arylidene-2-phenyl-5(4*H*)-oxazolones using zwitterionic type imidazolium molten salt catalysis — **363**
- 12.8 Synthesis of 5,6-unsubstituted 1,4-dihydropyridines — **363**
- 12.9 Regioselective ring-opening of aziridines — **364**
- 12.10 Synthesis of dipyrromethanes and bis(indolyl)methanes by using imidazolium zwitterionic molten salt catalysis — **366**
- 12.11 Zwitterionic imidazolium salt-catalyzed tetrahydropyranylation of alcohols — **366**
- 12.12 Zwitterionic imidazolium salt-catalyzed synthesis of 4-hydroxy-3-thiomethylcoumarins — **369**
- 12.13 Conclusion — **371**
 References — **371**

Index — 375