

Contents

Abstract	III
Kurzfassung	V
1 Vehicular Communication: An Introduction	1
1.1 Introduction	1
1.1.1 Scenario I: Crowd-Sourced Vehicle Big Data	2
1.1.2 Scenario II: Enabling Reliable Communication for Teleoperated Rescue Robots	3
1.2 Research Challenges and Problem Statement	6
1.2.1 Vehicular Big Data Challenges	6
1.2.2 Challenges of Teleoperating Robots	7
1.3 Methodology and Solution Approach	8
1.4 Outline	11
2 Related Work and Selected Technological Basics	13
2.1 Vehicular Communication	13
2.1.1 Massive Car-to-Cloud Data Transfers	13
2.1.2 Cloud Systems for Vehicle Data Exchange	15
2.1.3 Data Models for Vehicle Big Data (VBD) Aggregation	16
2.2 Reliable Communication for Rescue Robotics	17
2.3 Review of (Multi-Connectivity) Transport Protocols	19
2.3.1 Transport Layer Protocols	19
2.3.2 Multi-Connectivity Protocols	21
2.3.3 Multi-Connectivity for Payload- and Video Transportation	25
3 Common Vehicle Information Model (CVIM) for Resource-efficient Coding of Vehicular Sensor data	27
3.1 Introduction	27
3.2 From Sensor to Consumer: The Vehicle Big Data (VBD) Processing Chain	28
3.3 Ecosystem and System Design Requirements for VBD Aggregation	29
3.4 Definition of the Common Vehicle Information Model (CVIM)	33
3.4.1 Signal Layer	34
3.4.2 Measurement Channel Layer	34

Contents

3.4.3	Data Packets	36
3.5	CVIM reference implementation and Example Services	38
3.5.1	Example Service 1: Vehicle Big Data-based Hyper-Local Weather Prediction	38
3.5.2	Example Service 2: Road Quality Monitoring using Vehicle Big Data	39
3.5.3	Example Service 3: Vehicle Speed Estimation using Geo-Histograms	40
3.6	Estimate of Data Sizes	40
3.7	Summary	44
4	Performance Improvements of Data Uploads	45
4.1	Introduction	45
4.2	Exploiting Channel-awareness for Vehicular Data Uploads	46
4.2.1	Advanced Car-to-Cloud Transmission Strategies	47
4.2.2	Communication Platform for Empirical Evaluation	49
4.2.3	Discussion of Experimental Drive-Test Results	50
4.3	Transport Layer Optimizations	54
4.3.1	ScalaNC for Reliable Car-to-Cloud Data Transfers	54
4.3.2	ScalaNC Hardware-in-the-Loop (HIL) Evaluation Methodology	56
4.3.3	Experiment Setup	56
4.3.4	Parametrization	57
4.3.5	Car-to-Cloud Data Upload Results	58
4.4	Multi-Connectivity enabled Data Delivery	60
4.4.1	CAT Extension for Multi-Connectivity	62
4.4.2	Link Selection	63
4.5	Summary	66
5	Scalability Analysis of CVIM Car-To-Cloud Data Transfers	67
5.1	Introduction	67
5.2	Methodology	68
5.2.1	Environment Model and Scenario Definition	69
5.2.2	Vehicle Traffic Simulation	69
5.2.3	Communication Model	71
5.3	Single Connectivity Evaluation	73
5.4	Multi-Connectivity Results	75
5.4.1	Multi-Connectivity CAT Throughput Improvement	75

5.4.2	Age of Information (AoI) Trade-Off	76
5.4.3	Channel-Quality and Efficiency Improvements	78
5.5	Summary	79
6	SKATES: Interoperable Multi-RAT Communication for Reliable Robot Teleoperation	81
6.1	Introduction	81
6.2	Detailed System Concept and Implementation Aspects	84
6.2.1	Enabling Multi-Connectivity and Seamless Handovers	85
6.2.2	Transparent Protocol Tunnelling	86
6.2.3	Providing Security and Mutual Endpoint Discovery	88
6.2.4	Communication Link Health Monitoring	89
6.3	SKATES Experimental Evaluation	89
6.3.1	Robot Setup and Equipment	89
6.3.2	Scenario Description	91
6.3.3	Experimental Results	92
6.4	Conclusion	95
7	Heterogeneous Multi-Connectivity for Maritime Search and Rescue (SAR) Missions	97
7.1	Introduction	97
7.2	Height Dependent Multi-Connectivity Maritime Air-to-Ground Channel Model	99
7.2.1	Analytic Maritime Channel Model Description	100
7.2.2	Evaluation of Analytic Model	102
7.2.3	Hardware-in-the-Loop (HIL) Experimental Evaluation	105
7.3	Empiric Evaluation of Air-to-Ground Communication	110
7.3.1	System Setup and Air-to-Ground Link Configuration	111
7.3.2	Validation Scenarios and Experiments	113
7.3.3	Analysis of Public Cellular Networks in Maritime Airspace	116
7.3.4	Correlation and Predictability of Channel Conditions	119
7.3.5	Validation of Maritime Channel Model	120
7.3.6	Evaluation of Multi-Connectivity Empowered Availability Improvement	122
7.3.7	UAV Payload Performance Evaluation	129
7.3.8	Maximum Throughput Evaluation	131
7.4	Summary	132

Contents

8	Conclusion and Outlook	135
8.1	Conclusion	135
8.2	Outlook and Future Work	137
8.2.1	Multi-RAT in Beyond-5G- and 6G-Networks	137
8.2.2	Satellite Communication for Global Communication	138
A	Evaluation Parameters	141
A.1	Car-to-Cloud HIL Experiment	141
A.2	Car-to-Cloud Simulation	142
A.3	Maritime Channel Model HIL Experiment	143
	List of Acronyms	145
	Bibliography	149
	Scientific Publications	149
	Additional Sources	170
	Scientific Activity Report	175
	Journal Publications	175
	Conference Publications	175
	Supervision of Student Theses and Project Groups	177