

Table of Contents

Foreword

- B. JUHÁSZ, J. MARTON, K. SUZUKI, E. WIDMANN and
J. ZMESKAL / Foreword 1–2

Exotic Atoms

- R. S. HAYANO / Kaonic helium atoms 3–9
- C. CURCEANU (PETRASCU), M. BAZZI, G. BEER, L. BOMBELLI, A. M. BRAGADIREANU, M. CARGNELLI, C. FIORINI, T. FRIZZI, F. GHIO, B. GIROLAMI, C. GUARALDO, R. HAYANO, M. ILIESCU, T. ISHIWATARI, M. IWASAKI, P. KIENLE, P. LECHNER, P. LEVI SANDRI, A. LONGONI, V. LUCHERINI, J. MARTON, S. OKADA, D. PIETREANU, T. PONTA, A. ROMERO VIDAL, A. SCORDO, H.-X. SHI, D. L. SIRGHI, F. SIRGHI, H. SOLTAU, L. STRUDER, H. TATSUNO, O. VASQUEZ DOCE, E. WIDMANN and J. ZMESKAL / Kaonic atoms measurements at the DAΦNE accelerator 11–17
- D. GOTTA / X-ray spectroscopy of light hadronic atoms 19–25
- K. ITAHASHI, S. ITOH, N. FUKUNISHI, H. GEISSEL, R. S. HAYANO, S. HIRENZAKI, M. IWASAKI, P. KIENLE, R. KIMURA, K. LINDBERG, C. NOCIFORO, H. OHNISHI, S. OKADA, N. ONO, H. OUTA, M. SATO, K. SUZUKI, T. SUZUKI, H. TATSUNO, P.-E. TEGNÉR, M. WAKASUGI, H. WEICK, J. YAMAGATA-SEKIHARA, T. YAMAZAKI, Y. YANO and I. ZARTOVA / Pionic atom factory project in the RIBF 27–31
- E. FRIEDMAN / Unified approach to nuclear densities from exotic atoms 33–38
- Y. ALLKOFER (ON BEHALF OF THE DIRAC-II COLLABORATION) / Observation of πK -atoms with DIRAC-II 39–45
- TH. STRAUCH, F. D. AMARO, D. F. ANAGNOSTOPOULOS, P. BÜHLER, D. S. COVITA, H. GORKE, D. GOTTA, A. GRUBER, A. HIRTL, P. INDELICATO, E.-O. LE BIGOT, J. MARTON, M. NEKIPELOV, J. M. F. DOS SANTOS, PH. SCHMID, S. SCHLESSER, L. M. SIMONS, J. F. C. A. VELOSO and J. ZMESKAL / Pionic deuterium 47–52

V. BARU, E. EPELBAUM and A. RUSETSKY / Nucleon recoil for low-energy antikaon-deuteron scattering	53–59
D. S. COVITA, D. F. ANAGNOSTOPOULOS, H. GORKE, D. GOTTA, A. GRUBER, A. HIRTL, T. ISHIWATARI, P. INDELICATO, E.-O. LE BIGOT, M. NEKIPELOV, J. M. F. DOS SANTOS, PH. SCHMID, L. M. SIMONS, M. TRASSINELLI, J. F. C. A. VELOSO and J. ZMESKAL / Line shape of the $\mu\text{H}(3p - 1s)$ transition	61–67
M. LAGE, U.-G. MEIBNER and A. RUSETSKY / Antikaon-nucleon scattering lengths	69–74
J. YAMAGATA-SEKIHARA, S. HIRENZAKI, D. CABRERA and M. J. VICENTE VACAS / Recent topics of mesic atoms and mesic nuclei ϕ mesic nuclei exist?	75–80
K. TANIDA (FOR THE XIX COLLABORATION) / Towards more exoticness—X-ray spectroscopy of Ξ^- atoms at J-PARC	81–87
F. IAZZI and K. SZYMAŃSKA / Perspectives of the Ξ^- -atom spectroscopy at PANDA	89–95
C. NUALCHIMPLEE, P. SUEBKA, Y. YAN and A. FAESSLER / Accurate evaluation of the $1s$ wave functions of kaonic hydrogen	97–102
V. LUCHERINI, T. BRESSANI and A. FONTANA / KAIUM at DAΦNE?	103–108
C. PETITJEAN (REPRESENTING THE MUCAP AND THE MUSUN COLLABORATIONS) / Muon capture in hydrogen and deuterium	109–114
R. POHL / $2S$ state and Lamb shift in muonic hydrogen	115–120
P. STRASSER, A. TANIGUCHI, T. MATSUZAKI, K. ISHIDA, Y. MATSUDA, S. OHYA, M. IWASAKI and K. NAGAMINE / Muon spectroscopy with trace alkaline-earth and rare-earth isotopes implanted in solid D_2	121–127
D. I. ABRAMOV / Coulomb spheroidal representation in the hyper-spherical approach to the three-body problem	129–133
L. U. ANCARANI and G. GASANEO / An analytic and parameter-free wavefunction for studying the stability of three-body systems	135–139
M. P. FAIFMAN and L. I. MEN'SHIKOV / Calculations of the cascade characteristics for hadronic hydrogen atoms based on a quantum-classical approach	141–145
K. V. RODRIGUEZ, Y. V. GONZALEZ, G. GASANEO, L. U. ANCARANI and D. M. MITNIK / Accurate ground state wavefunctions for several three-body systems	147–151

A. HIRTL (FOR THE PIONIC HYDROGEN COLLABORATION) / Determination of the hadronic width of the ground state in pionic hydrogen	153–157
H. IMAO, K. ISHIDA, N. KAWAMURA, T. MATSUZAKI, Y. MATSUDA, A. TOYODA, P. STRASSER, M. IWASAKI and K. NAGAMINE / Density effect in d - d catalyzed fusion with ortho-and para-enriched deuterium	159–163

Kaon-Nucleon Interaction

A. GAL / Overview of $\bar{K}N$ and $\bar{K}$ -nucleus dynamics	165–171
A. FILIPPI and S. PIANO / Recent results on the search of bound kaonic states in nuclei with FINUDA	173–179
T. YAMAZAKI, P. KIENLE, K. SUZUKI, M. MAGGIORA ON BEHALF OF DISTO COLLABORATION (M. ALEXEEV, F. BALESTRA, Y. BEDFER, R. BERTINI, L. C. BLAND, A. BRENSCHADE, F. BROCHARD, M. P. BUSSA, M. CHIOSSO, S. CHOI, M. L. COLANTONI, R. DRESSLER, M. DZEMIDZIC, J.-CL. FAIVRE, L. FERRERO, J. FORYCIARZ, I. FRÖHLICH, V. FROLOV, R. GARFAGNINI, A. GRASSO, S. HEINZ, W. W. JACOBS, W. KÜHN, A. MAGGIORA, D. PANZIERI, H.-W. PFAFF, G. PONTECORVO, A. POPOV, J. RITMAN, P. SALABURA, V. TCHALYSHEV, F. TOSELLO, S. E. VIGDOR and G. ZOSI) / First exclusive measurements of the K^-pp state populated in the $pp \rightarrow K^+\Lambda p$ reaction at 2.85 GeV	181–187
K. SUZUKI, P. BÜHLER, L. FABBETTI, N. HERRMANN, P. KIENLE, M. KIS, Y. LEIFELS, J. MARTON, E. WIDMANN, T. YAMAZAKI and J. ZMESKAL / Search for kaonic nuclear state, K^-pp , in the $p+p \rightarrow X+K^+$ reaction with FOPI	189–194
O. VÁZQUEZ DOCE (ON BEHALF OF THE AMADEUS COLLABORATION) / The AMADEUS experiment at DAΦNE and the analysis of KLOE data in the search for kaonic nuclear clusters	195–200
T. BRESSANI, G. BENDISCIOLI, L. LAVEZZI, A. PANZARASA and P. SALVINI / OBELIX results on Kaonic Nuclear Clusters production by antiproton annihilation at rest on ^4He	201–207
V. K. MAGAS, E. OSET and A. RAMOS / K^- absorption in nuclei by two and three nucleons	209–214
J. MAREŠ / Multi- $\bar{K}$ configurations and the limit of kaon condensation	215–220
T. KOIKE and T. HARADA / The $\bar{K}N \rightarrow \pi \Sigma$ decay threshold effect in ^3He (in-flight K^- , n) reaction spectrum	221–227

N. V. SHEVCHENKO and J. RÉVAI / Phenomenological $\bar{K} N$ interaction with isospin-breaking effects	229–235
T. HYODO and W. WEISE / Effective $\bar{K} N$ interaction with strong $\pi \Sigma$ dynamics constrained by chiral SU(3) symmetry	237–243
A. DOTÉ, T. HYODO and W. WEISE / Chiral SU(3) dynamics and the quasibound K^-pp cluster	245–251
D. JIDO and Y. KANADA-EN'YO / Baryon resonances as hadronic molecule states with kaons	253–259

Exotic Decays

O. CREMONESI / Status of neutrinoless double beta decay searches	261–267
W. SCHOTT, T. FAESTERMANN, P. FIERLINGER, F. J. HARTMANN, R. HERTENBERGER, A. R. MÜLLER, S. PAUL, J. SCHÖN, T. UDEM and A. ULRICH / An experiment to measure the bound- β^- decay of the free neutron	269–274

Fundamental Symmetries, Antihydrogen

R. LEHNERT / CPT and Lorentz-invariance violation	275–281
N. E. MAVROMATOS / Quantum Gravity, CPT symmetry and entangled states	283–289
J. D. TASSON / Gravitational physics with antimatter	291–296
G. BONOMI (AEGIS PROTO-COLLABORATION) / Measuring the antihydrogen fall	297–303
B. JUHÁSZ and E. WIDMANN / Planned measurement of the ground-state hyperfine splitting of antihydrogen	305–311
E. LODI RIZZINI, L. VENTURELLI and N. ZURLO / Antihydrogen (hydrogen) atom formation	313–319
M. G. GIAMMARCHI (AEGIS COLLABORATION) / Efficient Rydberg positronium laser excitation for antihydrogen production in a magnetic field	321–327
V. S. MELEZHIK / Perspectives of laser-stimulated antihydrogen formation	329–334
D. EVERSHEIM, F. HINTERBERGER, R. JAHN, D. SAMUEL, J. DIETRICH, A. LEHRACH, D. PRASUHN, R. GEBEL, O. FELDEN, M. BEYER and W. KRETSCHMER / The feasibility of the TRIC experiment at COSY	335–339

- R. ENGELS, K. GRIGORYEV, M. MIKIRTYTCHYANTS, H. PAETZ GEN. SCHIECK, F. RATHMANN, G. SCHUG, H. STRÖHER, A. VASILYEV and M. WESTIG / Precision spectroscopy of metastable hydrogen and antihydrogen with a Lamb-shift polarimeter 341–347

Antiprotonic Helium

- D. BARNA, A. DAX, J. EADES, K. GOMIKAWA, R. S. HAYANO, M. HORI, D. HORVÁTH, B. JUHÁSZ, N. ONO, W. PIRKL, E. WIDMANN and H. A. TORII / Determination of the antiproton-to-electron mass ratio by laser spectroscopy of $\bar{p}\text{He}^+$ 349–354
- T. PASK / Preliminary results from recent measurements of the antiprotonic helium hyperfine structure 355–361
- V. I. KOROBV and Z.-X. ZHONG / Precision spectroscopy of antiprotonic helium 363–368
- D. BAKALOV / Spin structure of antiprotonic helium in a magnetic field 369–375
- G. YA. KORENMAN and S. N. YUDIN / Collisional effects on the HFS transitions of antiprotonic helium 377–383

Antiproton Collisions

- H. A. TORII, Y. NAGATA, H. TOYODA, H. IMAO, N. KURODA, V. L. VARENTSOV and Y. YAMAZAKI / Cross-beam atomic collision experiment between ultra-low-energy antiprotons and a supersonic gas jet 385–391
- K. TÖKÉSI, J. WANG, L. GULYÁS and J. BURGDÖRFER / Angular and energy differential electron emission cross sections in collisions between antiprotons and helium atoms 393–398
- A. LÜHR, N. FISCHER and A. SAENZ / Interaction of antiprotons with Rb atoms and a comparison of antiproton stopping powers of the atoms H, Li, Na, K, and Rb 399–405
- A. LÜHR and A. SAENZ / Collisions of low-energy antiprotons with molecular hydrogen: ionization, excitation and stopping power 407–412

Particle Trapping

- K. BLAUM and M. BLOCK / Precision Penning trap mass measurements on exotic ions: status and perspectives 413–418

H. IMAO, M. TAREK, K. MICHISHIO, Y. ENOMOTO, T. SHIMOYAMA, Y. KANAI, N. KURODA, A. MOHRI, H. HIGAKI, H. SAITOH, H. A. TORII, Y. NAGATA, H. TOYODA, Y. MATSUDA, Y. NAGASHIMA and Y. YAMAZAKI / ASACUSA MUSASHI: New progress with intense ultra slow antiproton beam	419–424
A. KELLERBAUER, C. CANALI, A. FISCHER and U. WARRING / Ultracold antiprotons by indirect laser cooling	425–431
C. L. CESAR, P. CRIVELLI and R. LAMBO / Aspects of neutral atom traps for antihydrogen spectroscopy	433–439
C. C. RODEGHERI, K. BLAUM, H. KRACKE, S. KREIM, A. MOOSER, C. MROZIK, W. QUINT, S. ULMER and J. WALZ / Developments for the direct determination of the g -factor of a single proton in a Penning trap	441–446

Facilities and Instrumentation

T. BEIER (FOR THE FAIR JOINT CORE TEAM) / The status of FAIR	447–453
C. SCHWARZ FOR THE PANDA COLLABORATION / The PANDA detector at FAIR	455–461
H. TAMURA / Strangeness at J-PARC	463–469
T. ERIKSSON / AD: low-energy antiproton production at CERN	471–476
H. DANARED, A. KÄLLBERG and A. SIMONSSON / CRYRING at the LSR at FLAIR	477–483
C. P. WELSCH, J. HARASIMOWICZ, K. U. KÜHNEL, A. PAPASH, M. PUTIGNANO, P. SCHMID and J. ULLRICH / Present status of the USR project	485–491
D. M. KAPLAN / Proposed new antiproton experiments at Fermilab	493–499
P. KIENLE / Breeding of antideuterons in the AIC at FAIR	501–506
F. RATHMAN / Do unpolarized electrons affect the polarization of a stored beam?	507–512
T. ISHIWATARI (ON BEHALF OF THE SIDDHARTA AND KEK PS-E570 COLLABORATIONS) / Silicon drift detectors for exotic atoms	513–518
K. FÖHL / A Focussing Disc DIRC design for particle identification in PANDA	519–523
J. HARASIMOWICZ and C. P. WELSCH / Beam instrumentation for the future ultra-low energy electrostatic storage ring at FLAIR	525–529

P. SCHMID, K.-U. KÜHNEL, A. PAPASH and C. P. WELSCH / Preliminary design studies of an extraction of the USR	531–535
M. PUTIGNANO, K.-U. KÜHNEL, C.-D. SCHRÖTER and C. P. WELSCH / A fast, low perturbation ionization beam profile monitor based on a gas-jet curtain for the ultra low energy storage ring	537–541
M. HORI and A. DAX / Development of precise nanosecond and picosecond dye lasers for spectroscopy of antiprotonic atoms	543–547
A. SOTER and M. HORI / Particle detectors for the future antiproton Paul trap of the ASACUSA experiment at CERN	549–553
D. MELNYCHUK, W. CZARNACKI, G. KALICY, G. KĘSIK, A. KORMAN, T. KOZŁOWSKI, A. MYKULYAK, J. WOJTKOWSKA and B. ZWIEGLINSKI / Response of cooled PWO scintillators to low-energy gamma-rays and its importance in studies of the $h_c \rightarrow \eta c + \gamma$ transition in charmonium	555–559
N. KAWAMURA, S. MAKIMURA, K. SHIMOMURA, P. STRASSER, A. KODA, H. FUJIMORI, K. NAKAHARA, M. KATO, S. TAKESHITA, R. KADONO, W. HIGEMOTO, K. NISHIYAMA, K. NAGAMINE and Y. MIYAKE / Muon science in J-PARC	561–565

Hadron and Nuclear Physics with Antiprotons

U. WIEDNER (REPRESENTING THE PANDA COLLABORATION) / Hadron physics with PANDA	567–571
D. BETTONI / The E835 experiment at Fermilab	573–579
A. GILLITZER / Charm in nuclei	581–587
M. SUDOŁ (FOR THE PANDA COLLABORATION) / Time-like nucleon form factor measurements at $\bar{\text{P}}\text{ANDA}$	589–595
J. ZMESKAL, P. BÜHLER, M. CARGNELLI, T. ISHIWATARI, P. KIENLE, J. MARTON, K. SUZUKI and E. WIDMANN / Double-strangeness production with antiprotons	597–602
J. POCHODZALLA / Exploring the nuclear potential of antihyperons with antiprotons at $\bar{\text{P}}\text{ANDA}$	603–609
I. N. MISHUSTIN and A. B. LARIONOV / Cold compression of nuclei induced by antiprotons	611–617
A. TRZCIŃSKA (FOR PS209 COLLABORATION) / Nuclear periphery studied with antiprotonic atoms	619–624
H. LENSKE / Antiprotons for nuclear structure research	625–630

J. HAIDENBAUER and YU. UZIKOV / Total spin-dependent $\bar{p}d$ cross sections at low and intermediate energies	631–637
P. SALVINI, G. BENDISCIOLI, T. BRESSANI, L. LAVEZZI and A. PANZARASA / Quark deconfinement in antiproton annihilation at rest on light nuclei	639–644
A. BIANCONI, M. CORRADINI, A. CRISTIANO, R. DONÀ, M. LEALI, E. LODI RIZZINI, L. VENTURELLI and N. ZURLO / Antiproton reflection by a solid surface	645–651
M. CORRADINI, M. HORI, M. LEALI, E. LODI RIZZINI, V. MASCAGNA, A. MOZZANICA, M. PREST, E. VALLAZZA, L. VENTURELLI and N. ZURLO / Measurement of the antiproton-nucleus annihilation cross-section at very low energies	653–659
B. P. FAHIMIAN, J. J. DEMARCO, R. KEYES, N. BASSLER, K. S. IWAMOTO, M. ZANKL and M. H. HOLZSCHEITER / Antiproton radiotherapy: peripheral dose from secondary neutrons	661–666
S. WYCECH, B. LOISEAU, J.-P. DEDONDER / $N \bar{N}$ exotics and antiprotonic atoms	667–673
M. ALBERG / Spin structure of $\bar{p}p \rightarrow \bar{\Lambda}\Lambda$	675–678
S. ATASHBAR TEHRANI and A. N. KHORRAMIAN / Parton distribution functions up to NNLO	679–683
A. N. KHORRAMIAN, S. ATASHBAR TEHRANI, H. KHANPOUR and S. TAHERI MONFARED / $x F_3$ structure function based on the associated Jacobi polynomials	685–688
A. N. KHORRAMIAN, S. ATASHBAR TEHRANI, M. SOLEYMANINIA and S. BATEBI / F_L structure function and heavy quark contributions	689–693

Author Index