

Contents

Foreword — VII

Author's premises — IX

Introduction — 1

1	2D topological insulators and quantum spin Hall states: what are they and which are the potential applications for the real world? — 3
1.1	Introduction — 3
1.2	But indeed, in simple terms, what is a topological insulator (using quantum mechanics)? — 5
1.3	How to move from the quantum Hall effect to the quantum spin Hall effect? (Intuitive explanation without mathematical developments) — 6
1.4	Topological matter and topological invariant — 8
1.4.1	What is the Chern number? — 8
1.4.2	Z_2 invariant — 13
1.5	The ideal case of graphene, which is not properly a topological insulator — 15
1.6	Stanene: the real wonderful material for beyond CMOS — 18
1.7	Topological insulators and thermoelectric effect: the game changer? — 21
1.8	Theoretical parameters influencing thermoelectric effect in topological insulators — 23
1.9	Conclusions — 28
	References — 29
2	Magic angle: twisting graphene layers to create superconductors — 33
2.1	Introduction — 33
2.2	A brief history of superconductivity — 34
2.3	The discovery of the magic angle: the prediction — 37
2.4	The experimental results and evidence of unconventional superconductivity — 41
2.5	What happens if we pile up three layers? — 48
2.6	Conclusions and perspectives — 51
	References — 52

3	Valleytronics and a new way to encode information using 2D materials — 55
3.1	Valleytronics: basic science behind and interest — 55
3.2	Which materials for valleytronics? — 56
3.3	Optical stimulus: the right way to encode valley pseudo-spin? — 59
3.4	Potential implementation of valleytronics: what are the main challenges? — 63
3.5	Some examples of applications and perspectives — 66
	References — 67
4	2D black phosphorus: difficult to handle but so interesting for opto-electronics — 71
4.1	Introduction — 71
4.2	Different allotropic forms and structures of phosphorus — 72
4.3	Why BP is so interesting? Tailoring the band gap through thickness — 74
4.4	Passivation — 78
4.4.1	Encapsulation — 79
4.4.2	Functionalization — 80
4.4.3	Liquid-phase surface passivation — 85
4.4.4	Doping — 86
4.5	Some examples of potential applications — 88
4.5.1	Few layer BP in field-effect transistors — 88
4.5.1.1	Introduction — 88
4.5.1.2	Examples of BP-based transistors: some pioneering works — 89
4.5.2	Energy storage applications — 92
4.5.2.1	Solar cells — 92
4.5.3	Energy storage applications — 95
4.5.3.1	Batteries (lithium ion) — 95
4.5.3.2	Supercapacitors — 96
4.6	Conclusions — 96
	References — 99
5	Straintronics: a new way to engineer the physical intrinsic properties of 2D materials and van der Waals structures — 105
5.1	Introduction — 105
5.2	What type of strain and what are the main effects? — 107
5.3	In-plane strain: some examples in different fields — 108
5.4	Out-of-plane strain — 118

5.5	Heterostrain — 122
5.6	Conclusions and perspectives — 124
	References — 125
6	Exotic properties of 2D materials: where are we? The compromise between beyond CMOS and more-than-Moore vision and roadmaps — 129
6.1	Premises to conclusion and to overall analysis — 129
6.2	Short introduction on the meaning of “Moore’s law”, “more-than-Moore” and “beyond CMOS” vision — 129
6.3	Some considerations — 131
6.4	Roadmaps — 134
6.5	Topological insulators and thermoelectric — 134
6.6	Magic angle and superconductivity — 136
6.7	Valleytronics and information storage — 136
6.8	Black phosphorus and optoelectronics — 137
6.9	Straintronics and different potential implementations — 138
6.10	Classification of the potential innovations — 139
	References — 141
	Index — 143