

Contents

Abstract	i
Acknowledgment	v
Nomenclature	xi
1 Introduction	1
1.1 Motivation	1
1.2 State of the art	7
1.2.1 Three-Dimensional Progressive Damage Model	7
1.2.2 Secondary Bending Effects	9
1.2.3 Lay-up Ratio Effects	12
1.2.4 Sizing Method	13
1.3 Objective and scope of the thesis	14
2 Three-Dimensional Progressive Damage Model for Composite Bolted Joints	17
2.1 Constitutive Model of Composite Materials for 3D Progressive Damage Analysis	17
2.2 Thermodynamic Relations	20
2.3 Failure Criterion	21
2.3.1 Ply Failure	21
2.3.2 Interface Failure	22
2.4 Damage Evolution	22
2.4.1 Closure Effect of Cracking Matrix	23
2.4.2 Lateral Constraints Effect	24
3 Double-Lap Joints	27
3.1 Problem Description	27
3.2 Finite Element Implementation	30
3.2.1 FE Mesh	30
3.2.2 Loads and Boundary Conditions	30
3.2.3 Materials	32
3.2.4 Contact Conditions	34
3.2.5 Mesh Dependency	35
3.2.6 Viscous Regularization	35

3.3	Results and Discussion	36
3.3.1	Validation of the Progressive Damage Model	36
3.3.2	Failure Mode	37
3.3.3	Failure Mechanism	38
4	Single-Lap Joints	47
4.1	Problem Description	47
4.2	Finite Element Implementation	49
4.2.1	FE Mesh	49
4.2.2	Loads and Boundary Conditions	49
4.2.3	Contact Conditions	52
4.3	Results and Discussion	52
4.3.1	Validation of the Progressive Damage Model	52
4.3.2	Failure Mode	54
4.3.3	Failure Mechanism	55
5	Lay-Up Ratio Effects	75
5.1	Problem Description	75
5.2	Results and Discussion	77
5.2.1	Validation of the Progressive Damage Model	77
5.2.2	Failure Mode	78
5.2.3	Stress Analysis	79
5.2.4	Lay-up Ratio Effect	91
5.3	Design Principles	94
6	Sizing Method	97
6.1	Laminate Allowable Strength	98
6.1.1	Lamina Stress-Strain Response	98
6.1.2	Stress-Strain Response of Laminate	98
6.1.3	The Maximum Strain Failure Criterion	102
6.1.4	Laminate Failure Strength	103
6.2	Stress Concentration Factors	104
6.2.1	Lay-up Ratio Effect on Failure Mode	106
6.2.2	e/d Effect on Failure Mode	106
6.2.3	w/d Effect on Failure Mode	106
6.2.4	Elastic Isotropic Stress Concentration Factors	106
6.2.5	Stress Concentration Reduction Factor for Fibrous Composite	107
6.2.5.1	Tensile Stress Concentration Reduction Factor	108
6.2.5.2	Compressive Stress Concentration Reduction Factor	108
6.2.5.3	Stress Concentration Relief Factor	108
6.3	Joint Strength Calculation	111
6.3.1	Net-section Tensile Stress and Bearing Stress	112

6.3.2	Shear-out Stress	112
6.3.2.1	Stress Concentration Factors for Shear-out Failure	112
6.3.3	Failure Strength with Failure Mode	113
6.3.4	Knock Down Factors of Strength	114
6.3.4.1	t/d Effect on Joints Strength	114
6.3.4.2	Bolt-type (Protruding-head and Countersunk) Effect on Joints Strength	115
6.3.4.3	Secondary Bending Effect on Joints Strength	115
6.4	Results and Discussion	116
6.4.1	w/d Effects	116
6.4.2	e/d Effects	118
6.4.3	Lay-up Ratio Effects	118
6.4.4	Bolt-type Effects	122
6.4.5	Secondary Bending Effects	122
6.5	Design Principles	123
7	Conclusion and Outlook	127
7.1	Summary and Concluding Remarks	127
7.2	Future Research	130
	Bibliography	131