

Donald Rapp

Human Missions to Mars

Enabling Technologies for Exploring the Red Planet

 **Springer**

Published in association with
Praxis Publishing
Chichester, UK

 **PRAXIS**

Contents

Preface	xv
List of figures	xvii
List of tables	xxiii
List of abbreviations and acronyms	xxvii
1 Why explore Mars?	1
1.1 Robotic exploration—the Establishment’s view	1
1.2 The curmudgeon’s view on the search for life on Mars	5
1.3 Why send humans to Mars?—the enthusiast’s view	7
1.4 Sending humans to Mars—the skeptic’s view	10
2 Planning space campaigns and missions	13
2.1 Campaigns	13
2.2 Planning space missions	14
2.3 Architectures	15
2.4 A mission as a sequence of steps	19
2.5 What’s at the destination?	22
2.6 What’s in low Earth orbit	24
2.7 What’s on the launch pad?	25
2.8 IMLEO requirements for space missions	25
3 Getting there and back	27
3.1 Propulsion systems	27
3.1.1 Propellant requirements for space transits	28
3.1.2 The rocket equation	30
3.1.3 Dry mass of rockets	33

3.2	Trajectory analysis	35
3.2.1	Rocket science 101	35
3.2.1.1	Constants of motion	35
3.2.1.2	Energy of an orbit	36
3.2.1.3	Measured values for the Sun, Earth, and Mars	38
3.2.1.4	Escaping the influence of a planet	39
3.2.1.5	Earth and Mars solar orbit velocities	40
3.2.1.6	Hohmann transfer to Mars	40
3.2.1.7	Earth and Mars low-orbit velocities	42
3.2.1.8	Earth escape	42
3.2.1.9	Mars orbit insertion—part 1	43
3.2.1.10	Summary of transfers to and from Hohmann orbit	44
3.2.1.11	Orbital period	45
3.2.1.12	Mars orbit insertion—part 2	47
3.2.1.13	Summary	49
3.2.2	Mars mission duration and propulsion requirements	50
3.2.3	More realistic models	53
3.3	Earth to low Earth orbit	54
3.4	Departing from LEO	58
3.4.1	The Δv requirement	58
3.4.2	Mass sent toward Mars	59
3.4.3	Nuclear thermal rocket for TMI	61
3.4.4	Solar electric propulsion for orbit raising	63
3.5	Mars orbit insertion	65
3.6	Ascent from the Mars surface	68
3.7	Trans-Earth injection from Mars orbit	69
3.8	Earth orbit insertion	69
3.9	Gear ratios	71
3.9.1	Introduction	71
3.9.2	Gear ratio calculations	71
3.9.3	Gear ratio for Earth departure	73
3.10	LEO to Mars orbit	73
3.11	LEO to the Mars surface	76
3.12	IMLEO for Mars missions	76
3.12.1	Chemical propulsion and aero ² assist	76
3.12.2	Use of Nuclear Thermal Propulsion	79
3.12.3	Use of ISRU	82
4	Critical Mars mission elements	85
4.1	Life support consumables	85
4.1.1	Consumable requirements (without recycling)	85
4.1.2	Use of recycling systems	87
4.1.3	Life support summary	90

4.2	Radiation effects and shielding requirements	91
4.2.1	Radiation sources	91
4.2.2	Definitions and units	92
4.2.3	Radiation effects on humans and allowable dose	93
4.2.3.1	Allowable exposure	93
4.2.3.2	Radiation effects on humans	94
4.2.4	Confidence intervals and point estimates	95
4.2.5	Radiation in space	96
4.2.6	Radiation levels in Mars missions	97
4.2.7	Radiation summary	99
4.3	Effects of microgravity	99
4.3.1	The Whedon–Rambaut review of low- <i>g</i> effects	99
4.3.2	Artificial gravity	101
4.3.3	NASA plans for low- <i>g</i> effects	105
4.4	Abort options and mission safety	106
4.4.1	Abort options and mission safety in ESAS lunar missions	106
4.4.2	The Mars Society Mission	108
4.4.3	Abort options conclusions	109
4.5	Habitats	111
4.5.1	DRM-1 Habitats	111
4.5.2	DRM-3 Habitats	112
4.5.3	Dual Landers Habitat	113
4.5.4	The “MOB” design	113
4.5.4.1	Basic design	113
4.5.4.2	ISRU	117
4.5.4.3	Habitat mass	118
4.5.4.4	Habitat structure	119
4.5.4.5	ECLSS	120
4.5.5	Sasakawa International Center for Space Architecture	121
4.5.5.1	Habitat configurations	121
4.5.5.2	Logistic and crew support	125
4.5.6	Inflatable Habitats	125
4.6	Aero-assisted orbit insertion and entry, descent, and landing	127
4.6.1	Introduction	127
4.6.2	Challenges for aero-assist technology	131
4.6.2.1	Atmospheric variations	132
4.6.2.2	Aeroshell shape and size	132
4.6.2.3	Supersonic parachute	134
4.6.2.4	Landing accuracy	135
4.6.3	Entry, descent, and landing requirements for human missions to Mars	135
4.6.3.1	Initial results	135
4.6.3.2	Updated results: 2006	140
4.6.4	Precision landing	143
4.6.5	Development, test, and validation program	145

5	<i>In situ</i> utilization of indigenous resources	149
5.1	Value of ISRU	149
5.2	Lunar ISRU	150
5.2.1	Introduction	150
5.2.2	Potential products of ISRU	151
5.2.2.1	Ascent propellants	151
5.2.2.2	Life support consumables	152
5.2.2.3	Propellants delivered to LEO from the Moon	153
5.2.2.4	Propellants delivered to lunar orbit for descent (and ascent)	154
5.2.2.5	Regolith for radiation shielding	155
5.2.2.6	Visionary concepts	155
5.2.3	Lunar resources	158
5.2.4	Lunar ISRU processing	159
5.2.4.1	Oxygen from FeO in regolith	159
5.2.4.2	Oxygen from regolith silicates	160
5.2.4.3	Extracting putative volatiles	161
5.2.4.4	Utilizing polar ice deposits	162
5.2.5	Cost analysis for ESAS lunar ISRU	168
5.2.6	A new paradigm for lunar ISRU	170
5.3	Mars ISRU	172
5.3.1	Introduction	172
5.3.2	Timeline for ISRU on Mars	173
5.3.3	Mars ISRU products	175
5.3.4	Mars ISRU processes	180
5.3.4.1	Oxygen-only processes	180
5.3.4.2	The Sabatier/Electrolysis process	185
5.3.4.3	Timeline for ISRU	187
5.3.4.4	CO ₂ acquisition from the Mars atmosphere	187
5.3.5	Mass and power requirements of a Mars ISRU system	188
5.4	Fueling Mars-bound vehicles from lunar resources	190
5.4.1	Introduction	190
5.4.2	Value of lunar water in LEO	190
5.4.3	Percentage of water mined on the Moon transferred to LEO	192
5.4.3.1	Transfer via LL1	192
5.4.3.2	Dependence on junction site	196
5.5	Lunar ferry for descent propellants	200
5.6	Staging, assembly, and refueling in near-Earth space	202
5.6.1	Introduction	202
5.6.2	Michael Griffin and orbiting fuel depots	203
5.6.3	Propellants for Earth departure	204
5.6.4	On-orbit staging	206
5.7	Transporting hydrogen to Mars	209
5.7.1	Terrestrial vs. space applications	209

5.7.2	Storage of hydrogen in various physical and chemical states	211
5.7.2.1	Storage as high-pressure gas at about room temperature	211
5.7.2.2	Storage as a cryogenic liquid	213
5.7.2.3	Storage as a dense gas at reduced temperature	215
5.7.2.4	Storage as solid hydrogen	216
5.7.2.5	Storage as solid-liquid slush	217
5.7.2.6	Storage as hydrogen at its triple point	218
5.7.2.7	Storage as adsorbed hydrogen on a sorbent	218
5.7.2.8	Storage in metal hydrides	220
5.7.2.9	Storage in glass microspheres	221
5.7.3	Boil-off in space	222
5.7.3.1	Rate of boil-off from MLI tanks	222
5.7.3.2	Mass effect of boil-off in space	225
5.7.3.3	Boil-off rate on Mars	227
5.7.4	Zero boil-off systems	228
5.7.5	Potential space applications for hydrogen	231
5.7.5.1	Shuttle H ₂ tanks	231
5.7.5.2	Hydrogen storage trade study for a solar electric orbital transfer vehicle	233
5.7.5.3	Estimates of boil-off by a lunar mission focused study	233
5.7.5.4	Transporting hydrogen to the lunar surface	234
5.7.5.5	Transporting hydrogen to Mars for ISRU	234
5.7.6	Summary and conclusions	235

6	Mars mission analysis	237
6.1	Previous Mars mission studies	237
6.1.1	Office of Exploration case studies (1988)	237
6.1.2	Office of Exploration case studies (1989)	238
6.1.3	NASA 90-Day Study (1989)	239
6.1.4	America at the threshold—"The Synthesis Group" (1991)	239
6.1.5	First lunar outpost (1993)	240
6.1.6	Human lunar return (1996)	241
6.1.7	Mars Exploration Design Reference Missions (1994–1999)	241
6.1.8	Decadal Planning Team/NASA Exploration Team (2000–2002)	242
6.1.9	Integrated Space Plan (2002–2003)	242
6.1.10	Exploration Systems Mission Directorate (2004–2005)	242
6.1.11	Constellation (2006–?)	246
6.2	Mars Design Reference Missions (DRMs)	248
6.2.1	DRM-1	248
6.2.1.1	Introduction	248
6.2.1.2	DRM-1 vehicles	249

6.2.1.3	Mission sequence	250
6.2.1.4	Mars Ascent Vehicle (MAV)	252
6.2.1.5	Surface power	253
6.2.1.6	Interplanetary transportation system	253
6.2.1.7	Launch vehicles	255
6.2.1.8	<i>In situ</i> resource utilization	256
6.2.1.9	Life support consumables	258
6.2.2	DRM-3	258
6.2.3	Mass comparisons: DRM-3 and DRM-1	261
6.2.4	The Dual Landers Reference Mission	262
6.2.5	Common characteristics of 1990s' JSC Mars DRMs	266
6.3	Mars DRMs in the 2005–2006 era	268
6.3.1	The ESAS Report Mars plans	268
6.3.2	2006 Mars DRM	272
6.4	Non-NASA Design Reference Missions	274
6.4.1	Mars Direct	274
6.4.2	The Mars Society Mission	278
6.4.3	TeamVision approach to space exploration	281
6.4.4	The MIT Study	282
6.4.5	ESA Concurrent Design Facility Study (2003)	284
6.5	IMLEO for human missions to Mars	286
7	How NASA is dealing with return to the Moon	291
7.1	Introduction	291
7.1.1	Need for a Heavy Lift Launch Vehicle	291
7.1.2	Urgency in returning to the Moon at the earliest possible opportunity	293
7.2	Moon–Mars connection	293
7.2.1	The Moon as a means of risk reduction for Mars	293
7.2.2	ISRU as a stepping-stone from the Moon to Mars	295
7.2.3	The ESAS viewpoint on the Moon–Mars connection	298
7.2.4	A European viewpoint	299
7.3	Lunar architecture options	300
7.3.1	Zubrin's analysis.	300
7.3.2	MIT analysis	303
7.3.3	The Broad Study	308
7.3.4	The Focused Study	311
7.3.5	Comparison of Broad and Focused Study estimates of Δv	314
7.3.6	ESAS Report Δv estimates	314
7.3.7	Lunar orbit rendezvous vs. L1 rendezvous or direct return	319
7.3.7.1	Broad Study	319
7.3.7.2	Focused Study	319
7.3.8	ESAS report architecture comparison	320
7.4	The ESAS lunar architecture	324
7.4.1	Description	324

7.4.2	Independent mass estimates	324
7.5	Do we need a CEV?	326
7.6	The NASA lunar architecture process	329
8	Why the NASA approach will likely fail to send humans to Mars prior to c. 2080	331
8.1	Major differences between Mars and Lunar missions	331
8.2	Is NASA too busy for Mars missions?	332
8.3	Mars architecture planning	334
8.4	Need for new technology	340
8.4.1	Space Science Enterprise (SSE)	340
8.4.1.1	SSE scope of technology	340
8.4.1.2	Lead Centers	344
8.4.1.3	On again/off again	346
8.4.1.4	SSE technology summary	347
8.4.2	Human exploration technology	348
8.4.3	Exploration Systems Research and Technology (ESRT)	349
8.5	2020 vision	351
8.6	Human exploration strategy.	354
8.6.1	Background	354
8.6.1.1	Destination-driven vs. constituency-driven programs	354
8.6.1.2	The 2004–2005 Human Exploration Initiative	355
8.6.2	Current NASA plans (2006–2007)	357
8.6.3	Recommended strategy	358
8.6.3.1	Propulsion systems	359
8.6.3.2	Aero-assisted entry, descent, and landing	360
8.6.3.3	Habitats and capsules	361
8.6.3.4	Life support consumables	361
8.6.3.5	<i>In situ</i> resource utilization	362
8.6.3.6	Power systems	363
8.6.3.7	Site selection	363
8.6.3.8	Precursor missions at Mars	364
8.6.3.9	Mitigation of dust effects	366
8.6.3.10	Use of Moon for testing and demonstrations	366
8.6.3.11	Testing in Earth orbit	367
8.7	Conclusions	368

APPENDICES

A	Solar energy on the Moon	369
A.1	First approximation to lunar orientation	369
A.2	Solar insolation on a horizontal surface	371
A.3	Solar insolation on a vertical surface	373
A.4	Insolation on a surface tilted at latitude angle toward the equator	373

A.5	A surface that is always perpendicular to the solar rays	374
A.6	Effect of non-ideal lunar orbit	377
A.7	Operating temperature of solar arrays on the Moon	378
A.8	Solar energy systems at the equator	378
A.8.1	Short-term systems (<354 hours)	378
A.8.2	Long-term systems (>354 hours)	380
A.9	Effects of dust	382
A.10	Solar energy systems in polar areas	383
A.10.1	Polar sites	383
A.10.2	GRC solar polar study	386
B	Solar energy on Mars	389
B.1	Solar intensities in current Mars orbit	389
B.1.1	Introduction	389
B.1.2	Irradiance in a clear atmosphere	391
B.1.3	Effect of atmosphere	391
B.1.3.1	The direct beam	393
B.1.3.2	Simple "two-flux" model of scattering and absorption of sunlight in the Mars atmosphere	395
B.1.3.3	Sophisticated model of scattering and absorption of sunlight in the Mars atmosphere	398
B.2	Solar intensities on a horizontal and tilted surfaces.	400
B.2.1	Nomenclature	402
B.2.2	Solar intensity on a horizontal surface	403
B.3	Solar intensities on a fixed tilted surface	404
B.3.1	The diffuse component on a tilted surface	405
B.3.2	Reflection from ground in front of tilted collector	407
B.3.3	Total intensity on a tilted surface	407
B.3.4	Rotating tilted surfaces	407
B.4	Numerical estimates of solar intensities on Mars	408
B.4.1	Solar energy on horizontal surfaces	408
B.4.1.1	Daily total insolation	408
B.4.1.2	Hourly insolation patterns on a horizontal surface	411
B.4.1.3	Total insolation on a horizontal surface over a Martian year	411
B.4.2	Solar intensities on sloped surfaces	411
B.4.2.1	Fixed slope surfaces	411
B.4.2.2	Rotating Sun-facing tilted planes	415
B.4.3	Solar energy on Mars over the last million years	418
B.4.3.1	Variations in the Mars orbit	418
B.4.3.2	Insolation on horizontal surfaces over a million years	419
B.4.3.3	Insolation on tilted surfaces over a million years	421

B.5	Effect of dust on array surfaces—simple models	425
B.5.1	Introduction	425
B.5.2	Optical depth	426
B.5.3	Particle size distribution	426
B.5.4	Number of dust particles in vertical column	428
B.5.5	Rate of settling of dust particles	428
B.5.6	Initial rate of obscuration	429
B.5.7	Longer term buildup of dust	429
B.6	Pathfinder and MER data on dust obscuration	432
B.7	Aeolian removal of dust from surfaces	438
B.8	Obscuration produced by dust on solar arrays	440
B.8.1	JPL experiments—2001	440
B.8.2	Summary and conclusions on dust obscuration	441
C	Water on Mars	445
C.1	Introduction	445
C.2	Background information	448
C.2.1	Temperatures on Mars	448
C.2.2	Pressures on Mars	451
C.2.3	Water vapor concentrations on Mars	453
C.3	Equilibrium models for subsurface ice	455
C.3.1	Introduction	455
C.3.2	Models for stability of subsurface ground ice on Mars— current conditions	457
C.3.3	Long-term evolution of water on Mars	464
C.3.4	Effect of Mars orbit variations during the past ~1 million years	465
C.3.5	Evolution of south polar cap	471
C.4	Experimental detection of water in Mars' subsurface by neutron spectroscopy from orbit	472
C.4.1	Introduction	472
C.4.2	Original data reduction	474
C.4.3	Modified data reduction	474
C.4.4	Water content based on uniform regolith model	475
C.4.5	Water content based on a two-layer regolith model at equatorial and mid-latitudes	475
C.4.6	Interpretation of depth from neutron measurements	476
C.5	Comparison of neutron data with physical properties of Mars	478
C.5.1	Surface and atmospheric properties	478
C.5.2	Water deposits vs. topography at low and mid-latitudes	481
C.5.3	Seasonal distribution of equatorial near-surface water	484
C.6	The polar caps	484
C.7	Liquid water on Mars	486
C.7.1	Regions where surface temperature excursions exceed 273.2 K	486

xiv Contents

C.7.2	Liquid water below the surface	491
C.7.3	Imaging indications of recent surface water flows	493
C.7.3.1	Gullies	493
C.7.3.2	Surface streaks	496
C.8	Evidence from craters	498
C.8.1	Introduction	498
C.8.2	The work of Nadine Barlow (and friends)	500
C.8.3	Other crater studies	505
C.8.4	Commentary	506
C.9	Summary	510
Index		513