

Contents

Preface — V

List of contributing authors — XIII

Sabir Ahammed and Brindaban C. Ranu

1 Copper nanoparticles catalyzed carbon–heteroatom bond formation and synthesis of related heterocycles by greener procedures — 1

- 1.1 Introduction — 1
- 1.2 Carbon–heteroatom bond formation — 2
 - 1.2.1 C–N bond formation — 2
 - 1.2.2 C–O bond formation — 15
 - 1.2.3 C–S bond formation — 18
 - 1.2.4 C–Se bond formation — 23
 - 1.2.5 C–P bond formation — 26
- 1.3 Conclusions — 28
- References — 29

Simranpreet K. Wahan, Sangeeta Sharma and Pooja A. Chawla

2 Synthesis of quinazolinone and quinazoline derivatives using green chemistry approach — 33

- 2.1 Introduction — 33
- 2.2 Use of catalyst for preparing quinazolinone derivatives — 35
- 2.3 Metal-free conditions — 41
- 2.4 Microwave assisted synthesis — 42
- 2.5 Conclusion — 45
- References — 45

Sharma Arvind Virendra, Simranpreet K. Wahan, Chandrakant Sahu and Pooja A. Chawla

3 Green synthesis of various saturated S-heterocyclic scaffolds: an update — 49

- 3.1 Introduction — 49
- 3.2 Principles of green chemistry — 50
- 3.3 Synthesis of sulphur containing heterocyclic compound — 51
 - 3.3.1 Synthesis of thiirane — 52
 - 3.3.2 Synthesis of thiane — 57
 - 3.3.3 Synthesis of thiolane — 62
 - 3.3.4 Miscellaneous synthesis of saturated S-containing heterocycles — 65
- 3.4 Conclusions — 69
- Abbreviation — 69
- References — 70

Sabbasani Rajasekhara Reddy and Jyothylakshmi Jayakumar

4 Cu-Catalysed tandem reactions for building poly hetero atom heterocycles-green chemistry tool — 75

- 4.1 Introduction — 75
- 4.2 Synthesis of heterocycles — 77
 - 4.2.1 Synthesis of annulated heterocyclic compounds — 78
 - 4.2.2 Synthesis of benzoxazines — 82
 - 4.2.3 Synthesis of fused pyrrolobenzoxazinones and pyrroloquinazolinones — 83
 - 4.2.4 Synthesis of poly heterocyclic compounds using one-pot methodology — 85
- 4.3 Transition metal catalysed isoindolinones synthesis — 86
- 4.4 Synthesis of fluoroalkylated isoxazoles — 89
- 4.5 Fabrication of acid-responsive poly indolones — 91
- 4.6 Cu-catalysed intermolecular cross-coupling — 91
- 4.7 Multicomponent polymerization reactions (MCPs) — 92
 - 4.7.1 Synthesis of iminocoumarin/quinoline-based poly N-sulfonylimines — 92
- 4.8 Cascade synthesis of pyrroles — 95
- 4.9 Conclusions — 97
- References — 97

Ramadan Ahmed Mekheimer, Mohamed Abd-Elmonem, Mohamed Abou Elsebaa, Maiiada Hassan Nazmy, and Kamal Usef Sadek

5 Recent developments in the green synthesis of biologically relevant cinnolines and phthalazines — 101

- 5.1 Introduction — 101
- 5.2 Cinnolines — 103
 - 5.2.1 Synthesis of cinnoline derivatives — 104
- 5.3 Phthalazine — 148
 - 5.3.1 Synthesis of phthalazine derivatives — 148
- 5.4 Conclusions — 176
- References — 177

Dwaipayan Das, Moumita Saha and Asish. R. Das

6 Synthesis, properties and catalysis of quantum dots in C-C and C-heteroatom bond formations — 187

- 6.1 Introduction — 187
- 6.2 Properties of quantum dot — 193
 - 6.2.1 Surface reactivity of quantum dot — 194
 - 6.2.2 Optical properties — 195

6.2.3	Quantum yield —	195
6.2.4	Cytotoxicity of QD —	196
6.2.5	Recyclability of QD —	197
6.3	Synthesis of QD —	197
6.4	Characterization of QD —	200
6.5	Applications of quantum dot in miscellaneous fields —	201
6.5.1	Bio-imaging —	201
6.5.2	Photovoltaic devices —	202
6.5.3	Photodetectors —	202
6.5.4	Light emitting devices —	203
6.5.5	Quantum computing —	203
6.5.6	As a photocatalyst in organic syntheses —	203
6.6	Application of QD in C–C and C–X (X = heteroatom) bond formation —	204
6.6.1	Synthesis of xanthenes using CuS quantum dots (QDs) catalyst —	204
6.6.2	Copper (I) sulfide QD-catalyzed synthesis of 4-phenyl-1 <i>H</i> -1,2,3-triazole —	206
6.6.3	Hydrogenation of imines from amines via hydrogen transfer using QD as catalysts —	210
6.6.4	C–C bond formation using quantum dot as photoredox catalysts —	213
6.6.5	Pd–Ag@CQD nanohybrid for the Suzuki Coupling —	217
6.6.6	Graphene quantum dots functionalized Fe ₃ O ₄ nanoparticles supported PdCu for Sonogashira coupling —	219
6.6.7	Piperidine-functionalized Fe ₃ O ₄ supported graphene quantum dots for the synthesis of 2-aminochromenes —	222
6.6.8	CuS QD catalyzed synthesis of DHPMS —	225
6.6.9	Synthesis of hydrophobic cellulose aerogel-based graphene quantum dot/Pd as heterogeneous catalyst in oxidation of alcohols and alkenes —	228
6.6.10	Iron oxide nanoparticles modified with carbon quantum nanodots for the Suzuki reaction —	231
6.6.11	Synthesis of indeno and acenaphtho cores using SnO ₂ quantum dot —	233
6.6.12	Uncapped SnO ₂ quantum dot catalyzed rapid and green synthesis of pyrano[2,3- <i>c</i>] pyrazole and spiro-2-oxindole derivatives —	235
6.7	Future aspects of QD —	238
6.8	Advantages and limitations —	239
6.9	Conclusion —	240
	List of abbreviations —	240
	References —	242

Sasadhar Majhi

7	Synthesis of bioactive natural products and their analogs at room temperature – an update — 259
7.1	Introduction — 259
7.2	Applications of the total synthesis of bioactive natural products and their analogs at room temperature — 261
7.2.1	Antibiotic — 261
7.2.2	Polyketide — 262
7.2.3	Macrolide — 266
7.2.4	Terpene — 277
7.2.5	Miscellaneous — 280
7.3	Conclusions — 282
	References — 283

Kantharaju Kamanna and Yamanappagouda Amaregouda

8	Synthesis of bioactive scaffolds catalyzed by agro-waste-based solvent medium — 287
8.1	Introduction — 288
8.2	Multicomponent reactions — 292
8.2.1	Extraction and characterization of agro-waste ash powder or extract solution — 294
8.2.2	Homogeneous agro-waste solvent media used for the organic scaffolds synthesis — 296
8.2.3	Heterogeneous agro-waste for organic scaffolds synthesis — 314
8.3	Future perspectives and challenges of agro-waste catalyst — 320
8.4	Conclusions — 320
	List of abbreviations — 321
	References — 322

Arvind Singh, Bhupinder Kaur, Aditi Sharma, Anu Priya, Manmeet Kaur, Mussarat Shamim and Bubun Banerjee

9	One-pot multi-component synthesis of diverse bioactive heterocyclic scaffolds involving 6-aminouracil or its <i>N</i>-methyl derivatives as a versatile reagent — 331
9.1	Introduction — 331
9.2	Synthesis of heterocycles involving 6-amino-1,3-dimethyl uracil via MCR in water — 332
9.2.1	Synthesis of pyrazolo[4',3':5,6]pyrido[2,3- <i>d</i>]pyrimidine-diones — 332
9.2.2	Synthesis of Spiro[pyrimido[4,5- <i>b</i>]quinoline-5,5-pyrrolo[2,3- <i>d</i>]pyrimidine]-pentaones — 332

9.2.3	Synthesis of isoxazolo[5,4- <i>b</i>]quinolin-4-yl)pyrimidine-2,4(1 <i>H</i> ,3 <i>H</i>)-diones and isoxazolo[5,4- <i>b</i>]quinolin-4-yl)-1 <i>H</i> -pyrazol-5-amines —	334
9.2.4	Synthesis of functionalized dihydropyrido[2,3- <i>d</i>]pyrimidines —	335
9.2.5	Synthesis of polyfunctionalized pyrido[2,3- <i>d</i>]pyrimidines —	335
9.2.6	Synthesis of 5-aryl-pyrimido[4,5- <i>b</i>]quinoline-2,4,6-triones —	337
9.3	Solvent-free synthesis of heterocycles involving 6-amino-1,3-dimethyl uracil <i>via</i> MCR —	337
9.3.1	Synthesis of novel pyrimidinedione derivatives —	338
9.3.2	Synthesis of pyrimido[4,5- <i>d</i>]pyrimidine-2,4-diones —	339
9.3.3	Synthesis of naphthopyranopyrimidines —	339
9.3.4	Synthesis of spiro pyridodipyrimidines —	340
9.3.5	Synthesis of pyrido[2,3- <i>d</i>]pyrimidines —	342
9.4	Synthesis of heterocycles involving 6-amino-1,3-dimethyl uracil <i>via</i> MCR in alcohol —	342
9.4.1	Synthesis of pyrido[2,3- <i>d</i>]pyrimidine(1 <i>H</i> ,3 <i>H</i>)-2,4-diones —	342
9.4.2	Synthesis of fused pyridines —	343
9.4.3	Synthesis of substituted pyrimido[4,5- <i>d</i>]pyrimidones —	343
9.4.4	Synthesis of 6-(phenylsulfonyl)-5-(aryl)-6,8a-dihydropyrido[2,3- <i>d</i>]pyrimidine-2,4-diones —	344
9.4.5	Synthesis of novel oxindolylpyrrolo[2,3- <i>d</i>]pyrimidines —	344
9.4.6	Synthesis of 6-aryl-5-(1-cyclohexen-1-yl)pyrrolo[2,3- <i>d</i>]pyrimidines —	345
9.4.7	Synthesis of pyrido[2,3- <i>d</i>]pyrimidines —	346
9.4.8	Synthesis of 1,4-dihydrobenzo[<i>b</i>][1,8]-naphthyridines and pyrano[2,3- <i>b</i>]quinolines —	347
9.4.9	Synthesis of hexahydropyrimido[4,5- <i>b</i>]-1,8-naphthyridine derivatives —	348
9.5	Synthesis of heterocycles involving 6-amino-1,3-dimethyl uracil <i>via</i> MCR in acetic acid —	349
9.5.1	Synthesis of naphthaquinone and pyrimidine fused 1,4-dihydropyridines —	349
9.5.2	Synthesis of 5-unsubstituted 6-(benzimidazol-2-yl)pyrido[2,3- <i>d</i>]pyrimidino-2,4(1 <i>H</i> ,3 <i>H</i>)-diones —	350
9.6	Conclusions —	351
	References —	352

Aparna Das, Ram Naresh Yadav and Bimal Krishna Banik

10	Conceptual design and cost-efficient environmentally Benign synthesis of beta-lactams —	357
10.1	Introduction —	357
10.2	Synthesis of beta-lactams —	358

XII — Contents

10.2.1	Results with acid derivatives under different conditions —	358
10.2.2	Discussions of the results with acid derivatives —	360
10.2.3	Indium-catalyzed glycosylation of amino β -lactams —	365
10.2.4	Synthesis of pyrrole-substituted β -lactams —	367
10.2.5	Azide-alkyne cycloaddition in β -Lactams —	369
10.2.6	Cycloaddition with sterically hindered imines: Synthesis of β -Lactams —	374
10.2.7	Michael reaction toward polycyclic oxazepenes —	377
10.2.8	Synthesis of two isomers of thienamcin side chain via glycosylation —	380
10.3	Conclusion —	384
	References —	384
Index —		389