# **Contents**

Foreword V	•
------------	---

Cha	ter 1	
-----	-------	--

Why	extending	g fluid	machine	life is	still an	essential	pursuit	1
-----	-----------	---------	---------	---------	----------	-----------	---------	---

- 1.1 Upgrading vintage process machinery: the full picture 1
- 1.2 The path forward 2
- 1.3 Turning visions into actions 2
- 1.4 Goals 4
  Reference 6

#### Chapter 2

#### The people and the business case — 7

- 2.1 Everything starts with people 7
- 2.1.1 Good leaders 7
- 2.1.2 You 8
- 2.1.3 Who's who in our quest for excellence 9
- 2.1.4 Tools needed —— 11
- 2.1.5 Work requests 12
- 2.1.6 Tracking software 12
- 2.1.7 Elementary failure analysis facilitated —— 13 Reference —— 15

### **Chapter 3**

### Better rolling element bearings are available — 17

- 3.1 API 610 and process pump bearings 18
- 3.2 Thrust load considerations —— 19
- 3.3 Lubricant application choices 19
- 3.4 Competent vendors explained 22
- 3.5 Bearing internal clearances are important 22
- 3.6 Changing the culture 24
  References 26

## Chapter 4

# Understanding value calculations using bearing housing protectors as our example —— 27

- 4.1 Comparing cost of ownership 27
- 4.1.1 Comparing cost of ownership 29
- 4.1.2 Calculating upgrade justification by empirical rules of thumb 29
- 4.1.3 A second rule of thumb 31
- 4.1.4 Using pressure-balanced constant-level lubricators 32



4.1.5 4.1.6	Where contaminants come from —— 32 How to stop the contamination —— 33 References —— 34
Chapter !	5
Upgradin	g general purpose steam turbines —— 35
5.1	Consider two elements of bearing protection for small steam
	turbines — 35
5.1.1	Optimizing both steam gland selection and bearing housing protection —— 35
5.1.2	Drawbacks of segmented carbon gland inserts — 36
5.2	
5.2.1	Bearing housing protector seals are the second line of defense —— 39 Planned upgrade implementation speed up work —— 40
5.2.2	Considering component upgrade versus machine replacement
J.Z.Z	option —— 41
5.2.3	Concluding remarks —— 43
3.2.3	References — 44
	References 44
Chapter	6
-	cal seal selection facilitated by applying principles of machinery
	ssessment —— 45
6.1	Zeroing in on best available technology —— 45
6.2	Improving existing machine components — 46
6.3	MQA highlights —— 46
6.4	Select the right seal and Flush Plan —— 48
6.5	Alternative solutions explored by a US refinery —— 50
6.6	Best practices solutions highlighted —— 51
6.7	Will the best seal fit? —— 53
6.8	Recommendations for sealing relatively hot pumps in light
	hydrocarbon services —— 54
	References —— 55
Chapter 7	
	eals: success, OEMs versus non-OEMs, questions, and what to
emphasi	
7.1	Conventional "wet" seals — 57
7.2	Moves toward "dry gas" seals — 57
7.3	How dry gas seals function — 59
7.4	Minimizing the risk of sealing problems —— 59
7.4.1	Gas composition — 61
7.4.2	Seal safety and reliability —— 62
7.4.3	Non-OEMS —— <b>62</b>

7.5.1 Emphasize seal gas systems — 64 7.6 Making technically sound decisions — 65 7.7 Making economically sound choices — 65 7.8 Deliverables summarized for discussion by client and supplier — 67 7.8.1 Test gas — 67 7.9 The DGS repair process — 67 7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.3.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 83 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82		
7.6 Making technically sound decisions — 65 7.7 Making economically sound choices — 65 7.8 Deliverables summarized for discussion by client and supplier — 67 7.8.1 Test gas — 67 7.9 The DGS repair process — 67 7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites — an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 83 8.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.5	Combining OEM design expertise and OEM repair know-how —— 63
7.7 Making economically sound choices — 65 7.8 Deliverables summarized for discussion by client and supplier — 67 7.8.1 Test gas — 67 7.9 The DGS repair process — 67 7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 83 8.3.1 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.5.1	Emphasize seal gas systems —— 64
7.8 Deliverables summarized for discussion by client and supplier — 7.8.1 Test gas — 67 7.9 The DGS repair process — 67 7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites — an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 83 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.6	Making technically sound decisions —— 65
7.8.1 Test gas — 67 7.9 The DGS repair process — 67 7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites — an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 83 8.3.1 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.7	Making economically sound choices —— 65
7.9 The DGS repair process — 67 7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.8	Deliverables summarized for discussion by client and supplier — 66
7.10 Replacement and rebuilding steps — 68 7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.8.1	Test gas —— 67
7.10.1 Your "Specification of Deliverables" — 69 7.10.2 Predefine your preferred DGS repair and reconditioning firms — 70 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73 8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73 8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1.1 Illustrating the DN approach — 82 1 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	7.9	The DGS repair process —— 67
7.10.2 Predefine your preferred DGS repair and reconditioning firms — 76 References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73  8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73  8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73  8.2 Three benefits highlighted — 75  8.2.1 Avoiding pump seizures — 75  8.2.2 Improved reliability — 75  8.3.3 The Perf-Seal® — 76  8.3.1 Working with competent pump rebuilders — 77  8.3.2 Results of an authoritative long-term field study made by a user — 83.3.  Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79  References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	7.10	Replacement and rebuilding steps —— 68
References — 71  Chapter 8  Why consider perfluoro-alkoxy carbon-filled polymers — 73  8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73  8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73  8.2 Three benefits highlighted — 75  8.2.1 Avoiding pump seizures — 75  8.2.2 Improved reliability — 75  8.2.3 Increased efficiency — 75  8.3.1 Working with competent pump rebuilders — 77  8.3.2 Results of an authoritative long-term field study made by a user — 83.3 Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79  References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	7.10.1	Your "Specification of Deliverables" —— 69
Why consider perfluoro-alkoxy carbon-filled polymers — 73  8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73  8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73  8.2 Three benefits highlighted — 75  8.2.1 Avoiding pump seizures — 75  8.2.2 Improved reliability — 75  8.2.3 Increased efficiency — 75  8.3 The Perf-Seal® — 76  8.3.1 Working with competent pump rebuilders — 77  8.3.2 Results of an authoritative long-term field study made by a user — 83  8.3.3 Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79  References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	7.10.2	Predefine your preferred DGS repair and reconditioning firms —— 70 References —— 71
Why consider perfluoro-alkoxy carbon-filled polymers — 73  8.1 Upgrading fluid machines with advanced composites – an introduction to reliability-enhancing PFA/CF materials — 73  8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73  8.2 Three benefits highlighted — 75  8.2.1 Avoiding pump seizures — 75  8.2.2 Improved reliability — 75  8.2.3 Increased efficiency — 75  8.3 The Perf-Seal® — 76  8.3.1 Working with competent pump rebuilders — 77  8.3.2 Results of an authoritative long-term field study made by a user — 83  8.3.3 Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79  References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	Chapter	8
introduction to reliability-enhancing PFA/CF materials — 73  8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73  8.2 Three benefits highlighted — 75  8.2.1 Avoiding pump seizures — 75  8.2.2 Improved reliability — 75  8.2.3 Increased efficiency — 75  8.3 The Perf-Seal® — 76  8.3.1 Working with competent pump rebuilders — 77  8.3.2 Results of an authoritative long-term field study made by a user — 83.3 Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79  References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	-	
8.1.1 Consider high-pressure rings and bushings made from fiber-reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.1	Upgrading fluid machines with advanced composites - an
reinforced fluoropolymers — 73 8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90		introduction to reliability-enhancing PFA/CF materials —— 73
8.2 Three benefits highlighted — 75 8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.1.1	Consider high-pressure rings and bushings made from fiber-
8.2.1 Avoiding pump seizures — 75 8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90		reinforced fluoropolymers —— 73
8.2.2 Improved reliability — 75 8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.2	Three benefits highlighted —— 75
8.2.3 Increased efficiency — 75 8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.2.1	Avoiding pump seizures —— 75
8.3 The Perf-Seal® — 76 8.3.1 Working with competent pump rebuilders — 77 8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.2.2	Improved reliability —— 75
8.3.1 Working with competent pump rebuilders — 77  8.3.2 Results of an authoritative long-term field study made by a user — 8.3.3 Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	8.2.3	Increased efficiency —— 75
8.3.2 Results of an authoritative long-term field study made by a user— 8.3.3 Life cycle cost calculation — 79 8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.3	The Perf-Seal® —— <b>76</b>
8.3.3 Life cycle cost calculation — 79  8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.3.1	Working with competent pump rebuilders — 77
8.3.4 Seven rules for using DuPont™ Vespel® CR-6100 — 79 References — 80  Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.3.2	Results of an authoritative long-term field study made by a user — 77
References — 80  Chapter 9  Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90	8.3.3	Life cycle cost calculation —— 79
Chapter 9 Oil rings are the weak link in lubricant application — 81 9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	8.3.4	Seven rules for using DuPont™ Vespel® CR-6100 — 79
Oil rings are the weak link in lubricant application — 81  9.1 Lubricant level and oil application — 81  9.1.1 Illustrating the DN approach — 82  9.2 Issues with oil rings — 83  9.2.1 Oil ring deformation — 85  9.2.2 Upgrading from inexpensive oil rings — 86  9.3 Pressure and temperature balance in bearing housings — 86  9.4 Things to watch with constant level lubricators — 89  9.4.1 Where to place a constant level lubricator — 89  9.4.2 Two lubricators? — 90		References —— 80
9.1 Lubricant level and oil application — 81 9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	Chapter	9
9.1.1 Illustrating the DN approach — 82 9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	Oil rings	
9.2 Issues with oil rings — 83 9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	9.1	Lubricant level and oil application —— 81
9.2.1 Oil ring deformation — 85 9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	9.1.1	
9.2.2 Upgrading from inexpensive oil rings — 86 9.3 Pressure and temperature balance in bearing housings — 86 9.4 Things to watch with constant level lubricators — 89 9.4.1 Where to place a constant level lubricator — 89 9.4.2 Two lubricators? — 90	9.2	Issues with oil rings —— 83
<ul> <li>9.3 Pressure and temperature balance in bearing housings — 86</li> <li>9.4 Things to watch with constant level lubricators — 89</li> <li>9.4.1 Where to place a constant level lubricator — 89</li> <li>9.4.2 Two lubricators? — 90</li> </ul>	9.2.1	•
<ul> <li>9.4 Things to watch with constant level lubricators — 89</li> <li>9.4.1 Where to place a constant level lubricator — 89</li> <li>9.4.2 Two lubricators? — 90</li> </ul>	9.2.2	
<ul> <li>9.4.1 Where to place a constant level lubricator — 89</li> <li>9.4.2 Two lubricators? — 90</li> </ul>	9.3	Pressure and temperature balance in bearing housings —— 86
9.4.2 Two lubricators? —— 90	9.4	<del>-</del>
	9.4.1	
9.5 Cooling water is never needed on pumps with rolling element	9.4.2	
bearings —— 91	9.5	

9.5.1	Redesigned bearing environment — 92
9.6 9.6.1	Pump-around units: the higher-order upgrades —— 94 Exceeding recommended out-of-roundness tolerance is risky —— 94
	References —— 96
Chapter	10
Conside	r today's canned motor pumps —— 99
10.1	Do we really know these pumps? —— 99
10.1.1	Designs that work —— 103
10.1.2	Why we should know —— 103
10.1.3	Not just one wet end manufacturer —— 104
	References —— 104
Chapter	11
More th	an one problem may be at work in machines —— 105
11.1	When deviations combine —— 105
11.2	Case History No. 1 and some of the seven categories of deviation
	explained —— 106
11.2.1	Not a faulty design – (1.a) —— 106
11.2.2	Quality control issues – when and where? —— 106
11.2.3	Off-design or unintended service conditions – (1.e) —— 107
11.2.4	Maintenance-related problems — (1.f) —— 107
11.2.5	Mechanical and assembly flaws – (1.d) —— 107
11.2.6	Improper operation – (1.g) <b>—— 108</b>
11.3	Mechanical seal upgrading —— 108
11.4	Combining deviations in an automobile analogy —— 109
11.5	Case Study No. 2 and the pitfalls of excessively high oil
	viscosity —— 109
11.6	Pump lubrication risks —— 110
11.7	How motor lubrication differed —— 111
11.8	Looking for deviations from acceptable operation —— 111
11.9	Deviations from normal will add to failure risk —— 112
11.10	When deviations combine, failure can be near-certain —— 113
	References —— 114
Chapter	
Commo	n blower improvement opportunities —— 115
12.1	Comparing aeration blower technologies —— 117
12.1.1	Power consumer —— 117
12.1.2	Parameters that need to be compared —— 117
12.1.3	Emphasis on modern technology —— 121
	References —— 121

Chapter	13	
Integral	gear CO <sub>2</sub> compressors offer high reliability and efficiency — 123	
	Reference —— 127	
Chapter	14	
Power tr	ransmission couplings: select the best configurations —— 129	
14.1	Historical developments —— 129	
14.1.1	How "dry" metallic couplings function —— 129	
14.1.2	Excellent life expectancy —— 132	
14.1.3	Initial choice —— 132	
14.2	Comparison of coupling flexible elements —— 133	
14.2.1	Torsional stiffness —— 133	
Appendi	ix 1 rly condition monitoring to wireless sensor technology —— 135	
i i o iii ea	try condition monitoring to whetess sensor technology	
Appendi	ix 2	
Training	reliability professionals and subject matter experts —— 147	
Appendi	ix 3	
Specifying pumps for the oil and gas industries —— 159		
Index —	<b>— 195</b>	