

Contents

Lists of Figures and Tables — XXIII

Part I

- 1 The David Bohm analogy: a forgotten idea on the origin of mass — 3**
- 2 Universal lengths of atomic physics and statistical physics — 7**
- 3 Charge localization and delocalization — 11**
 - 3.1 Metallic liquids — 12**
 - 3.2 The universal screening length and the Mott metal-insulator transition — 12**
 - 3.3 The nine-dimensional hypersphere as a possible ordering principle and the meaning of π — 14**
 - 3.3.1 The mass ratio m_p/m_e — 16**
 - 3.3.2 The periodic table of elements — 16**
 - 3.3.3 Stability of atomic nuclei — 17**
 - 3.3.4 The strongest emission lines of atomic hydrogen — 18**
- 4 The universal length for short-range order — 21**
 - 4.1 Properties of glasses — 23**
 - 4.2 The Lorenz number for metals — 23**
 - 4.3 The rule of Pictet and Trouton — 24**
 - 4.4 The Mooij rule — 25**
 - 4.5 Amorphous carbon — 26**
- 5 Calculation of universal parameters by means of the David Bohm analogy — 29**
 - 5.1 The universal London length — 29**
 - 5.2 The elementary volume and the calculation of the reference temperature — 30**
 - 5.2.1 The best electrical conductor silver — 32**
 - 5.2.2 Bad metals — 33**
 - 5.2.3 Metal clusters — 34**
 - 5.3 Manifestations of the reference temperature in the physical reality: a selection — 34**
 - 5.3.1 The critical temperature of water — 35**
 - 5.3.2 The Debye temperature of diamond — 35**

5.3.3	The phonon density of states of polycrystalline diamond —	35
5.3.4	The Raman G line of graphite —	36
5.3.5	The Raman line of silicon —	37
5.3.6	The minimum thermal conductivity —	37
5.3.7	The logistic model and collective magnetism —	39
5.4	The Sommerfeld constant as a number constant —	41
5.4.1	The magnetic-moment anomaly of the free electron —	43
5.4.2	The Shahar Hod limit —	45
5.5	The universal interaction particle as a consequence of the reference temperature —	45
5.5.1	Localization energy of m_0 —	46
5.5.2	The electron neutrino —	47
5.6	The geometrization of physical quantities —	47
5.7	The universal particle number density —	49
5.7.1	The critical current limit —	50
6	The universal energy density —	53
6.1	The origin of the electron mass m_e and its definition by the Planck constant h and the speed of light c —	54
6.2	The hyperfine splitting of atomic hydrogen and the problem of molecular hydrogen in cosmic space —	58
6.3	The universal intergalactic length scale —	59
6.4	An estimate of the upper limit of the neutrino mass in the beta decay —	61
6.5	The gravitational self-energy and the connection of the Newton constant G to h and c —	64
6.5.1	The calculation of Newton's constant G and the problem of atomic stability —	66
6.5.2	A tour to the world of pions —	68
6.5.3	A tour to the world of condensed matter —	69
7	Universal parameters of collective vibrations of the plasma —	71
7.1	Amorphous germanium —	71
7.2	Si:P near the metal–insulator transition —	72
8	The duality relation or the connection between microcosm and macrocosm —	73
8.1	The mean charge radius of the proton and the nucleon density of extended nuclei —	75
8.1.1	The nucleon density of extended nuclei —	76
8.2	The parameterizing of nuclear binding energies and the associated energy scale —	77

8.2.1	The light quark masses of baryonic matter in the reductionist view of the Standard Model — 78
8.3	The universal gravitational interaction length and the MODified Newtonian Dynamics model — 79
9	The classical concept of the electrostatic field energy — 83
9.1	The electrostatic pressure and the universal energy density — 83
9.1.1	The model of Hendrik Casimir for the calculation of the fine-structure constant — 84
9.1.2	The experiment of U. Mohideen and Anushree Roy — 85
9.1.3	The experiment of H. B. Chan and coworkers — 86
9.2	The total field energy and the corresponding temperature of the different field types — 87
9.2.1	The electron–positron reaction — 88
9.2.2	The primordial abundance of ${}^4\text{He}$ — 89
9.2.3	Remarks on $T(r = r_{\text{no}})$ — 90
9.2.4	The spatial hysteresis of the microelectromechanical actuator — 91
9.2.5	The photosphere of the sun or the energy scale of stars — 92
9.2.6	The ${}^7\text{Li}$ abundance of stars — 93
9.2.7	The solar corona — 93
9.2.8	Grote Reber — 94
9.3	Raman lines of diamond and graphite: Are they based on interactions with fields? — 95
9.3.1	Single-crystal sp^3 -hybridized diamond — 95
9.3.2	Highly oriented pyrolytic sp^2 -hybridized graphite — 96
9.3.3	Disordered sp^2 -hybridized graphite — 96
9.3.4	Splitting of the G line of graphite by aromatic adsorbates — 97
9.3.5	The dependence of certain Raman lines on the excitation energy — 97
9.4	The Boson peak and the thermal conductivity plateau in amorphous materials — 99
9.4.1	The plateau in the thermal conductivity of amorphous materials — 100
9.5	Rydberg atoms: the transition from quantum mechanics to classical physics — 101
10	The radiation formula of Max Planck — 105
10.1	The diffuse microwave background radiation and the connection to the reference temperature — 107
10.2	The diffuse background radiation at high energies and the connection to the energy scale of nuclear binding — 109
10.3	The interdependence of h , c and the Boltzmann constant k_{B} — 110

- 11 The gravitational fine-structure constant α_{grav} as a number constant and the connection to α — 115**
 - 11.1 Formulaic connection between astronomy and atomism — 116
 - 11.1.1 The idea of Ernst Mach — 118
 - 11.1.2 Neutron stars — 118
 - 11.1.3 The Dirac conjecture about the connection of α_{grav} with α_{geom} — 118
 - 11.2 The universal Fermi constant as a number constant and the connection to gravity — 119
 - 11.3 Particle lifetime ratios — 121
 - 11.4 Representation of the anomalous magnetic moment of the muon by means of coupling constants — 122
 - 11.5 The Z and W bosons — 123
 - 11.5.1 The particle number density n and the mass m_z — 125
 - 11.6 The collective magnetic interaction as a number constant and the associated energy scale — 126
 - 11.6.1 The magnetic coupling constant of the long-range exchange interaction — 126
 - 11.7 Representation of the anomalous magnetic moment of the electron by means of coupling constants — 129
- 12 Interpretations of astronomical measurements with universal parameters — 133**
 - 12.1 The total mass density and the Hubble parameter — 133
 - 12.1.1 The mean total mass density — 133
 - 12.1.2 The radiation temperature T_{rad} — 135
 - 12.1.3 The Hubble parameter H_0 — 135
 - 12.1.4 The Jeans length: an interesting identity — 136
 - 12.1.5 The quantization of redshift: a controversial topic — 137
 - 12.2 Interpretation of two experimental findings of cosmic radiation by means of coupling constants — 138
 - 12.2.1 E. Regener: the permanent ionizing primary radiation — 138
 - 12.2.2 The cosmic ray energy spectrum — 139
- 13 Our star – the sun — 143**
 - 13.1 The spectral radiant flux density: the transition between disturbed and quiet solar activity — 143
 - 13.2 Interpretation of the critical frequency of the ionosphere by means of universal parameters — 144
 - 13.3 The electric sun hypothesis: an alternative view of the internal energy source — 146

14	Phenomenological cataloging of particles with Hall fractions — 149
14.1	The muon–electron mass ratio — 151
14.2	Mass ratios of other particles — 153
14.2.1	Compilation of mass ratios — 155
14.3	The transformation of the muon — 159
14.4	Transformations of other particles — 162
14.5	The exotic positronium atom — 173
14.5.1	Hyperfine splitting — 175
14.6	Magnetic moments of heavy particles — 175
14.7	Charge radii of light hadrons — 177
15	Interpretation of hydrogen-like systems with α as a number constant — 181
15.1	The correction or scaling factor γ — 182
15.2	Phenomenological extension of the Dirac–Sommerfeld model — 183
15.3	The 1S–2S transition in atomic hydrogen and the famous Lamb shift — 184
15.4	Ionization energies and the interaction of the electron with the nucleus — 185
15.5	The hfs and the Fermi contact formula — 188
15.5.1	Hydrogen: the most accurate hfs measurement ever made — 189
15.5.2	Muonic hydrogen (μp) — 191
15.5.3	Deuterium — 192
15.5.4	Muonic deuterium (μd) — 194
15.5.5	Muonium (Mu): a door to a different view — 194
15.6	The spin g-factor of the electron in $^{12}\text{C}^{5+}$, $^{16}\text{O}^{7+}$ and $^{28}\text{Si}^{13+}$ — 197

Part II

16	The boundary between semimetal and insulator — 203
16.1	Electrical transport measurements of thin film resistive layers with mesoscopic geometries — 203
16.1.1	Short description of the samples used and the measuring principle applied — 205
16.2	The temperature dependence of the electrical resistance — 206
16.2.1	The ab plane: normalization of the measured data with the reference temperature τ — 310
16.3	Geometry dependence of resistivity — 214
16.3.1	Width dependence at constant length and constant temperature: the existence of critical widths — 215

16.3.2	Length dependence at constant width and constant temperature: the existence of critical lengths —	220
16.3.3	Temperature behavior with variable geometry: pronounced size effects —	221
16.4	Thermal hysteresis as a result of nonlinear behavior —	225
16.4.1	The fingerprint in the TCR versus T characteristic —	228
16.4.2	Influence of the size on the thermal hysteresis —	230
16.4.3	Indications of the existence of a basic energy scale —	231
16.5	Emergent behavior of electrical transport —	234
16.5.1	Measurements alpha —	235
16.5.2	Measurements beta —	237
16.5.3	Measurements gamma —	238
16.5.4	Measurements delta —	241
16.5.5	Measurement epsilon —	245
16.5.6	Measurement zeta —	246

Appendix — 249

A1	Special characters —	249
A2	Frequently used terms —	249
A3	Physical units —	249
A4	Symbolic characters and their values —	251
A5	Page directory of approaches —	255
A6	Page directory of definitions —	255
A7	Page directory of formulas —	256
A8	Page directory of relations —	257
A9	Page directory of hypotheses, equations and conditions —	259

Register — 261