

Contents

Foreword — V

List of contributing authors — XVII

Mohammed Ismael

1	Hydrogen production via water splitting over graphitic carbon nitride (g-C₃N₄)-based photocatalysis — 1
1.1	Introduction — 1
1.1.1	Background — 1
1.1.2	TiO ₂ as common photocatalysts and other photocatalysts — 2
1.1.3	Graphitic carbon nitride (g-C ₃ N ₄) — 3
1.1.4	The principle of H ₂ production via water splitting — 5
1.2	Synthesis and morphology tuning of g-C ₃ N ₄ -based photocatalysts — 7
1.3	Characterization of g-C ₃ N ₄ -based photocatalysts — 13
1.4	Hydrogen generation of g-C ₃ N ₄ -based photocatalysts — 18
1.4.1	Metal-doped g-C ₃ N ₄ — 18
1.4.2	Nonmetal-doped g-C ₃ N ₄ — 20
1.4.3	Noble-metal loading g-C ₃ N ₄ — 22
1.4.4	Heterojunction formation of g-C ₃ N ₄ -based photocatalysts — 23
1.4.5	Large scale production of hydrogen over g-C ₃ N ₄ : simulation and modeling — 26
1.4.6	Scale-up and design of processes (the role of process systems engineering) — 27
1.5	Conclusions — 28
	References — 29

Mahmoud Mostafa, Christopher Varela and Edwin Zondervan

2	Optimization of electrolysis and carbon capture processes for sustainable production of chemicals through Power-to-X — 41
2.1	Introduction — 41
2.2	Process modelling and optimization — 42
2.2.1	Dynamic carbon capture — 42
2.2.2	Alkaline water electrolysis — 45
2.3	Results and discussion — 49
2.3.1	Process integration with renewable energies — 49
2.3.2	Process integration with electrolysis — 52
2.4	Conclusions — 53
	List of Abbreviations — 54
	References — 54

Timo Wassermann, Henry Mühlenbrock, Philipp Kenkel, Jorg Thöming, and Edwin Zondervan

3	Optimization of hydrogen supply from renewable electricity including cavern storage — 55
3.1	Introduction — 56
3.2	Methodology — 58
3.2.1	Problem statement — 59
3.2.2	Optimization model — 60
3.3	Case studies — 72
3.3.1	Wind power — 73
3.3.2	Electricity grid — 75
3.3.3	Hydrogen demand — 76
3.4	Simulation procedure — 76
3.5	Results and discussion — 77
3.5.1	Optimal system configuration and schedule: present H ₂ demand — 77
3.5.2	Optimal system configuration and schedule: PtM H ₂ demand — 80
3.5.3	Economics and carbon footprint — 82
3.5.4	Validation of linear cavern model — 85
3.6	Conclusions and outlook — 86
	Nomenclature — 87
	Index of abbreviations — 87
	Optimization model — 87
	Parameters and variables — 88
	Appendix — 89
	References — 92

Philipp Kenkel, Christian Schnuelle, Timo Wassermann and Edwin Zondervan

4	Integrating multi-objective superstructure optimization and multi-criteria assessment: a novel methodology for sustainable process design — 97
4.1	Introduction — 98
4.2	Methodology — 100
4.2.1	Superstructure formulation (step 1) — 100
4.2.2	Criteria definition and importance weighting (steps 2 and 3) — 100
4.2.3	Single criterion optimization (step 4) — 102
4.2.4	Normalization (step 5) — 103
4.2.5	Reformulation and multi-objective optimization (step 6) — 104
4.3	Case study — 104
4.3.1	General assumptions — 105
4.3.2	Power-to-X process — 107
4.3.3	Biomass-to-X process — 108
4.4	Results and discussion — 109

4.4.1	Superstructure formulation (step 1) —	109
4.4.2	Criteria definition and weighting (steps 2 and 3) —	109
4.4.3	Single-criterion optimization results (step 4) —	111
4.4.4	Reformulation and multi-criteria optimization (steps 5 and 6) —	115
4.4.5	Variation analysis —	118
4.4.6	Sensitivity analysis —	119
4.5	Conclusions —	120
	Nomenclature —	120
	Appendix 4A: Superstructure formulation and representation in OUTDOOR —	122
	Appendix 4B: Case study superstructure representation —	126
	Appendix 4C: Additional results —	127
	References —	128

Thien An Huynh and Edwin Zondervan

5	Process intensification and digital twin – the potential for the energy transition in process industries —	131
5.1	Introduction —	131
5.2	Applications and effects of process intensification on energy transition —	134
5.2.1	Separation technologies —	134
5.2.2	Reaction technologies —	136
5.2.3	Reactive separation technologies —	138
5.3	The effects of digital twin on the energy transition of the process industries —	141
5.4	The combination of PI and DT in process industries, a winning formula? —	144
5.5	Take-away message —	145
	References —	146

Maryam Raeisi and Edwin Zondervan

6	The role of bioprocess systems engineering in extracting chemicals and energy from microalgae —	151
6.1	Introduction —	151
6.2	Microalgae —	152
6.2.1	Microalgae characteristics —	153
6.2.2	Environmental conditions for microalgal biomass production —	154
6.2.3	Significant compounds produced by microalgae —	155
6.3	Algae biorefinery —	157
6.4	Steps in the biorefinery —	158
6.4.1	Methods of algae cultivation —	158
6.4.2	Methods of separating microalgae biomass —	160

- 6.4.3 **Methods of algae cell disruption — 161**
- 6.4.4 **Methods of extraction — 162**
- 6.5 **Role of process system engineering — 164**
- 6.6 **Conclusions — 167**
- References — 167**

Poland Jelihi and Edwin Zondervan

- 7 Exergy analysis of an atmospheric residue desulphurization hydrotreating process for a crude oil refinery — 173**
- 7.1 **Introduction — 174**
- 7.2 **Modelling and simulation — 175**
- 7.2.1 **Modelling and simulation tool — 175**
- 7.2.2 **Input data feed stream and operating condition — 175**
- 7.2.3 **Chemical reactions — 176**
- 7.3 **Process description — 178**
- 7.4 **Exergy theory — 181**
- 7.4.1 **Exergetic analysis — 182**
- 7.5 **Results and discussion — 184**
- 7.5.1 **Exergy destruction — 184**
- 7.5.2 **Exergetic efficiency — 186**
- 7.6 **Proposed improvements for the ARDS HT process — 188**
- 7.7 **Conclusions — 189**
- References — 208**

Tuan B. H. Nguyen, Grazia Leonzio and Edwin Zondervan

- 8 Supply chain optimization framework for CO₂ capture, utilization, and storage in Germany — 211**
- Nomenclature — 211**
- Acronyms — 211**
- Symbols — 212**
- Variables — 212**
- Parameters — 212**
- 8.1 **Introduction — 213**
- 8.2 **Model development — 216**
- 8.2.1 **Problem statement — 216**
- 8.2.2 **CCUS supply chain network model — 217**
- 8.2.3 **Case study — 223**
- 8.3 **Results and discussion — 226**
- 8.4 **Conclusions — 234**
- References — 234**

Anton Ochoa Bique, Leonardo K. K. Maia, Ignacio E. Grossmann and Edwin Zondervan

9 Design of hydrogen supply chains under demand uncertainty – a case study of passenger transport in Germany — 239

- 9.1 Introduction — 239
- 9.2 Sensitivity analysis — 241
- 9.3 Network description and problem statement — 243
 - 9.3.1 Problem description — 244
 - 9.3.2 Formulation of the HSC — 246
- 9.4 Mathematical formulation — 248
 - 9.4.1 Constraints — 248
 - 9.4.2 Objective function — 253
- 9.5 Results and discussion — 255
 - 9.5.1 The optimal HSC configuration — 256
 - 9.5.2 Effects of demand uncertainty — 257
- 9.6 Conclusions — 258
- References — 259

Grazia Leonzio, Pier Ugo Foscolo and Edwin Zondervan

10 Multi-objective optimization of CCUS supply chains for European countries with higher carbon dioxide emissions — 261

- Nomenclature — 261
- Abbreviations — 261
- Parameters — 262
- Variables — 262
- Greek letters — 263
- 10.1 Introduction — 263
- 10.2 Materials and methods — 266
 - 10.2.1 The ϵ -constraint method — 266
 - 10.2.2 The augmented ϵ -constraint method — 267
 - 10.2.3 Model of the CCUS supply chains — 268
 - 10.2.4 Case studies — 271
- 10.3 Results and discussion — 272
 - 10.3.1 The CCUS supply chain of Germany — 272
 - 10.3.2 The CCUS supply chain of Italy — 276
 - 10.3.3 The CCUS supply chain of the UK — 279
 - 10.3.4 Comparison among the different CCUS supply chains — 282
- 10.4 Conclusions — 283
- References — 284

Leonardo K. K. Maia, Anton Ochoa Bique and Edwin Zondervan

- 11 Certainty through uncertainty: stochastic optimization of grid-integrated large-scale energy storage in Germany — 289**
 - Nomenclature — 289
 - Acronyms — 289
 - Sets — 290
 - Parameters — 290
 - Variables — 290
 - 11.1 Introduction — 291
 - 11.1.1 Recent literature in stochastic modeling of energy systems — 292
 - 11.2 Problem statement — 293
 - 11.3 Model development — 293
 - 11.3.1 Model assumptions and data — 293
 - 11.3.2 Scenario generation — 295
 - 11.3.3 Mathematical formulation — 298
 - 11.4 Results and discussion — 300
 - 11.4.1 Sensitivity analysis — 300
 - 11.4.2 Stochastic optimization results — 302
 - 11.5 Conclusions — 304
 - References — 305

Paolo Fracas, Kyle V. Camarda and Edwin Zondervan

- 12 Shaping the future energy markets with hybrid multimicrogrids by sequential least squares programming — 307**
 - 12.1 Introduction — 308
 - 12.1.1 Prediction of climate variables — 310
 - 12.1.2 Electric system operations — 311
 - 12.1.3 Outline of the proposed optimization strategy — 311
 - 12.2 Methods of climate data processing — 313
 - 12.2.1 Prediction of datasets by Inverse Fast Fourier Transform — 313
 - 12.2.2 Prediction of datasets by regression models — 314
 - 12.3 Techno-economic models of the distributed energy resource — 315
 - 12.3.1 Photovoltaic panels — 315
 - 12.3.2 Wind turbines — 317
 - 12.3.3 Thermal and electric load profiles — 318
 - 12.3.4 Energies exchanged among interconnected microgrids — 319
 - 12.3.5 Thermal and electric distributed generators — 319
 - 12.3.6 Thermal and electric energy storage systems — 320
 - 12.4 Optimization algorithm and techno-economic model — 321
 - 12.4.1 Models of DERs costs — 323
 - 12.4.2 Objective function and constraints — 325
 - 12.4.3 State of health of DERs — 326

12.4.4	The financial models —	328
12.5	Results and discussion —	329
12.5.1	Manipulation of climate datasets —	329
12.5.2	Main inputs of the two interconnected microgrids —	330
12.5.3	Discussion of the results —	334
12.6	Conclusions —	338
	List of abbreviations —	339
	References —	340

Johannes Röder and Edwin Zondervan

13	Development of future-proof supply concepts for sector-coupled district heating systems based on scenario-analysis —	343
	Abbreviations —	343
13.1	Introduction —	344
13.2	State of the art —	345
13.3	Modeling and optimization approach —	346
13.3.1	Classification and overview —	346
13.3.2	Mathematical model description —	348
13.3.3	Preliminary and auxiliary calculations —	352
13.4	Structure and parameters of district energy system —	353
13.4.1	Characterization of district and refurbishment scenarios —	353
13.4.2	Structure of district heat supply —	354
13.4.3	Technical and economic parameters —	356
13.5	Scenario framework —	359
13.5.1	Emission factors —	360
13.5.2	Commodity prices —	362
13.6	Results —	364
13.6.1	Impact of global scenarios —	364
13.6.2	Impact of refurbishment scenarios —	371
13.6.3	Discussion —	375
13.7	Conclusions and outlook —	376
	References —	378

Mariela Tapia, Leonard Ramos, Detlev Heinemann and Edwin Zondervan

14	Power to the city: Assessing the rooftop solar photovoltaic potential in multiple cities of Ecuador —	383
14.1	Introduction —	384
14.2	Study area —	386
14.3	Data —	387
14.3.1	GIS datasets —	387
14.3.2	Solar irradiance and meteorological data —	389

- 14.4 Methodology — 389**
 - 14.4.1 Geospatial assessment methodology — 389**
 - 14.4.2 Technical assessment methodology — 390**
 - 14.4.3 Economic assessment — 392**
 - 14.4.4 Sensitivity analysis — 394**
- 14.5 Results and discussion — 395**
 - 14.5.1 Available rooftop area — 395**
 - 14.5.2 Technical assessment results — 396**
 - 14.5.3 Economic assessment results — 402**
 - 14.5.4 Sensitivity analysis results — 404**
- 14.6 Conclusions — 408**
 - Appendix 14.A — 409**
 - Appendix 14.B — 410**
 - Appendix 14.C — 411**
 - Appendix 14.D — 413**
 - References — 414**

Index — 419