

Contents

1	Introduction — 1
2	Preliminaries — 11
2.1	Functional spaces — 11
2.1.1	Lebesgue spaces — 11
2.1.2	Morrey and Campanato spaces — 14
2.1.3	BMO space — 16
2.1.4	Sobolev spaces — 18
2.1.5	Compactness — 20
2.2	Technical lemmas and various inequalities — 23
2.3	Fixed point theorems — 27
2.4	Weighted Gagliardo–Nirenberg inequality involving BMO norms – a simple case and its improvements — 28
2.4.1	Notations — 29
2.4.2	The strong Gagliardo–Nirenberg inequality and its proof — 30
2.4.3	Proof of Theorem 2.4.1 — 31
2.4.4	A new (weak) Gagliardo–Nirenberg inequality — 34
2.4.5	Parabolic version — 38
3	Existence results for cross-diffusion systems — 44
3.1	Models in biology and ecology — 44
3.2	Cross-diffusion models — 45
3.3	A more general evolution cross-diffusion model — 46
3.4	The concepts of strong, weak and strong weak solutions — 47
3.5	The existence of strong weak solutions — 48
3.5.1	The ellipticity and spectral gap conditions — 48
3.5.2	The map $\mathbb{L}$ and its fixed point — 49
3.5.3	Main results — 50
3.6	Uniqueness — 52
3.7	Estimates for the spatial derivatives — 53
3.8	The proof of the main result — 56
3.8.1	A compactness lemma — 57
3.8.2	The space X and $\mathbb{L} : X \rightarrow X$ is compact — 59
3.8.3	Proof of the main theorem — 63
3.9	The corollaries — 64
4	Scalar techniques and diagonalization — 71
4.1	On scalar equations — 72
4.1.1	Global boundedness and a local estimate — 74
4.1.2	A local property of functions in $\mathcal{M}(\Omega, T)$ — 77

4.1.3	Hölder continuity —	78
4.2	Applications to systems —	83
4.2.1	Diagonal systems —	83
4.2.2	Full systems —	85
4.3	Diagonalization and local uniform boundedness —	92
4.3.1	On the inverse of $\mathcal{H}(w_1, w_2)$ —	99
4.4	On conditions (iii) and (iv) of Theorem 4.3.3 —	102
4.4.1	An application of the strong GNBMO inequality —	103
4.4.2	An application of the weak GNBMO inequality (parabolic version) —	110
4.5	Integrability of temporal derivatives —	114
4.6	Dynamics and attractors —	119
5	Existence of solutions to general elliptic systems —	121
5.1	The map $\mathbb{L}$ and the space X —	124
5.2	Estimates for derivatives —	126
5.3	Proof of the main theorem and its corollaries —	129
5.3.1	An application of the weak GNBMO inequality —	133
6	Existence of solutions to elliptic systems of two equations —	137
6.1	On scalar quasilinear elliptic equations —	139
6.1.1	Global boundedness and a local estimate —	140
6.1.2	Hölder continuity —	143
6.2	Applications to systems —	147
6.2.1	Diagonal systems —	148
6.2.2	Full systems —	150
6.2.3	Triangular systems —	151
6.3	The case $m = 2$ —	152
6.3.1	The BMOsmall condition and an example for SKT systems —	158
6.4	Eigenvalue problems in ordered Banach space-Indices —	160
6.4.1	OBSs and positive linear operators —	160
6.4.2	Topological indices on retracts of a Banach space —	163
6.5	Trivial, semitrivial and nontrivial solutions —	166
6.5.1	Abstract theory and index theory in ordered Banach spaces —	166
6.5.2	A concrete example in cross-diffusion systems —	168
6.5.3	The index and eigenvalue problems —	169
6.5.4	Pattern formation —	178
7	Persistence in the dynamics of evolution processes —	182
7.1	Persistence —	183
7.2	The dynamics of evolutionary solutions —	186
7.2.1	Some technicalities and the general case —	186
7.2.2	Different boundary conditions when $\tau > 1$ —	190

7.2.3	General dimension N —	194
7.3	On the number $\tau = r_{L_\lambda^{-1}M}$ and the condition $\tau > 1$ —	197
7.3.1	An application of the anti-maximum principle to the assumption $\tau > 1$ in (7.2) —	197
7.3.2	A minmax formula for τ in (7.11) —	203
7.4	The effect of cross-diffusion when $\tau < 1$ —	204
7.5	A discussion on the condition that $r_{L_\lambda^{-1}M} > 1$ —	212

Bibliography — 219

Index — 223