	How to use this book	
	How to use this book Preface	10
Introduction	Solid and filigree construction	13
	· · · · · · · · · · · · · · · · · · ·	
MATERIALS - MODULES	Modules	
introduction	The importance of the material	19
Properties of materials	The perception of architectural space	20
	The longevity of materials	21
	Masonry	
Introduction	The pathos of masonry	22
Properties of materials	The materials	31
Systems	Masonry terminology	32
	Design and construction	33
	Masonry bonds	35
	Tying and reinforcing double-leaf masonry walls	39
Systems in architecture	The skill of masonry construction	40
	Types of construction	46
	Prefabrication	49
	Concrete	
Introduction	On the metaphysics of exposed concrete	56
Properties of materials	The materials	60
	The concreting process	63
	10 rules for the production of concrete	66
	Exposed concrete surfaces	67
Systems	Floor supports, exposed concrete with internal insulation The fiving of beauty external cladding (exposers)	69
	The fixing of heavy external cladding (concrete) The fixing of heavy external cladding (stone)	70 71
	Chart for establishing preliminary size of reinforced concrete slabs	72
Systems in architecture	Linear structural members	73
Systems in aremidatars	Systems with linear members	74
	Planar structural members	75
	Systems with planar structural members	76
	Timber	
Introduction	Wood: indifferent, synthetic, abstract – plastic	77
Properties of materials	The materials	82
•	Wood-based products: Overview	84
	Wood-based products: Layered products	85
	Wood-based products: Particleboards	87
	Wood-based products: Fibreboards	88
	Important panel and prefabricated systems in Switzerland: Overview	89
	Panel construction: Current developments	94
Systems	Timber construction systems: Overview	96
	Platform frame construction: Construction principle	99
	Chart for establishing preliminary size of timber beams	103
Examples	Conversion of a trunk in traditional Japanese timber building culture The threads of the net	104 106
	Steel	
latroduction	Why steel?	113
Properties of materials	Sections – forms and applications	120
	Fire protection	122
	Potential applications for structural steelwork	123
	Connections: A colection	101

Connections: A selection

Structures - frame with cantilevering beams

Systems



124

126

	Christian france with a satisfactory	100
	Structures – frame with continuous columns	128
	Structures – two-way frame	130
	Chart for establishing preliminary size of steel beams	132
Systems in architecture	Folding and bending	133
	Frames	134
	Girder, lattice beam and facade	135
	Space frames	136
	Diamonds and diagonals	137
	Canopy structures	138
	Insulation	
Introduction	The "invisible" building material	139
Properties of materials	Transparent thermal insulation	143
	Thermal insulation materials and their applications	144
Systems	Thermal insulation systems: Overview	146
	Glass or plastic	
Introduction	Glass – crystalline, amorphous	147
	Plastic	150
Properties of materials	Glass, the opaque building material	151
	Plastic on the threshold of architecture	159
ELEMENTS	Foundation – Plinth	
Introduction	Building underground	169
Processes	Site preparation: Surveying work	177
	Site preparation: Earthworks	178
	Foundations	179
Systems	Foundation schemes: Loadbearing layer inside	180
oystoms .	Foundation schemes: Loadbearing layer made	181
Systems in architecture	The basis for plinths	182
Building performance issues	External wall below ground: Influences on the building envelope	185
	Facade	
Introduction	The wall	186
Systems in architecture	The design of the facade	191
Systems in alcinication	•	191
Introduction	Opening For and against the long horizontal window:	
Introduction		000
	The Perret – Le Corbusier controversy	200
Systems	The window – opening package	209
	Position of window, opening rebate forms	210
	The window as a component – frame sections	211
	The window as a component – glass	212
	Window – horizontal section, 1:1	213
	Window – vertical section, 1:1	215
Systems in architecture	The opening as a hole	217
	The opening as a horizontal strip	218
	The opening as a joint	219
	The opening as a transparent wall	220
Introduction	About the door	221
Systems	Doors – types of opening	222
	Doors – types of door stop	223
	Doors – hardware	224
Building performance issues	Wall – opening: Influences on the building envelope	225
., ,		226
	Cutting out sunlight and glare	220

Floor The doubling of the sky 230 Introduction Roof The roof Introduction 236 Pitched roof: Functions of layers 238 Systems Flat roof: Functions of layers 239 Flat roof: Warm deck - conventional systems 240 Flat roof: Warm deck - special systems 241 Flat roof: Upside-down roof 242 Flat roof: Cold deck 243 Pitched roof 244 Systems in architecture Flat roof 245 The roof as a folded plate 246 Barrel-vault roof and shell roof 247 Criteria and relationships 248 Building performance issues Flat roof – pitched roof: Repercussions for the building envelope 249 Stairs, lifts Flights of fancy 250 Introduction Excerpt from the Bauentwurfslehre by Ernst Neufert 255 Systems The geometry of stair transitions 257 Balustrades and spandrel panels: Extract from Swiss standard SIA 358, 1996 edition 258 Lifts 259 263 The staircase as an assembly of simply supported beams Systems in architecture The staircase as a monolithic, organic form 264 The staircase as a space frame 265 The staircase as a solid timber construction 266 **STRUCTURES** Forms of construction Courtyard house versus veranda house 269 introduction | An attempt to classify horizontal and 277 vertical space development 288 Structural shell, fitting-out and premium structural shell Structural issues: The relationship between interior structure, loadbearing structure, and infrastructure 296 Vertical loadbearing structures in solid construction: Concepts 304 Cross-section concepts Vertical loadbearing structures in solid construction: Plan concepts 305 Vaulted loadbearing structures in solid construction: 306 Compression structures 308 Of heavy mass and apparent heaviness Examples Ksar Ferich: A fortified storehouse in southern Tunisia 311 Sculpted architecture: The Scottish tower house 316 Provision of services during planning work 324 Processes 325 The sequence of building operations Systems Compartmentation 326 Box frame construction 327 Frame construction 328 329 Column-and-slab systems 330 Single-storey shed forms Systems in architecture Prefabrication: System building 331 Building performance, energy Sustainability: Fundamentals of architecture 335 Introduction

The problem of heat flow and vapour diffusion

339

Concepts

	Insulation concepts: Diagram of layers	340
	Insulation concepts: Complementary systems – loadbearing	
	layer inside	341
	Insulation concepts: Complementary systems – loadbearing	
	layer outside	342
	Seven rules for the design of a low-energy house	343
Example	Low-tech — high tectonics	344
BUILDINGS	Selected projects	
Examples	Apartment blocks, Martinsbergstrasse, Baden:	
	Burkard Meyer Architekten	349
	Gallery for Contemporary Art, Marktoberdorf: Bearth + Deplazes	359
	Detached family home, Grabs: Peter Märkli	368
	Paspels School: Valerio Olgiati	378
	Volta School, Basel: Miller + Maranta	387
	Sihlhof School, Zurich: Giuliani Hönger	396
	Training centre, Gordola: Durisch + Nolli	407
	New Monte Rosa Hut: Monte Rosa Studio (ETH Zurich),	41.4
	Bearth + Deplazes	414
	Vocational Training Centre, Baden: Burkard Meyer Architekten	426
	Teacher Training College, Chur: Bearth + Deplazes Swiss School of Engineering for the Wood Industry, Biel: Meili + Peter	434 443
	Private house, Sevgein: Bearth + Deplazes	443
	Leutschenbach School, Zurich: Christian Kerez	459
	Office building, Picassoplatz, Basel: Peter Märkli	469
	omoo banding, i loadoopiate, badoi. I doi waran	400
MPONENTS	Drawings	
1	Preparation of drawings for buildings:	
1	Excerpt from Swiss standard SIA 400:2000	479
1	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings:	479
1	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction	479 485
I	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings:	
l	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction	485
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components	485
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth	485 487
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry	485 487 488
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered	485 487 488 489
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry	485 487 488 489 490
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation	485 487 488 489 490 491
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered	485 487 488 489 490 491 492
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight	485 487 488 489 490 491 492 493
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight	485 487 488 489 490 491 492 493 494
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof	485 487 488 489 490 491 492 493 494 495
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor	485 487 488 489 490 491 492 493 494 495
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof	485 487 488 489 490 491 492 493 494 495 496
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered	485 487 488 489 490 491 492 493 494 495 496
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered Double-leaf masonry, rendered	485 487 488 489 490 491 492 493 494 495 496
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered Double-leaf masonry, rendered Facing masonry	485 487 488 489 490 491 492 493 494 495 496 498 499 500
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation	485 487 488 489 490 491 492 493 494 495 496 498 499 500 501
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered	485 487 488 489 490 491 492 493 494 495 496 498 499 500 501 502
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight	485 487 488 489 490 491 492 493 494 495 496 498 499 500 501 502 503
	Excerpt from Swiss standard SIA 400:2000 Presentation on drawings: Example: timber platform frame construction Symbols: Legend for the catalogue of components Foundation — Plinth Single-leaf masonry Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight Timber platform frame construction Solid timber panel construction: Plinth — Roof Wall — Floor Single-leaf masonry, rendered Double-leaf masonry, rendered Facing masonry Fair-face concrete with internal insulation External insulation, rendered External cladding, lightweight External cladding, heavyweight	485 487 488 489 490 491 492 493 494 495 496 498 499 500 501 502 503 504

COMPONENTS

	Upening	
Windows	Single-leaf masonry	508
	Double-leaf masonry, rendered	510
	Facing masonry	512
	Fair-face concrete with internal insulation	514
	External cladding, lightweight	516
	External cladding, heavyweight	518
	External insulation, rendered	520
	Non-loadbearing external wall	522
	Timber platform frame construction	524
	Solid timber panel construction	526
Doors	Hinged door, external – wood	528
	Hinged door, external – wood/glass	529
	Sliding door, external – metal/glass	530
	Hinged door, internal – wood	531
	Sliding door, internal – wood	532
	Silulity door, internal – wood	332
	Floor	
	Hollow clay block floor	533
	Hourdis-type hollow clay block floor	534
	Solid concrete slab	535
	Ribbed concrete slab	536
	Concrete waffle slab	537
	Hollow-core concrete slab	538
	Composite slab, profiled metal sheeting-concrete	539
	Solid timber floor	540
	Timber joist floor	541
	Timber box element floor	542
	Steel floor	543
	Roof – Parapet	
	Roof – Parapet Pitched roof – warm deck:	
		544
	Pitched roof – warm deck:	544
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight	544 545
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry	
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond	545
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry	545 546 547
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck:	545 546
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation	545 546 547
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight	545 546 547 548
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation	545 546 547 548
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered	545 546 547 548 549 550
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof:	545 546 547 548 549 550 551 552
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction	545 546 547 548 549 550 551 552
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic	545 546 547 548 549 550 551 552 553 554
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction	545 546 547 548 549 550 551 552
EYTENCION	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting	545 546 547 548 549 550 551 552 553 554 556
EXTENSION	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate	545 546 547 548 549 550 551 552 553 554 556 558
EXTENSION	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate Behavioural studies	545 546 547 548 549 550 551 552 553 554 556 558
EXTENSION	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate Behavioural studies The climate zone model	545 546 547 548 549 550 551 552 553 554 556 558
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate Behavioural studies The climate zone model The temperate zones: A conflict of objectives	545 546 547 548 550 551 552 553 554 556 558
EXTENSION	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate Behavioural studies The climate zone model	545 546 547 548 549 550 551 552 553 554 556 558
	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate Behavioural studies The climate zone model The temperate zones: A conflict of objectives	545 546 547 548 550 551 552 553 554 556 558
Conclusions	Pitched roof – warm deck: Fibre-cement – external cladding, lightweight Pitched roof – warm deck, monopitch roof: Fibre-cement – facing masonry Pitched roof – cold deck: Roof tiles – masonry in brickwork bond Pitched roof – cold deck: Sheet metal – single-leaf masonry Flat roof – warm deck: Bitumen – double-leaf masonry, rendered Flat roof – warm deck: Bitumen – fair-face concrete with internal insulation Flat roof – warm deck: Plastics – external cladding, heavyweight Flat roof – warm deck: Bitumen – non-loadbearing external wall Flat roof – upside-down roof: Bitumen – external insulation, rendered Flat roof – cold deck, uncoated roof: Bitumen – timber platform frame construction Flat roof – warm deck, suitable/unsuitable for foot traffic Flat roof – cold deck Flat roof – upside-down roof, with rooftop planting Views on Climate Behavioural studies The climate zone model The temperate zones: A conflict of objectives Impact and effort	545 546 547 548 550 551 552 553 554 556 558 563 566 571 576