

Volkmar Dierolf

Electronic Defect States in Alkali Halides

Effects of Interaction with Molecular Ions

With 80 Figures and 22 Tables

TU Darmstadt
Teilbibliothek Chemie/
Materialwissenschaft



Springer

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction and Historical Overview | 1 |
| 1.1 | The Initial Idea | 1 |
| 1.2 | The Unexpected New Results | 2 |
| 1.3 | The Dream Comes True | 4 |
| 1.4 | What to Expect? | 4 |
| | References | 7 |
| 2 | F Centers and Rare-Earth Ion Defects in Alkali Halides | 9 |
| 2.1 | F-Center-Related Defects | 9 |
| 2.2 | Divalent Rare-Earth Ions in Alkali Halides | 11 |
| 2.2.1 | Isolated Yb^{2+} Ions | 11 |
| 2.2.2 | Isolated Eu^{2+} Ions | 15 |
| 2.2.3 | Isolated Sm^{2+} Ions | 16 |
| | References | 20 |
| 3 | Properties of Molecular Defects | 23 |
| 3.1 | Transition Energies | 23 |
| 3.1.1 | Free Molecules | 23 |
| 3.1.2 | Transition Energies of Molecular Ions in a Solid | 24 |
| 3.2 | Absorption Intensity and Oscillator Strengths | 26 |
| 3.2.1 | Free Molecule | 26 |
| 3.2.2 | Transition Probabilities for Molecular Ions in a Solid | 28 |
| 3.3 | Molecules in Alkali Halides | 30 |
| | References | 31 |
| 4 | Theoretical Models for E–V Transfer | 33 |
| 4.1 | Common Features | 33 |
| 4.2 | Förster–Dexter-Type Models | 36 |
| 4.3 | Models for Electronic–Vibrational Coupling | 38 |
| 4.3.1 | Radiative Transitions | |
| | Including Electronic–Vibrational Coupling | 39 |
| 4.3.2 | Supermolecule Model (Horizontal Tunneling) | 42 |
| 4.3.3 | The Sudden Approximation | 43 |

| | | |
|----------|--|-----------|
| 4.4 | Comparison..... | 45 |
| 4.5 | Potential Energy Surfaces | 47 |
| | References | 48 |
| 5 | $F_H(CN^-)$ Centers | 51 |
| 5.1 | Basic Spectroscopic Properties | 51 |
| 5.1.1 | Overview | 51 |
| 5.1.2 | Electronic Transitions..... | 52 |
| 5.1.3 | Vibrational Transitions..... | 53 |
| 5.2 | Energy Transfer: Relative and Absolute E-V Transfer Rates . | 54 |
| 5.2.1 | E-V Transfer Efficiency in KCl..... | 55 |
| 5.2.2 | E-V Transfer in CsCl: Time-Dependent Measurement of the EL and VL..... | 57 |
| 5.3 | V-E Energy Transfer | 60 |
| 5.4 | Vibrational Coupling of F Centers to the CN^- Stretchmode . | 61 |
| 5.4.1 | KCl | 61 |
| 5.4.2 | CsCl and CsBr..... | 63 |
| 5.5 | The Nature of the Relaxed Excited State | 65 |
| 5.6 | Putting It All Together: Comparing E-V Transfer Rates with Theoretical Models | 66 |
| 5.6.1 | FD Model | 67 |
| 5.6.2 | Horizontal-Tunneling Model | 67 |
| 5.6.3 | Relative Transfer Rates | 68 |
| | References | 69 |
| 6 | CN^- Next to an Anion Vacancy Occupied by No Electron or Two Electrons | 71 |
| 6.1 | Background..... | 71 |
| 6.2 | Experimental Results | 72 |
| 6.3 | Creation Kinetics..... | 74 |
| 6.4 | Shift in Spectral Position | 75 |
| 6.5 | Changes in Absorption Cross Section | 76 |
| | References | 76 |
| 7 | $F_H(OH^-)$ Centers | 77 |
| 7.1 | Cs Halides..... | 77 |
| 7.1.1 | Electronic Absorption..... | 77 |
| 7.1.2 | Magnetic Resonance | 80 |
| 7.1.3 | Vibrational Properties | 81 |
| 7.1.4 | The Relaxed Excited State | 81 |
| 7.2 | F_{H_2} Center | 81 |
| 7.3 | K and Rb Halides: Optical Bistability | 82 |
| 7.3.1 | Electronic Absorption..... | 82 |
| 7.3.2 | Vibrational Absorption..... | 84 |
| 7.3.3 | Microscopic Structure..... | 86 |

| | | |
|----------|--|------------|
| 7.3.4 | Entropy-Driven Bistability: Two-Center Model | 88 |
| 7.3.5 | Three-Center-Type Model | 88 |
| 7.3.6 | Changes in Vibrational Absorption Cross-Section | 90 |
| 7.4 | E-V Energy Transfer | 91 |
| 7.5 | Dynamic Properties | 91 |
| | References | 93 |
| 8 | Interaction Between F Electrons and Distant OH⁻ Molecules | 95 |
| 8.1 | The Main Idea | 95 |
| 8.2 | OH ⁻ Defects with a Captured Extra Electron | 97 |
| 8.2.1 | Absorption Results | 97 |
| 8.2.2 | Optically Detected Magnetic Resonance | 100 |
| 8.3 | Vibrational Properties of Molecular Electron Traps | 101 |
| 8.3.1 | Shift in Transition Energy and Enhancement of Absorption Intensity | 101 |
| 8.3.2 | Mechanical and Electrical Anharmonicity | 104 |
| 8.3.3 | Librational Sidebands | 104 |
| 8.3.4 | Summary | 105 |
| 8.4 | Electron Trapping by OH ⁻ Pairs | 105 |
| 8.5 | Electron Tunneling from F Centers to OH ⁻ -Related Defects | 107 |
| 8.6 | E-V Transfer Between Distant F-centers and OH ⁻ Defects ... | 108 |
| 8.7 | Conclusions and Outlook | 110 |
| 8.8 | Further OH ⁻ -Type Centers in CsI | 111 |
| | References | 112 |
| 9 | Ytterbium Ions and CN⁻ Molecules | 115 |
| 9.1 | Crystal Growth and Sample Characterization | 115 |
| 9.2 | Yb ²⁺ :(CN ⁻) _n Defect Complexes: Electronic Transitions | 116 |
| 9.2.1 | Absorption and Emission Properties | 117 |
| 9.3 | Vibrational Transitions of CN ⁻ Molecules Within Yb ²⁺ :(CN ⁻) _n Complexes | 122 |
| 9.3.1 | Temperature Dependence | 123 |
| 9.4 | Optically Induced Bistability | 128 |
| 9.5 | Center Model | 130 |
| 9.6 | Interpretation of the Spectral Shifts | 132 |
| 9.6.1 | Ligand Field Strength | 132 |
| 9.7 | Vibrational Luminescence and E-V Energy Transfer | 138 |
| 9.7.1 | Type of Center Involved in the E-V Energy Transfer .. | 141 |
| 9.8 | Dynamics of the E-V Transfer | 142 |
| 9.8.1 | Temperature Dependence | 147 |
| 9.8.2 | Concentration Variation | 149 |
| 9.9 | Properties of Yb ²⁺ Ions with Excited CN ⁻ Neighbors | 152 |
| 9.9.1 | Experimental Results and Their Interpretation | 153 |

| | | |
|------------------------|--|------------|
| 9.9.2 | Origin of Enhancement of Electronic Transition Probability | 155 |
| 9.10 | Putting It All Together: Comparing E–V Transfer Rates with Theoretical Models | 156 |
| 9.10.1 | The Förster–Dexter Model and the Relative Transfer Rates | 157 |
| 9.10.2 | FD Model: Absolute Transfer Rates | 158 |
| 9.10.3 | Horizontal-Tunneling Model: Relative Transfer Rates . | 158 |
| 9.10.4 | Horizontal-Tunneling Model: Absolute Transfer Rates . | 159 |
| 9.11 | Possible Application as a Phosphor | 159 |
| | References | 162 |
| 10 | Europium and CN^- Molecules | 165 |
| 10.1 | $\text{Eu}^{2+}:(\text{CN}^-)_n$ Complexes | 165 |
| 10.2 | Possible Application as a Phosphor | 168 |
| 10.3 | Summary and Interpretation of Experimental Results | 168 |
| | References | 169 |
| 11 | Samarium and CN^- Molecules | 171 |
| 11.1 | Introduction | 171 |
| 11.2 | Complexes Involving a Single CN^- Molecule | 172 |
| 11.2.1 | Spectroscopic Characterization | 172 |
| 11.2.2 | Preliminary Center Model | 175 |
| 11.2.3 | Energy-Level Scheme | 176 |
| 11.3 | Complexes Involving Several CN^- Molecules | 176 |
| 11.3.1 | Energy-Level Scheme | 177 |
| 11.4 | E–V Energy Transfer | 177 |
| 11.4.1 | Vibrational Luminescence | 178 |
| 11.4.2 | Interpretation | 179 |
| 11.4.3 | Summary and Outlook | 181 |
| | References | 181 |
| 12 | Other Defect Complexes | 183 |
| 12.1 | ns^2 Ions (Tl^+ and Pb^{2+}) and CN^- Molecules | 183 |
| 12.2 | Cu^+ Ions and OH^- Molecules | 185 |
| | References | 185 |
| 13 | Summary | 187 |
| 13.1 | Comparison of the Defect Systems | 187 |
| 13.2 | Potential Applications | 190 |
| | Reference | 191 |
| Index | | 193 |